VOL.
12
1961

SUBJECT AND AUTHOR AND TITLE INDEXES TO TETRAHEDRON, VOLUMES 12 TO 17, AND TETRAHEDRON LETTERS,* NUMBERS 1 TO 22

1961

* Reference to *Tetrahedron Letters* is indicated by the letter L prefixing the issue number.

VOL. 12 1961

SUBJECT INDEX

Acceptor capacities, conjugative, of protonated carbonyl derivatives, **L7**, 249
of alkyl substituents, **17**, 199
Acceptors, interaction with bases, **16**, 119
Acene, asymmetric annellation effects in passing → phenylacene → diphenylacene, **16**, 113
Acetals, prep., **13**, 241
Acetamide, dinitro-, condensation with formaldehyde, **17**, 105
prep. by hydrolysis of dinitrocyanomethide salts, derivatives, **17**, 105
Acetic anhydride, rates of acetate exchange and hydrolysis in water, **L14**, 458
Acetic esters, dinitro-, prep. by alcoholysis of dinitrocyanoacetate esters, **17**, 109
Acetoacetic acid ethyl ester, ketovinylation and reaction mechanism, **12**, 63
α-substituted, percentage enolic forms in different solvents, **12**, 88
Acetone, condensation with aryltellurium trihalides, **12**, 219
3- or 5-methylcyclopent-2-en-2-ol-1-one formation, **14**, 161
Acetonitrile, dinitro-, addition to carbonyl conjugated unsaturated systems, **17**, 89
chemistry, parts I, II, III and IV, **17**, 79, 89, 105, 109
isolation as tetrahydrate, sodium, potassium, silver, ammonium, nitron and tetraphenylarsonium salts, **17**, 79
Michael, Mannich and alkylation reactions, **17**, 89
prep. and prop., **17**, 79
prep. from dinitrocyanoacetate esters, **17**, 109
Acetophenone, condensation with aryltellurium trihalides, **12**, 219
Acetylene, addition of tri-n-butyltin hydride, **L4**, 143
Acetylenedicarboxylic acid, dimethyl ester, photochemical reaction with benzene, **L4**, 148
Acetylenes, cyclization of butylacetylenes with organo metallic catalysts, **L19**, 658
Diels-Alder reaction of t-butylacetylene with 2,3,5-tri-t-butylcyclopentadienone, **L18**, 637
hydroboration, **12**, 127
prep. of patulin derivatives, **16**, 185
selective catalytic hydrogenation, **16**, 16
Acidinium iodide, N-methyl, reaction with diazomethane, **L17**, 594
Acidity, role in kinetics of aromatic compd. nitration, **12**, 23
Acids, aliphatic, keto β-α-unsaturated, synthesis, **12**, 63
carboxylation of olefins, **L7**, 238
carboxylic anhydrides, pyridine catalysed hydrolysis, **L14**, 458
Acids (*continued*)
reactions with 1,2-epoxypropane and 2-methyl-2,3-epoxypentane, **15**, 187
α-chlorocarboxylic, synthesis by chlorinating compds. containing CCl_2=CH group, **17**, 69
α,β-unsaturated, synthesis, reaction of carbethoxymethylenetriphenylphosphorane with ketones, **L16**, 579
Aconitum heterophyllum, alkaloids, **14**, 76, 82, 98
sachalinense alkaloids, **14**, 111
sanyoense, alkaloids, **14**, 107
species, alkaloids, **14**, 76, 103
Acradenia franklinii, isolated ketones, **16**, 206
Acrolein, addition of dinitroacetonitrile, **17**, 89
Acrylamide, addition of dinitroacetonitrile, **17**, 89
Acrylic acid, and methyl ester, addition of dinitroacetonitrile, **17**, 89
methyl ester, cyclopentadiene additions, effect of solvent, **L4**, 131
Acyl hypohalites, addition to C=C bond, general directing effect of polar substituents, **L12**, 398
Acylpyridinium ion, formation, **L14**, 458
Acylsulphonyl peroxides, heterolytic isomerizations, **L15**, 527
Adamantane rearrangement, examples, **L9**, 305
Addition reactions, 1,3-addition of aromatic nitrile oxides to carbonyl compds., **L17**, 583
conjugated addition of Cl_2 to compds. containing CCl_2=CH group, **17**, 69
Diels-Alder, to ω,ω′-*o*-xylylenedibromide *via* *o*-quinoid hydrocarbons, **14**, 190
dipolar, nature of transition states, methods for examination, **L12**, 398
1,3-dipolar, diphenylnitrilimine addition to alkenes and alkynes, **17**, 3
of olefins in presence of metal carbonyls or colloidal iron, **17**, 61
Adducts, 1:1 borane-nitrile, **17**, 117
carbethoxycarbene, of 2,6-dimethyl-naphthalene, **15**, 7
cyclic diene with dienophile, effect of solvent, **L4**, 131
dichlorocarbene–olefin, conversion to allenes and cyclopropanes, **L5**, 173
N,N-dimethyl amides and N-alkyl-N-methylformamides, **L7**, 238
Michael, addition of dinitroacetonitrile to carbonyl conjugated unsaturated systems, **17**, 89
of dinitroacetamide, **17**, 105
of diphenylnitrilimine with alkenes and alkynes, **17**, 3
Agathene correlation with communic acid, **16**, 255

Agathic acid, correlation with daniellic acid, **12**, 205
Agroclavine, elymoclavine and penniclavine, biogenesis from ergot, **L15**, 501
Ajaconine, chemistry, **14**, 83
structure, **14**, 54
Alcohols, acyclic, intramolecular hydrogen bonding, **16**, 177
allylic, 3-alkoxy-, decomposition, reinterpretation, **L10**, 337
benzyl, substituted, orientation effects in hydrogenolysis, **16**, 169
secondary, relative configuration and sign of optical rotation, **13**, 9
tertiary, condensation with nitriles, prep. and structure of a spiro-oxazine, **L22**, 785
related to 3-buten-1-ol and phenethyl alcohol, high resolution proton magnetic resonance spectra, **16**, 139
Alcoholysis, of dinitrocyanoacetate esters, prep. of dinitroacetate esters, **17**, 109
Aldehydes, 1,3-addition of aromatic nitrile oxides, formation of 1,3,4-dioxazoles, **L17**, 583
α,β-unsaturated, mechanism of formation from β-dicarbonyl compds., **L10**, 337
reaction with ammonia and chloramin, formation of diaziridin and analogues, **L17**, 612
Alder rule, effect of solvent on adducts of cyclic diene with dienophile, **L4**, 131
Aldosterone, problem of synthesis, application of Barton reaction, **17**, 37
Alectoria virens, chemical components, **12**, 173
Aliphatic compounds, rotary power, explanation of variation with temp, **12**, 146
1,2-**Alkadienes** *see* Allenes
Alkaloids, ajaconine structure, **14**, 54
Amaryllidaceae, powellane class, position of aromatic methoxyl, **L3**, 105
Rauwolfia, **14**, 4
annotinine configuration, **L5**, 187
Aspidosperma, **14**, 5
isolation and constitution of cylindrocarpine, cylindrocarpidine and pyrifolidine, **16**, 212
Aspidosperma australe, **15**, 160
quetracho-blanco, investigation by mass spectrometry, **L14**, 485
subincanum, **15**, 167
atidine structure, **14**, 82
atisine, chemical developments, **14**, 76
Lycopodium, diterpene, veratrum, **14**, 2
avicine structure, **14**, 322
calabash curare, indole, **14**, 3
catharanthine structure, **L6**, 199
colchicine synthesis, **14**, 8
coreximine synthesis, **14**, 46
c-curarine, constitution and halochromic reactions, **14**, 138
1,2-dihydro-ellipticine, isolation, structure and synthesis, **15**, 167
diterpene, nitrogen removal, **14**, 81
veatchine and atisine class, absolute configuration, **L3**, 119
echitamine, degradation studies, **15**, 132
Alkaloids (*continued*)
echitamine iodide, absolute configuration, **L22**, 814
ellipticine methonitrate and 1,2-dihydro-derivative, isolation, structure and synthesis, **15**, 167
ergot, biogenetic interrelationships, **L15**, 501
mevalonic acid incorporation, **L17**, 596
Erythrina, **14**, 5
fawcettiine, clavolonine and annofoline interrelationship and stereochemistries, **15**, 173
flavopereirine synthesis, **16**, 5
geissospermine structure, **14**, 113
gentianin, derivation from Swertiamarin, **L14**, 453
glycosine, deletion recommended, **16**, 224
Glycosmis arborea, structure of arborine, **16**, 224 structure of arborinine, **16**, 251
guatambuine (u-alkaloid) structure, **15**, 160
hetisine chemistry, **14**, 98
hypognavine chemistry, **14**, 103, 107
ignavine chemistry, **14**, 103
indole and cyclopentanoid monoterpenes, possible biosynthetic relationship, **L16**, 537
indole, presence of N_a—CH_3 group in voachalotine, **L8**, 270
indolenine, isolation and structure of perakine, **L11**, 363
intensities of carbonyl bonds in IR spectra of 2- and 4-quinolones, **14**, 223
isoquinoline, structure and synthesis of liriodenine, **14**, 42
jacobine, structure of bromodilactone and conformation of lactone group, **L17**, 590
jervine, synthesis of N-free derivative, C-nor-D-homo ring system, **L21**, 777
Kobusine chemistry, **14**, 103, 111
lunarine, isolation of diphenyl derivatives, **L10**, 321
lupine, absolute configuration, prediction by Conformation Dissymmetry Rule, **13**, 108
lycopodium, **15**, 173
1-methylenepyrrolizidine synthesis, **23**, 92
methyl neoreserpate, IR spectra and configuration at C—3, **L14**, 481
morphine, elimination of 4-hydroxyl group, **15**, 144, 154
napelline and songorine (napellonine), **14**, 94
olivacine structure, **15**, 160
oxindole, stereochemistry, **L22**, 822
perakine, isolation and structure, **L11**, 363
quebrachamine structure, **L9**, 299
Rauwoloa, biogenesis, **14**, 35
rhynchophylline stereochemistry, **L22**, 791
sempervirine synthesis, **16**, 11
steroid, of Apocynaceae, **14**, 126
Tabernathe iboga, **14**, 5
tuberoslemonine structure, **L20**, 707
tylophorine, total synthesis, **14**, 284
tylophorinine structure, **14**, 288
vincamine structure, **L20**, 702
Voacanga africana, **14**, 5

VOL. 12 1961

u-**Alkaloid** *see* Guatambuine
Alkenes, *cis*-addition of diphenylnitrilimine forming 1,3-diphenyl-Δ^2-pyrazolines, **17**, 3
Alkoxy radicals, decomposition reactions, **17**, 52
formation by photolytic decomposition of nitrites, **17**, 35
intramolecular hydrogen abstraction, formation of nitrose-monomers, dimers and oximes, **17**, 35
Alkyl acetoacetates, α-alkyl substituted, keto-enol equilibrium, **12**, 76
α-Alkyl acetoacetates, *trans*-enolization, effect of solvent, **12**, 91
Alkyl aryl ethers, orientation effects in dealkylation and dearylation, **16**, 169
Alkyl malonates, isopropylidene, keto-enol equilibrium, **12**, 76
Alkyl substituents, electron donor and acceptor properties, **17**, 199
α-Alkyl tetronic acids, keto-enol equilibrium, **12**, 76
Alkylation, by application of triazenes, **L21**, 758
of dinitroacetonitrile, **17**, 89
of enamines from α,β-unsaturated ketones, **L10**, 313
reaction of halocyclopentadienes with phosphorous esters, **L9**, 295
Alkylideneamino t-butylboranes, **17**, 117
Alkylideneimines, N-(1-phenylalkyl)-1-phenyl-, mutarotation and isomerization, **L21**, 737
Alkyllithium reaction with *gem*-dihalocyclopropanes, **L5**, 167
Alkylphosphorochloridates, formation from phosphorous esters, **L9**, 295
Alkyltrimethylsilanes, relative rates of nucleophilic and electrophilic substitutions, **L13**, 421
Alkynes, *cis*-addition of diphenylnitrilimines forming 1,3-diphenylpyrazoles, **17**, 3
Allenes, from *gem*-dihalocyclopropanes and alkyllithium, **L5**, 167
optically active higher homologues, **L22**, 802
prep. from dichlorocarbene ($:CCl_2$) adducts of olefins, **L5**, 173
Allyl ethers, relationship between Claisen rearrangement and electronic structure, **14**, 208
N-Allylamines, rearrangement, **14**, 208
Allylic alcohols, 3-alkoxy-, decomposition, reinterpretation, **L10**, 337
Alstonia scholaris, degradation studies of echitamine, **15**, 132
Amaryllidaceae alkaloids, powellane class, position of aromatic methoxyl, **L3**, 105
Rauwolfia, **14**, 4
Ambrosin, structure revision, **L2**, 82
Amidation, of olefins, **L7**, 238
Amides, protonation, preferred sites, **L7**, 249
Amine boranes, **17**, 117
Amines, aliphatic, deamination by triazene method, **L21**, 758
interaction with S-trinitrobenzene, spectrophotometric study, **16**, 119
Amines, aliphatic (*continued*)
primary, conversion to esters, halides, ethers etc., **L21**, 758
aromatic, permaleic acid oxidation to nitro compds., **17**, 31
primary and secondary, reactions with 1,2-epoxypropane and 2-methyl-2,3-epoxypentane, **15**, 187
reaction with ethylene diisothiocyanate, **L1**, 5
secondary, transformation of ketohexoses with, **13**, 247
tertiary, catalysed hydrolysis of carboxylic anhydrides, **L14**, 458
Amino acids, grouping according to structures important to rotatory properties, **13**, 178
rotatory dispersion curves, **13**, 176
secondary, transformation of ketohexoses with, **13**, 247
side chains, contribution to rotatory dispersion, **13**, 176
α-Amino acids, configuration of asymmetric center related to sign of cotton effect, **13**, 27
Aminoalkylation, of olefins, **L7**, 238
***cis*-1,4-Aminocyclenols**, by reduction of bicyclic 1,2-oxazines, **12**, 7
Aminolysis, of unsymmetrical epoxides, **15**, 187
Aminomethylation, of hydantoin ring, **15**, 93
Ammonia, interaction with S-trinitrobenzene, spectrophotometric study, **16**, 119
Analysis, of octalin mixtures, **12**, 163
Andromedotoxin *see* Gravanotoxin-I.
1,4-Androstadiene-3,11,17-trione, lithium and ammonia reduction, **L17**, 601
Androstan-3-17-dione, 4,4-dimethyl-, conformation of ring A, **219**, 676
Androstan-17-one, 3β,11β-dihydroxy-, one step partial synthesis, **15**, 193
rac, **Δ^5-Androsten-3β-ol-acetate**, 16-acetyl-, total synthesis, **13**, 295
Anhydrides, carboxylic, pyridine catalysed hydrolysis, **L14**, 458
reactions with 1,2-epoxypropane and 2-methyl-2,3-epoxypentane, **15**, 187
Anhydrocaranine, reduction to (±)γ-lycorane, **12**, 248
β-Anhydrodihydrocaranine, reduction to (+)γ- and δ-lycorane, **12**, 248
Anilines, simple negatively substituted, permaleic acid oxidation to nitro compds., **17**, 31
Anisotropy factor of azidopropionic-dimethylamide, **13**, 3
Annofoline relationship to fawcettiine and clavolonine, **15**, 173
Annotinine, configuration and some rearrangements, **L5**, 187
Anthocyanidins, isolation of pro-anthocyanidins from fruits of *Crataegus oxyacantha*, **L8**, 267
Anthocyanins, from *Bladhia sieboldii*, **12**, 181
Anthracenes, 1′-substituted-9,10-dihydro-9,10-methano-, synthesis and reactions, **L7**, 253
Antibiotics, flavensomycinic acid structure, **L16**, 537

Antibiotics (*continued*)
isolation and characterization of curamycin hydrolysis products, **15**, 76
macrolide, biogenesis, **L7**, 234
filipin structure, **L12**, 383
Apocynaceae, natural steroid amines, **14**, 127
Apogeissoschizine, structure, **14**, 113
D-Arabitol, component of *Alectoria virens*, **12**, 173
Arborine, structure, **16**, 224
Arborinine, structure, **16**, 251
Aromatic compounds, catalytic deuteration and tritiation, NMR study of orientation effects, **L15**, 516
HMO treatment of hydrocarbon reduction with alkali metals, **16**, 153
hydrocarbons, X-ray results for bond lengths, **17**, 155
nitration, mechanism of protolytic equilibria, **12**, 23
nitro-, cyclization with ferrous oxalate, **L21**, 754
reaction with ferrous oxalate, formation of nitrene intermediate, **L21**, 752
orientation in metal ammonia reductions, **16**, 169
relationship between C^{13} and H^1 chemical shifts and π-electron density, **L14**, 468
with electron repelling groups, condensation with aryltellurium trihalides, **12**, 219
Aromatic molecules, magnetic shieldings and electronic structures, **L8**, 274
with mesomeric substituents, description of excited states, **L21**, 771
Aromatic systems, polysubstituted, excitation energies based on a molecular orbital model, **L21**, 771
Aromaticity, of borazarenes, **15**, 26
of boron compds., **15**, 26, 35
and coordinative power of boron, **16**, 68
Arsenic heterocycle, pentacovalent, synthesis, **L14**, 477
Arsoles, synthesis of tetramethyl-1,1,1-triphenylarsole-2,3,4,5-tetracarboxylate, **L14**, 477
Aryl ethers, diarylation, orientation effects, **16**, 169
1-Arylcyclohexenes, addition of dinitrogen trioxide, **15**, 60
N-Arylglycosylamines, new types of *trans*-glycosylation, **14**, 175
Arylnorbornyl cations, synthesis, **L12**, 414
Aryltellurium dihalides, prep. from corresponding trihalides, **12**, 219
Aryltellurium trihalides, condensation with methylketones and aromatic compds. with electron repelling groups, **12**, 219
Aspidosperma, alkaloids, **14**, 5
isolation and constitution of cylindrocarpine, cylindrocarpidine and pyrifolidine, **16**, 212
Aspidosperma australe, alkaloids, **15**, 160
quebracho, quebrachamine structure, **L9**, 299
quebracho-blanco, alkaloids, mass spectrometry, **L14**, 485
subincanum, minor alkaloids, **15**, 167
Aspidospermine, chemical correlation with quebrachamine **L9**, 299
Asymmetric annellations, acene→phenylacene→diphenylacene, **16**, 113
Asymmetric synthesis, of some sulphoxides, **L17**, 607
Atidine, structure, **14**, 82
Atisine, absolute configuration, **L3**, 119
chemistry and structure, **14**, 76
correlation with garrya alkaloids, **14**, 85
Atomic orbitals, expression for molecular rotation as a function of, **12**, 146
Atoms, non-bonded carbon and hydrogen, interaction curve and its application, **14**, 230
pentacovalent, bonding properties, **L14**, 479
Atropisomerism of bithienyls, **L17**, 604
Aureothin, structure, **14**, 252
Auwers–Skita's rule, validity confirmed, prep. of *cis*- and *trans*-cyclopentano(b)tetrahydropyrans, **16**, 25
Avicine, structure, **14**, 322
D-2-Azidopropionic-dimethylamide, rotatory power and optical absorption, **13**, 2
Azlactones, Friedel-Crafts reaction with aromatic hydrocarbons yielding 2,5-diaryloxazoles, **16**, 59
Azoxy compounds, α-acyloxy,hydrolytic cleavage, **L21**, 749
α-hydroxy-, decomposition products, explanation, **L21**, 750
saturated aliphatic, detn. of oxygen position, **L21**, 749
Azulene, π-electron densities, detn. from C^{13} and H^1 nuclear resonance shifts, **L14**, 468

Baeyer-Villiger reaction, permaleic acid oxidation of ketones to esters, **17**, 31
Baker-Nathan effect, concept of term, **17**, 250
role of alkyl substituents, **17**, 199
A_1-Barrigenol, 7β-hydroxy-, isolation from *Pittisporum undulatum*, **L3**, 100
Barton reaction, stereoselective intramolecular hydrogen abstraction from alkoxy radicals, formation of nitroso-monomers, dimers or oximes, **17**, 35
Bases, interaction with electron acceptors, **16**, 119
polycyclic, prep. and structure of a spirooxazine, **L22**, 785
Basicity, of aminoisoxazoles **12**, 55
of isoxazole and derivatives, **12**, 41
Bees, simple synthesis of "Queen substance", **14**, 320
Benzaldehyde, *p*-dimethylamino-, condensation with 2- and 4-picoline-1-oxide, **14**, 151
Benzene, photochemical reaction with dimethyl acetylenedicarboxylate, **L4**, 148
polysubstituted derivatives, synthesis, **12**, 63
Benzhydrindane, approach to total steroid synthesis, **L2**, 76
Benzhydryl chloride, *p*-chloro-, racemization and radio-chloride exchange in acetone, **L10**, 341

Benzhydryl *p*-nitrobenzoate-carbonyl-^{18}O, solvolysis, detection of ion pair return, **L18**, 644
Benzindolo[2,3-a]pyridocolinium salts, synthesis, **16**, 11
12H-Benz[f]indolo[2,3-a]pyridocolinium salt, 6,7-dihydro-, synthesis, **16**, 11
14H-Benz[h]indolo[2,3-a]pyridocolinium salt, 8,9-dihydro-, synthesis, **16**, 11
Benzonitrile oxide, 1,3-addition to carbonyl compds., formation of 1,3,4-dioxazoles, **L17**, 583
reaction with cycloethylenic double bonds, **L3**, 89
Benzoylaminomethyl ketones, prep., **16**, 59
Benzphenylhydrazide chloride, dehydrochlorination to diphenylnitrilimine, **17**, 3
Benzyl alcohols, substituted, orientation effects in hydrogenolysis, **16**, 169
Benzyldimethylsulphonium-*p*-toluenesulphonates, reaction with sodium azide, N–C bond formation, effect of electron attracting substituents, **L6**, 212
Benzylidene acetals, of various glycosides, effect of configuration on hydrolysis, **16**, 106
Bicycloheptadiene, dimerization by metal carbonyls, **L11**, 373
Bicycloheptadiene, synthesis from, of arylnorbornyl cations, **L12**, 414
$\Delta^{2,6}$-Bicyclo[2.2.1]heptadiene, UV isomerization to quadricyclene, **15**, 197
Bicyclo[3,2,0]-hept-2-ene, 1,4-diphenyl-, prep., **L3**, 95
Bicyclo-ketones, configurationally related, optical rotations, **13**, 100
Bicyclo[3:3:1]nonan-3-one, 5-methyl-1-(ketoisobutenyl)- synthesis, **16**, 74
Bicyclo[4.2.0]octa-2,4-diene, *trans*-7,8-diacetoxy-, ring cleavage to octa-2,4,6-trien-1,8-dial, **L20**, 720
Bicyclo(3.2.1)-octan-3-one and 3-tropinone, reactions yielding cycloheptadienones, **L21**, 746
Bicyclo(3.2.1)-3-octen-2-ol, synthesis, **L4**, 146
Biogenesis, interrelationships of ergot alkaloids, **L15**, 501
jatamansone, **L26**, 226
macrolides, origin of branched methyl groups in cladinose and mycarose, **L7**, 234
of ketones from *Acradenia franklinii*, **16**, 206
of sesquiterpenes δ-elemene and cogeijerene, **L21**, 763
quassin and *neo*-quassin, **15**, 100
Rauwolfia alkaloids, **14**, 35
swertiamarin, **L5**, 176
vincamine, **L20**, 702
Biosynthesis, possible relationship between indole alkaloids and cyclopentanoid monoterpenes, **L16**, 537
Biphenyls, nine-membered bridged, optical stability, **L12**, 410
Biphenyls, 2-2′-dihalo-, conformation, comments, **17**, 257
***o*-Biradicaletts**, intermediary, formation from ω,ω′-*o*-xylylenedibromide, **14**, 190
Bis(2,1-borazaro-2-naphthyl) ether, UV spectrum, effect of alkali, **15**, 28
Bis-3-methyl-2-butylborane, hydroborating agent, **12**, 124
c-Bisnorrubremetinium salt, new synthesis, **L22**, 796
3,3′-Bithienyls, optically active, **L17**, 604
Bladhia sieboldii, isolation of malvidin 3-galactoside and delphinidin 7-galactoside, **12**, 181
Blocking techniques, in radical chain reactions, **L7**, 238
Bond angles, prediction by steric interference between attached atoms, **17**, 194
unreliable measure of carbon hybridization, **17**, 134
Bond character, interferences from bond length, **17**, 177
Bond energy, CC and CH, distances and energies, mathematical relationship, **15**, 87
CC and NN triple bonds, **17**, 229
of molecules, repulsive effects of lone-pair electrons, **17**, 264
Bond lengths, CC, a survey, **17**, 125
CC and CH, energies and distances, mathematical relationship, **15**, 87
CC, aromatic, effect of environment, **17**, 243
aromatic hydrocarbons, X-ray results, **17**, 155
condensed aromatic ring systems, **17**, 153
covalent radii for C, **17**, 130, 148
double and triple bond measurements, **17**, 128
effect on, of adjacent bonds, **17**, 191
of conjugation and hybridization, **17**, 235
of hybridization, **17**, 254
of hybridization and electron delocalization, **17**, 129
of negative groups, **17**, 152
free and restricted rotation, **17**, 153
in cyclic molecules, **17**, 145
in cyclic polyenes $C_{2n}H_{2n}$, application of valence-bond resonance method, **17**, 215
in ethyl fluoride and isobutane, **17**, 256
naphthalene and anthracene, comparison of X-ray, MO and Pauling methods, **17**, 156
in open chain molecules, **17**, 144
inferences of bond character, importance of nonbonded interactions, **17**, 177
non bonded interactions hypothesis, **17**, 260
prediction, **17**, 248
rings and bent bonds, **17**, 152
sp^2–sp^3 single bond, **17**, 149
values from spectroscopic and diffraction methods, **17**, 148, 254
variation with environment, **17**, 147
variations determined by spectroscopic study of simple polyatomic molecules, **17**, 135
CCl, CF, CO and CSi bonds, **17**, 132

Bond lengths (*continued*)
CN bonds, **17**, 131
cyclo-octatetraene dianion, **12**, 193
measured, meaning, **17**, 125
operational definitions and experimental detn., **17**, 125
prediction, in heteroatom and heterocyclic conjugated compds., **14**, 237
relation to conjugation, hybridization and steric hindrance, **17**, 191
relationship to electronegativity, Schomaker-Stevenson rule, **17**, 177
"Bond notation," **17**, 243
Bonds, alternation in cyclic polyenes $C_{2n}H_{2n}$, **17**, 215
CC, double, cycloethylenic, identification, **L3**, 89
effect on stability of hydrophenanthrene stereoisomers, **12**, 196
endocyclic and exocyclic, addition reactions, general directing effect of polar substituents, **L12**, 398
isolated, UV spectral measurements, **L16**, 560
strained, *cis*-addition of diphenylnitrilimines, **17**, 3
effect of environment on properties, **17**, 243
nature of, **17**, 235
sp^2–sp^3, combined effect of conjugation and van der Waals' interaction, **17**, 235
triple, instability, **17**, 229
C=O, effect of environment on properties, **17**, 243
ester, alkaline hydrolysis, neighbouring OH group assistance, **L8**, 263
multiple, hydrogenation by hydrazine, role of diimide, **L11**, 347
new systems for hydrogenation, **L11**, 347
NN, triple, stability, **17**, 229
P=O, effect of 2 phenyl rings on conjugation in system, **17**, 239
Borazarene derivatives, reaction with bases, **15**, 26
Borazarenes, aromaticity, **15**, 26
2,1-Borazaronaphthalenes, and 3,4-dihydro derivatives, comparison of properties, **15**, 26
10,9-Borazarophenanthrene, 10-methyl-, resonance effects, **15**, 35
10,9-Borazarophenanthrenes, 9-ethoxycarbonyl-10-substituted, reactions, **15**, 35
Borohydride reduction, of steroid α-bromoketone, catalysed by metal salts, **L15**, 513
of substituted cyclohexanones, ratio of *cis*-*trans*-alcohols formed, **L12**, 404
Boron compounds, aromaticity, **15**, 26, 35
aromaticity and coordinative power of boron, **16**, 68
Bromination of pentacyclic triterpenoid ketone, friedelin, **15**, 223
of pyridine-N-oxide, **L1**, 32
α-Bromoketone, steroid borohydride reduction catalysed by metal salts, **L15**, 513
N-Bromosuccinimide, action on friedelin and derivatives, **15**, 223
Buckner method, application to synthesis of phenanthridines, **15**, 60
Butadiene, planarity, **17**, 235
structure comments, **17**, 258
Butadiene, 1,4-diphenyl-, reaction with chromium hexacarbonyl, **L13**, 444
1,3-Butadiene, structure, detn. by electron diffraction, **17**, 149
investigation by IR and Raman spectroscopy, **17**, 163
Butane-1,2,3,4-tetrole, 1,4-di-O-methanesulphonyl-, stereoisomers, prep., **L20**, 716
Butane-1,2,4-triol, monomethyl ethers, interpretation of hydrogen bonding patterns, **16**, 177
Butan-2-ol, 1,4-dimethoxy-, interpretation of hydrogen bonding patterns in monomethyl ethers, **16**, 177
3-Buten-1-ol, high resolution proton magnetic resonance spectra of tertiary related alcohols, **16**, 139
Butenone, addition of dinitroacetonitrile, **17**, 89
n-Butyl ethers, reaction with t-butyl-peracetate and -perbenzoate, **13**, 241
t-Butyl peresters, reactions, **13**, 241
t-Butylacetylene, Diels-Alder reaction with 2,3,5-tri-t-butylcyclopentadienone, **L18**, 637
Butylacetylenes, cyclization with organometallic catalysts, **L19**, 658
Butylbenzene, 1,2,4,5-tetra-t-, prep., **L19**, 658
***o*-t-Butylbenzenes**, syntheses of 1,2,4,5-tetra-t-butylbenzene, **L18**, 637

δ-Cadinol, structure, **15**, 217
Cage compounds, **12**, 13
Camphors, 3-halo-, relationships between optical rotations, **13**, 102
Carbene rearrangements, thermal decomposition of 1-diazo-2-methyl-2-phenylpropane, **L15**, 523
Carbenoid decomposition, of diazodecalins, **12**, 168
Carbethoxycarbene, adducts of 2,6-dimethylnaphthalene, **15**, 7
Carbethoxymethylenetriphenylphosphorane, reaction with ketones, **L16**, 579
***o*-Carbethoxyphenylthiourea**, reactions with α-haloketones, **15**, 53
Carbohydrates, action of MnO_2, **14**, 201
formation of 3- or 5-methylcyclopent-2-en-2-ol-1-one during alkali treatment, **14**, 161
β-Carboline derivatives, synthesis, **16**, 5, 11
Carbon, acylation of triphenylphosphine-alkylenes, **L14**, 455
and hydrogen, interaction curve of non-bonded atoms and its application, **14**, 230
atom, covalent radii for different types of hybridization, **17**, 149
C^{13} shieldings in polysubstituted benzenes, **L8**, 274
Carbonium ions, produced by alkyl-oxygen heterolysis in 4-aryl- and 4-heteroaryl-4-piperidinols and esters, **16**, 85
stable, homologation, **L17**, 593

Carbonyl bands, intensities in IR spectra of 2- and 4-quinolines, **14**, 223
Carbonyl bonds, addition of nucleophilic reagent, effect of linear dipolar substituent on direction of addition, **L12**, 404
Carbonyl compounds, 1,3-addition of aromatic nitrile oxides, **L17**, 583
alkylation via enamines, **L10**, 313.
cobalt complex, synthesis of 1,2,4,5-tetra-t-butylbenzene, **L18**, 637
conjugated unsaturated, addition of dinitroacetonitrile, **17**, 89
metal carbonyls, catalysis of addition, substitution and telomerization reactions of olefins, **17**, 61
protonated, conjugative acceptor capacities, **L7**, 249
steroidal, reduction, altered selectivity, **15**, 193
α,β-unsaturated, *cis*-addition of diphenylnitrilimines forming 1,3-diphenyl-Δ^2-pyrazolines, **17**, 3
Carbonyl group, location in steroids and triterpenoids by anomalous rotatory dispersion, **13**, 15
force constant, effect of environment, **17**, 245
Carboxylation of olefins, **L7**, 238
Carboxylic acids, anhydrides, reactions with 1,2-epoxypropane and 2-methyl-2,3-epoxypentane, **15**, 187
β-chloro-, synthesis by chlorination of compds. containing CCl_2=CH group, **17**, 69
Catalase, structural studies, application of rotatory dispersion, **13**, 215
Catalysis, cuprous bromide, reaction of peresters with ethers, **13**, 241
deuteration of aromatic compds., orientation effects, **L15**, 516
metal carbonyl or colloidal iron, of addition, substitution and telomerization reactions of olefins, **17**, 61
metal salt, borohydride reduction of steroid α-bromoketone, **L15**, 513
pyridine, hydrolysis of carboxylic anhydrides, **L14**, 458
selective hydrogenation of acetylenes, **16**, 16
Catharanthine, structure, **L6**, 199
Cations, arylnorbornyl, synthesis, **L12**, 414
organic, prep. by quinone dehydrogenation, **L15**, 530
Caviunin, synthesis, **L6**, 197
Ceanothic acid, constitution, **L7**, 259
Cedrus deodara, structure of himachalenes, **L6**, 216
Chain reactions, radical, blocking techniques, **L7**, 238
Chemical change, effect on optical rotation of molecule, **13**, 4
Chemical constitution, relationship between rotatory dispersion and Cotton-effect of absorption bands, **13**, 4
Chemical problems, application of anomalous optical rotatory dispersion, **13**, 13
Chemical reactivity, prediction in some heteroatom and heterocyclic conjugated compds. **14**, 237
Chemical shifts, C^{13} and H^1, relation to π-electron density in aromatic molecules, **L14**, 468
Chlorination, of compds. containing CCl_2=CH group, synthesis of α-chlorocarboxylic acids, **17**, 69
Chlorine, 1,2-atom migration, rearrangement of polyhaloalkyl radicals in solution, **16**, 94
***p*-Chlorobenzhydryl chloride**, racemization and radiochloride exchange in acetone, **L10**, 341
Chlorocarbon, tetracyclic, dodecachlorodihydrotrindene, **L10**, 333
Chlorocyclohexanones, reduction by borohydrides, ratio of *cis*:*trans*- alcohols formed, **L12**, 404
Chlorodifluoromethane, a difluoromethylating agent, **L2**, 43
Cholanic acid, 12-keto-, rotatory dispersion, **13**, 53
Cholestan-3-one, stereochemistry of 4,5-dichloro- and 2-bromo-4,5-dichloro derivatives, **12**, 95
Δ^4-Cholesten-3-one, conversion to 3-dimethylamino-3,5-cholestadiene, **L2**, 72
Cholestenones, 2α- and 2β-bromo-4-chloro-, properties, **12**, 98
Cholesterol, esters and ethers, optical rotatory power, De Vries' theory, **13**, 223
Chromatography, gas, analysis, radiolysis products of propylene, **14**, 164
guaiol dihydration products, **13**, 311
gas–liquid, analysis of octalin mixtures, **12**, 163
Cinnabarin and derivatives, characterization, **12**, 139
Cinnabarinic acid, reductive acetylation, **12**, 139
Citromitin, new flavanone from *Citrus mitis* Blanco, **15**, 111
Citrus mitis Blanco chemical investigation, **15**, 111
Cladinose, origin of branched methyl groups, **L7**, 234
Claisen rearrangement, of allyl ethers, kinetics of reaction, **14**, 208
Clavolonine, abnormal Hofmann degradation product, structure, **15**, 173
conversion to lycopodane, **15**, 173
structure and stereochemistry, **15**, 173
Clovene, synthetic approaches, **16**, 74
Cobalt carbonyl complex, synthesis from, of 1,2,4,5-tetra-t-butylbenzene, **L18**, 637
Cogeijerene, constitution and biogenesis, **L21**, 763
Colchiceines, photoisomerizations, **L1**, 12
Colchicine, synthesis, **14**, 8
Commic acid, C and D, structures, **15**, 212
E, structure, **16**, 264
Commiphora pyracanthoides, structure of commic acid E, **16**, 264
Communic acid, structure and stereochemistry, **16**, 255

Complexes, cobalt carbonyl, synthesis from, of 1,2,4,5-tetra-t-butylbenzene, **L18**, 637
cyclo-olefins with transition metals, structures, **L2**, 48
donor-acceptor, charge-transfer spectra, **17**, 251
tropylium, cyclopropenylium, perinaphthenylium and heterocyclic salts, prep., **L15**, 530
π-Complexes, multiple-metal organic, **L13**, 444
organometallic, **L13**, 440
structures of $NiC_{10}H_{12}$ and $PdC_{11}H_{14}$, **L1**, 17
Compounds, conjugated heteroatom and heterocyclic, prediction of dipole moment, chemical reactivity and bond lengths, **14**, 237
universal interaction curve of non-bonded C and H atoms, detn. of physical properties, **14**, 230
Condensations, ion-molecule, radiolysis of propylene, **14**, 164
Conessine, synthesis from corresponding 3-keto-Δ^4-unsaturated system, **L2**, 72
Configurations, absolute, and molecular rotations of epimeric keto steroids, **L14**, 461
of some sulphoxides, **L17**, 607
C-3, in methyl neoreserpate, **L14**, 481
detn. of asymmetric centres in α-amino acids and peptides, **13**, 27
of optically active compds., detn. by new method of partial resolution, **L15**, 506
Conformation, detection of changes by rotatory dispersion, **13**, 20
detn. of helical sense of polypeptides and proteins, **13**, 123
nucleic acids and polynucleotides, optical rotatory properties, **13**, 185
of ring A in 4,4-dimethyl-3-keto-steroids, **L19**, 676
organic molecules, application of principle of pairwise interactions, **13**, 57
polypeptides and optical rotation, **13**, 134
ring A in lupanone, study of dipole moments, **L19**, 682
Conformational analysis, effect of double bonds on stability of hydrophenanthrene stereoisomers, **12**, 196
Conformational Dissymmetry Rule, some applications, **13**, 106
Conjugation, and van der Waals' interaction, combined effect on carbon sp^2–sp^2 bonds, **17**, 235
concept of term, **17**, 248
dative, theoretical understanding, **17**, 251
effect on bond length, **17**, 160, 235, 247
in systems with a tetrahedral atom–diarylphosphinic acids, **17**, 239
relation to bond lengths, **17**, 191
role of nonbonded interactions, **17**, 177
(±)-Coreximine, synthesis, **14**, 46
Corticosteroid 17α-monoesters, from 17α, 21-cyclic orthoesters, **L13**, 448
rearrangement to 21-monoesters, **L13**, 448
Corticosterone, 19-hydroxy-4,5α-dihydro-11-dehydro-, synthesis of hemi-ketal form from ouabain, **L13**, 425
Costus root oil, isolation of 12-methoxyhydrocostunolide, **12**, 178
Cotton effect, 1-, 2- and 3-ketodihydromanoyl oxides, **12**, 215
and rotatory dispersion in nucleic acids and polynucleotides, **13**, 192
curves, detn. of configuration of asymmetric centres in α-amino acids and peptides, **13**, 27
lack of influence of remote substituents in ketosteroids, **13**, 29
of absorption bands, contribution to rotatory dispersion of molecules, **13**, 4
effect of chemical change, **13**, 4
Coumarino (3′4′:3,2) coumarones, 7′-methoxy- and 5′,7′-6-trimethoxy- syntheses, **15**, 129
Coumarins, psoralidin structure, **14**, 275
Crataegus oxyacantha, fruits, isolation of proanthocyanidins, **L8**, 267
Crystal structure, of suprasterol II, **L16**, 753
Crystals, liquid, definition, **13**, 219
Cucurbitacins, constitution, **L18**, 615
Cumulene, optically active, **L22**, 802
Cumyl chlorides, solvolysis, C–Cl cleavage at transition state, effect of structural changes in reactants, **L6**, 211
Cupressales chemistry, structure and stereochemistry of communic acid, **16**, 255
Cuprous bromide, catalysis, reactions of peresters with ethers, **13**, 241
Curamycin, hydrolysis products, isolation and characterization, **15**, 76
C-Curarine, constitution and halochromic reactions, **14**, 138
Cyanidins, isolation of pro-cyanidins from *Cretaegus oxyacantha* fruits, **L8**, 267
Cyanoacetate esters, dinitro-, cleavage to dinitroacetonitrile, **17**, 109
prep. by reduction of dinitrocyanoacetate esters, **17**, 109
oximino-, nitration to dinitrocyanoacetate esters, **17**, 109
Cyanoacetic acid, nitration, isolation of furoxandinitrile, **17**, 79
Cyanoketones, *trans*-enolization, effect of solvent, **12**, 92
Cyanomethide salts, dinitro-, hydrolysis to dinitroacetamide, **17**, 105
Cyclic compounds, olefinic, directing effect of polar substituents on addition reactions, **L12**, 398
Cyclitols, optical rotations, **13**, 66, 90
Cyclization, butylacetylenes with organometallic catalysts, **L19**, 658
internal, of N-substituted *o*-nitroanilines, **16**, 80
intramolecular, of cyclohepta- diene and -triene, **12**, 186
of dioxybenzoins, orientation in isoflavones, **L18**, 628
reaction of ferrous oxalate with certain aromatic nitro compds., **L21**, 754

VOL. 12 1961

Cycloaliphatic ketones, C_7–C_{14}, reaction with diazoethane, synthesis of α-methyl homologues, **L4**, 136
Cycloalkylation, stereospecific, synthesis of α-decalones, **16**, 45
Cyclobutadiene dimer, **L1**, 21
Cyclobutane, optically active methyl derivatives, application of principle of pairwise interactions, **13**, 87
Cyclodiazomethane, formation and structure, **L17**, 612
Cyclohepta-1,3-diene, 1,4-diphenyl-, photochemical reactions, **L3**, 95
irradiation to Δ^6-bicyclo[3.2.0]heptene, **12**, 186
Cycloheptadienones, formation in reactions of 3-tropinone and 8-thia-bicyclo(3.2.1)-octan-3-one, **L21**, 746
Cycloheptanone, conversion to α-methyl-cyclooctanone, **L4**, 136
Cycloheptatriene, Diels–Alder reaction with nitroso benzene, **12**, 7
Cyclohepta-1,3,5-triene, irradiation to $\Delta^{2,6}$-bicyclo [3.2.0] heptadiene, **12**, 186
2-cyclohexanone, and 3-hydroxycyclohexanone, kinetics of acid-catalysed interconversion, **L10**, 337
2-Cyclohexenone oximes, 3-nitro-2-aryl-, from addition of dinitrogen trioxide to 1-aryl-cyclohexenes, **15**, 60
Cyclohexanones, 3-(ω-bromobutyl), action of sodium t-amyloxide yielding α-decalones, **16**, 45
2-hydroxy-, α-ketols and octant rule, **13**, 32
substituted, reduction, ratio of *cis*:*trans*-substituted alcohols formed, **L12**, 404
Cyclohexenes, 1-aryl-, addition of dinitrogen trioxide, **15**, 60
2-dinitro-1-aryl-, nitrozation, **15**, 60
Cyclohexenyl-palladium-cyclopentadienyl, structure of $PdC_{11}H_{14}$, **L1**, 17
Cyclohexyl tosylates, thiophenate displacement reactions, **L14**, 473
Cyclolignans name proposed for isolignans, **15**, 115
Cyclo-octatetraene dianion bond lengths, **12**, 193
Cyclo-octatetraenecarboxylic acid, from reaction of benzene with dimethyl acetylene dicarboxylate, **L4**, 148
Cyclo-olefin, complexes of transition metals, structures, **L2**, 48
Cyclopentadiene, addition to methyl acrylate and methacrylate in various solvents, **L4**, 131
complexes with transition metals, structures, **L2**, 48
mallic anhydride reaction, secondary deuterium isotope effect, **L19**, 687
reaction with $Ni(CO)_4$: structure of $NiC_{10}H_{12}$, **L1**, 17
Cyclopentadiene–1,2,3,4-tetrachloro-5,5-diethoxy-cyclopentadiene adduct, prep. and hydrolysis, **12**, 13
Cyclopentadienone, 2,3,5-tri-t-butyl-, synthesis and conversion to 1,2,4,5-tetra-t-butyl-benzene, **L18**, 637
π-Cyclopentadienyl π-cyclopentenyl nickel, structure, **L2**, 48
Cyclopentadienyl manganese tricarbonyl, chemistry, **L13**, 440
Cyclopentadienyl-nickel-cyclopentenyl, structure of $NiC_{10}H_{12}$, **L1**, 17
Cyclopentadienylene-triphenylphosphorane, synthesis of new phosphorus containing dyes, **L6**, 199
Cyclopentane acetates, alkaline hydrolysis, internal hydrogen bonding, hydrolytic constants and activation parameters, **L8**, 263
Cyclopentanoid monoterpenes and indole alkaloids, possible biosynthetic relationship, **L16**, 537
Cyclopentano(b)tetrahydropyrans, *cis*- and *trans*-, prep., **16**, 25
Cyclopenta-thiopyrans, synthesis and prop., **L9**, 289
Cyclopentenes, C_4-substituted, addition reactions, general directing effect of polar substituents, **L12**, 398
Cyclopropane, optically active methyl derivatives, application of principle of pairwise interactions, **13**, 85
Cyclopropane hydrocarbons, synthesis, **L4**, 156
Cyclopropanes, 1,1-dichloro-2-alkyl-, conversion to allenes and cyclopropanes, **L5**, 173
Cyclopropenylium salts, prep., **L15**, 530
Cylindrocarpidine, isolation and constitution, **16**, 212
Cylindrocarpine, isolation and constitution, **16**, 212
Cytochrome-c, structure and rotatory dispersion curves, **13**, 210

Dalbergia nigra, caviunin, synthesis and structure **L6**, 197
Daniella oliveri, isolation and structure of daniellic acid, **12**, 205
Daniellic acid, structure and correlation with agathic acid, **12**, 205
Dealkylation, of alkyl aryl ethers, orientation effects, **16**, 169
Deamination, of aliphatic amines, triazene method, **L21**, 758
Dearylation, of aryl ethers, orientation effects, **16**, 169
Decachlorobi-2,4-cyclopentadien-1-yl, reaction with phosphorous esters, **L10**, 333
Decalins, by conversion of perhydroazulenes, **L22**, 817
Decalol methyl carbonates, pyrolysis, **12**, 166
***trans*-Decal-2β-ol-6-one-5-acetic acid**, DL-1,1,10β-trimethyl-, simplified synthesis, **L9**, 310
Decalone methanesulphonylhydrazones, decomposition to octalins, **12**, 168
α-Decalones, synthesis from 3-(ω-bromobutyl) cyclohexanones, **16**, 45

Decanoic acid, 10-acetoxy-, prep. from castor oil, **15**, 18
Dec-2-enoic acids, 10-hydroxy-, synthesis of 2 stereoisomers, **15**, 18
Dechlorination by esters of trivalent phosphorus, **L10**, 333
Delphinidin 7-galactoside, isolation from *Bladhia sieboldii*, **12**, 181
Deoxybenzoins, cyclization, orientation in isoflavones, **L18**, 628
Deoxyribonucleic, alteration in Cotton effect with conformation, **13**, 196
helix, schematic representation, **13**, 186
secondary structure, studies by means of optical rotation, **13**, 198
variation of specific rotation with wave length, **13**, 194
Depsidone, constitution of virensic acid, **12**, 173
Desacetamidocolchiceine, synthesis, **14**, 10
5-O-Desmethylcitromitin, from *Citrus mitis* Blanco, **15**, 111
1-Desoxy-1-N-L-proline-D-fructose, formation by transformation of D-fructose or D-glucose with L-proline, **13**, 247
2-Desoxy-2-N-L-proline-D glucose, by transformation of D-fructose with L-proline, **13**, 247
Deuteration, catalytic, of aromatic compds., NMR study of orientation effects, **L15**, 516
massive, method for simplification of spin-coupled NMR spectra, **L15**, 516
Deutero exchange in ferrocene and derivatives, **L2**, 41
De Vries theory of cholesteric liquid crystals, **13**, 223
Diacetylenes, cyclic, transannular phenomena, **L2**, 51
β,β′-Diaminodiethylselenide, methods of prep., **12**, 1
Dianion, cyclo-octatetraene bond lengths, **12** 193
Diaryl-ditellurides, prep., **12**, 219
2,5-Diaryloxazoles, synthesis, **16**, 59
Diarylphosphinic acids, effect of second aromatic group on conjugation in systems with a tetrahedral atom, **17**, 239
Diaziridin and analogues, formation from aldehydes, ammonia and chloramin, **L17**, 612
Diazoacetic acid, ethyl ester, reaction with 2,6-dimethyl-naphthalene, **15**, 7
α-Diazoacetophenone, thermal decomposition, **L13**, 435
Diazodecalins, pyrolysis, **12**, 168
Diazoethane, reaction with C_7–C_{14} cycloaliphatic ketones, synthesis of α-methyl homologues, **L4**, 136
Diazomethane, cyclic isomer, **L17**, 612
N-methyltriazenes, as substitute for alkylation, **L21**, 761
reaction with xanthylium, thiaxanthylium and N-methylacridinium ions, **L17**, 593
Diazonium salts, reaction with triphenylphosphin methylenes, **L22**, 807
1,2,3,4-Dibenzcyclonona-1,3-diene-7-carboxylic acid, stereochemistry, **L12**, 410
Dibenzo[b,f]azepin, N-methyl, synthesis, **L17**, 593
Dibenzobicyclo[2,2,1]heptadienes, 7-substituted, synthesis, **L7**, 253
Dibenzobicyclo[2,2,2,]octadiene, substituted, conversion to 7-substituted dibenzobicyclo-[2.2.1] heptadiene, **L7**, 253
Dibenzo[b,f]thiepin, synthesis, **L17**, 593
Dibenz[b,f]oxepin, synthesis, **L17**, 593
***o*-Di-t-butylbenzene**, β,β′-dihydroxy-, properties, **L7**, 241
intermediates in its prep., **L7**, 241
β-Dicarbonyl compounds, ketovinylation, **12**, 63
mechanism of conversion to α,β-unsaturated aldehydes or ketones, **L10**, 337
reactions of halogens keto-esters and sodio derivatives, **15**, 46
Dichlorocarbene adducts of olefins, conversion to allenes and cyclopropanes, **L5**, 173
Dichroism, circular, of D-α-azidopropionic-dimethylamide, **13**, 3
Dicyclohexylamin action, isomerization of D-fructose and D-glucose to D-psicose, **13**, 247
DL-(cyclopentadienyl manganese tricarbonyl)-ketone, synthesis, **L13**, 440
Diels-Alder addition reactions to ω,ω′-*o*-xylylene-dibromide *via o*-quinoid hydrocarbon, **14**, 190
adducts, cyclopentadiene and 1,2,3,4-tetrachloro-5,5-diethoxycylopentadiene, **12**, 13
inverse isotope effect in maleic anhydride–cyclopentadiene reaction, **L19**, 687
reaction, nitrosobenzene with cyclic dienes or cycloheptatrienes, **12**, 7
stereoselectivity, effect of solvents, **L4**, 131
Dienes, *cis*-addition of diphenylnitrilimines forming 1,3-diphenyl-Δ^2-pyrazolines, **17**, 3
cyclic, Diels-Alder reaction with nitroso benzene, **12**, 7
homoannular, photochemical transformations, **12**, 186
hydroboration, **12**, 127
Dienophile–cyclic diene adducts, effect of solvent **L4**, 131
Difluoromethylation, with chlorodifluoromethane **L2**, 43
***gem*-Dihalocyclopropanes**, reaction with alkyllithium, **L5**, 167
Dihydrobenzenes, orientation in formation from substituted aromatics, **16**, 169
β-Dihydrocaranine, prep., **12**, 240
α-Dihydrocaranone, reduction to (−)-γ-lycorane, **12**, 248
Dihydrocostunolide, 12-methoxy-, isolation from costus root oil, **12**, 178
2,3-Dihydrofuran, prep., **13**, 241
1,2-Dihydroisoquinolines, intermediates in synthesis of (−)-norcoralydine and (±)-coreximine, **14**, 46
Dihydrolycorine, configuration, **12**, 248
Dihydromanoyl oxide, 1- and 3-keto-, prep. and rotatory dispersions, **12**, 215

VOL. 12 1961

Dihydroquinoline dimers, Hellers, structure, **L21**, 781
C_{20}-Dihydrosphingosines, erythio and threo, synthesis and resolution, **12**, 56
Diimide chemistry, **L11**, 347
reductions, **L11**, 353
role, in hydrazine hydrogenation of C–C unsaturation, **L11**, 347
Diketones, aliphatic, synthesis, **12**, 63
configurationally related, optical rotations, **13**, 102
α-Diketones, formation of 1,3,4-dioxazones by 1,3-addition of aromatic nitrile oxides, **L17**, 583
β-Diketones, cyclic, *trans*-enolization, effect of solvent, **12**, 90
Dimerization, by metal carbonyls of bicycloheptadiene, **L4**, 373
formation of nitroso dimers from alkoxy radicals, **17**, 46
of norbornadiene, **L11**, 368
radiolysis of propylene, **14**, 171
transition metal-catalysed, of norbornadiene, **L11**, 368
Dimers, cyclic, nitrogen-bridged, hydroboration products of aliphatic and aromatic nitriles, **17**, 117
Hellers' dihydroquinoline, structure, **L21**, 781
of cyclobutadiene, **L1**, 21
of α-pyridones, **L18**, 648
γ-pyrone, acid catalysed isomerization and cleavage of dioximes, **L19**, 669
N,N-Dimethylamides, formation from olefins, **L7**, 238
N-Dimethylaniline, condensation with aryl tellurium, trihalides **12**, 219
Dimethylcyclobutadieneoquinone, *see* Dimethylcyclobutenedione.
Dimethylcyclobutenedione, synthesis, **L19**, 655
Dimethylene benzene, formation from ω,ω′-*o*-xylidenedibromide, **14**, 190
Dinitrogen trioxide, addition to 1-arylcyclohexenes, **15**, 60
Dioxaboroles, reaction with tropolones, **16**, 68
1,3,4-Dioxazoles, formation by 1,3-addition of aromatic nitrile oxides to carbonyl compounds, **L17**, 583
Dioximes, of γ-pyrone photodimers, acid-catalysed isomerization and cleavage, **L19**, 669
Diphenyl-α-chlorobenzyl-phosphine oxide, prep. and prop., **L1**, 9
Diphenylnitriliimine, prep. and addition to alkenes and alkynes forming 1,3-diphenyl-Δ^2-pyrazolines and 1,3-diphenylpyrazoles, **17**, 3
Dipolar character of transition states in addition reactions, method for examination, **L12**, 398
Dipole moments, conformation of ring A in triterpene ketone, lupanone, **L19**, 682
3-ketosteroids, **L19**, 678
prediction, in heteroatom and heterocyclic conjugated compds., **14**, 237
Directive effects in hydroboration, **12**, 122
Disaccharides, hexose, degradation to hexosyl pentoses, **14**, 201
Disproportionation, of ethylbenzene-1-C^{14}, under influence of $AlBr_3$ and HBr, **L19**, 691
Diterpene acid, daniellic acid, structure and correlation with agathic acid, **12**, 205
Diterpene alkaloids, **14**, 2
chemistry of atisine-types, **14**, 76
removal of nitrogen, **14**, 81
veatchine and atisine class, absolute configuration, **L3**, 119
Diterpenes, α- and β-levantenolide, isolation and characterization, **14**, 246
comments on quassin structure, **L10**, 317
communic acid structure and stereochemistry, **16**, 255
grindelic acid structure, **L11**, 376
methyl(±)-desisopropylidehydroabietate, synthesis, **14**, 310
rimuene structure revision, **L14**, 493
quassin, structural comments, **L10**, 317
Dithioureas, substituted, formation from amines, **L1**, 5
1,2-Dithiylium compounds, reactivity and electronic spectra, **L18**, 632
Dodecachlorodihydrotrindene, from decachlorobi-2-4.cyclopentadien-1-yl, **L10**, 333
Δ^4-Dodecahydrophenanthrenes, stereospecific routes to *trans- anti-* and *cis- syn-*, **12**, 196
Donor capacity, of alkyl substituents, **17**, 199
Dyes, phosphorous containing, new "phosphinines", **L6**, 199
Dysoxylon frazeranum, isolation of δ-elemene, constitution and biogenesis, **L21**, 763

Echitamine, degradation studies, **15**, 132
Echitamine iodide, absolute configuration, **L22**, 814
Eicosane, erythro- and threo-1,3-dihydroxy-2-amino-, synthesis, **12**, 56
Eicosanes, 1,3-dihydroxy-2-amino-, synthesis and characterization, **12**, 56
4-Eicosene, 1,3-dihydroxy-2-amino-, structure of C_{20}-sphingosine, **12**, 56
Eistert and Reiss' hypothesis, limitation in *trans*-enolization of keto-enols, **12**, 76
Elatericin A, structure, **L18**, 615
Elatericin B revised structure, **L18**, 615
Elaterin, revised structure, **L18**,, 615
π-Electron densities, detn. in azulene from C^{13} and H^1 nuclear resonance shifts, **L14**, 468
Electron diffraction, and spectroscopic methods, comparison of C—C bond lengths, **17**, 148
and spectroscopic structural parameters compared, **17**, 138
bond length values, **17**, 254
nature of C—C bonds, effect of environment, **17**, 147
Electronegativity, relationship to bond length, Schomaker–Stevenson rule, **17**, 177
Electronic structures, of aromatic molecules, **L8**, 274

Electronic structures (*continued*)
asymmetric annelations in passing from acene →phenylacene→diphenylacene, **16**, 113
of heteroatom conjugated compds., **14**, 237
Electronic wave function, of methane and C—H bond orbital, **17**, 171
Electrons, acceptor and donor properties of alkyl substituents, **17**, 199
acceptor capacities, conjugative, of protonated carbonyl derivatives, **L7**, 249
acceptors, interaction with bases, **16**, 119
model for optical rotation, **13**, 235
π-Electrons, transannular interaction in cyclic diacetylenes, **L2**, 51
Electrophilic and nucleophilic substitution, relative rates in alkyltrimethylsilanes, **L13**, 421
Electrophilic reagents, direction of attack on olefinic bonds in cyclic compds., effect of polar substituents, **L12**, 398
Electrophilic transitions, chemical and electronic, polar effects of alkyl substituents, **17**, 199
δ-Elemene, constitution and biogenesis, **L21**, 763
Elimination in thiophenate displacement reaction of cyclohexyl tosylates, **L14**, 473
reaction of Mannich bases, using polarographic method, **L21**, 744
Ellipticine, 1,2-dihydro-, isolation, structure and synthesis, **15**, 167
methonitrate and 1,2-dihydro-, isolation, structure and synthesis, **15**, 167
Enamines from α,β-unsaturated ketones, alkylation, **L10**, 313
Energy, CC and CH bonds, relationship to bond distances, **15**, 87
methane, as function of orbital exponents, **17**, 171
molecular interaction, effect on physical properties of molecules, **14**, 230
Enolization, ketone, transition states, effect of structural changes in reactants, **L6**, 213
trans-**Enolization**, of keto-enols, effect of solvent, **12**, 76
Epoxidation, permaleic acid, of certain olefins, **17**, 31
Epoxides, unsymmetrical, aminolysis and esterification, **15**, 187
2,3-Epoxypentane, 2-methyl-, reactions with primary and secondary amines and hexahydrophthalic anhydride, **15**, 187
16α,17α-Epoxypregnenolone, conversion to 3β-16α-dihydroxy $\Delta^{5,17(20)}$-5,17-pregnadiene by modified Kishner-Wolff reduction, **L19**, 666
1,2-Epoxypropane, reactions with primary and secondary amines and hexahydrophthalic anhydride, **15**, 187
Ergosterol, photochemical transformation, **16**, 149
Ergot alkaloids, biogenetic interrelationships, **L15**, 501
mode of mevalonic acid incorporation, **L17**, 596
Erythrocentaurin semicarbazone synthesis, **L6**, 223
structure and synthesis, **L5**, 176
Esterification of unsymmetrical epoxides, **15**, 187
Esters, acylation of triphenylphosphine-alkylenes **L14**, 455
bonds, alkaline hydrolysis, neighbouring OH group assistance, **L8**, 263
phosphorus, reaction with decachlorobi-2,4-cyclopentadiene-1-yl, **L10**, 333
reaction with halocyclopentadienes, **L9**, 295
Estrane, 3,17-oxygenated isomeric derivatives, synthesis, **15**, 202
Estriol glucosiduronic acid, in human pregnancy urine, structure, **L5**, 183
Ethanol, 2,2-dinitro-2-carbamyl-, prep. and acetate ester and N-acylamido-derivatives, **17**, 105
2,2-dinitro-2-cyano-, characterization of acetate, trifluoroacetate, acrylate and methacrylate esters, **17**, 89
prep. by reaction of dinitro acetonitrile with formaldehyde, **17**, 89
Ethers, reactions with t-butyl peresters, **13**, 241
Ethoxylation of deoxybenzoins, orientation in isoflavones, **L18**, 628
Ethylamides, N-(2,2-dinitro-2-cyano-), acetyl, benzoyl, acrylyl, methacrylyl and bis-urea derivatives, **17**, 89
prep. from dinitroacetonitrile and N-methylolamides, **17**, 89
Ethylbenzene-1-C^{14}, disproportionation under influence of $AlBr_3$ and HBr, **L19**, 691
trans-**Ethylene**, produced in catalytic partial reduction of acetylenes, **16**, 16
Ethylene diisothiocyanate, reaction with amines, **L1**, 5
Ethyl malonate, ketovinylation, **12**, 63
Eupatorium urticaefolium, isolation of "tremetol" toxin, **L12**, 417
Exchange reactions, of acetate and hydrolysis rates of acetic anhydride in water, **L14**, 458
hydrogen in ferrocene and derivatives, **L2**, 41
radio-chloride, of *p*-chlorobenzylhydryl chloride in acetone, **L10**, 341

Fawcettine, structure and stereochemistry, **15**, 173
Ferrocene and derivatives, hydrogen exchange, **L2**, 41
Ferrous oxalate, reaction with certain aromatic nitro compds., formation of nitrene intermediate, **L21**, 752
Filipin, structure, **L12**, 383
Fischer, synthesis of 3H-pyrrolo(2,3-c)quinolines, **16**, 1
Flavan-3,4-diols, stereochemistry, **L13**, 429
Flavanones, new, from *Citrus mitis* Blanco, **15**, 111
Flavensomycinic acid, structure, **L16**, 537
Flavone, 5,4′-dihydroxy-6,7,8-trimethoxy-, structure of Xanthomicrol, **14**, 296

VOL. 12 1961

Flavopereirine, synthesis, **16**, 5
Fluoranthene, 2,3-dihydro-, Michael addition by its conjugate anion to 1,2,2',3,3', 10b-hexahydro-1,2'-bifluoranthyl, **16**, 153
Fluoranthene, reduction with alkali metals, application of MO theory, **16**, 153
Fluorobenzenes, conjugative acceptor capacities of *m*- and *p*-protonated carbonyl derivatives, **L7**, 249
Fluoro-carbohydrates, oxide formation during synthesis and hydrolysis, **12**, 226
Follicular hormones, stereospecific synthesis of 13-propyl nor-estradiol, **L3**, 127
Formaldehyde, condensation with dinitroacetamide, **17**, 105
reaction with dinitroacetonitrile, prep. of dinitrocyanoethanol, **17**, 89
Fragmentation reactions, hydrolytic cleavage of α-acyloxy azoxy compounds, **L21**, 749
Franklinone, natural ketone from *Acradenia franklinii*, **16**, 206
Free radicals, factors affecting stability and equilibria, **13**, 258
photolytic decomposition of nitriles to alkoxy radicals, **17**, 35
role during propylene radiolysis, **14**, 170
UV and visible absorption spectra, **13**, 263
vinylation of tri-n-butyltin hydride, **L4**, 143
Friedelin and derivatives, action of N-bromosuccinimide, **15**, 223
D-**Fructose**, 1-desoxy-1-N-L-prolino-, by transformation of D-fructose or D-glucose with L-proline, **13**, 247
D-**Fructose**, isomerization to D-psicose by action of secondary amines, **13**, 247
transformation with L-proline, formation of 1-desoxy-1-N-L-prolino-D-fructose, **13**, 247
Funtumia species, alkaloids, **14**, 127
Furan, natural derivatives, **12**, 262, 269
Furan tetracarboxylic acid, structure of tetraester, **15**, 46
Furane compounds, isolated from *Petasites* species, **L20**, 697
Furoxandinitrile, isolation from nitration of cyanoacetic acid, **17**, 79
Fusarium graminearum, constitution of rubrofusarin, **L4**, 151

β-D-**Galactoside** of 5-bromo-indoxyl, histochemical substrate, **12**, 236
Garrya alkaloids, correlation with atisine, **14**, 85
stereochemistry, **14**, 54, 87
Garryfoline, absolute configuration, **L3**, 119
Geijera parviflora, cogeijerene, constitution and biogenesis, **L21**, 763
Geissoschizine, structure, **14**, 113
Geissoschizoline, structure, **14**, 113
Geissospermine, structure, **14**, 113
Geissospermum laeve, synthesis of flavopereirine, **16**, 5
Gentianin, derivation from swertiamarin, **L14**, 453
Gentiopicroside, structure, **16**, 192
β-**Glucosaminidase**, N-acetyl, histochemical localization, **12**, 236
D-**Glucose**, 2-desoxy-2-N-L-prolino-, by transformation of D-fructose with L-proline, **13**, 247
D-**Glucose**, isomerization to D-psicose by action of secondary amines, **13**, 247
β-D-**Glucoside** of 5-bromo-indoxyl, histochemical substrate, **12**, 236
Glyceraldehyde reaction with acetone, **14**, 161
Glycidaldehyde, reaction with acetone, **14**, 161
Glycosidases, substrates for histochemical localization, **12**, 236
Glycosmis arborea, alkaloids, structure of arborine, **16**, 224
structure of arborinine, **16**, 251
trans-**Glycosylation**, of N-arylglycosylamines and monosaccharides, new types, **14**, 175
Glycyl-benzoyl-imide, formation of red pigments from, **15**, 1
Grayanotoxin-I and -III, structure, **L2**, 59
Grindelia robusta, grindelic acid structure, **L11**, 376
Grindelic acid, structure, **L11**, 376
Groups, alkyl, apparent electron donors and acceptors, **17**, 199
negative, effect on C—C bond lengths, **17**, 152
pairwise interaction in a molecule, contribution to optical rotatory power, **13**, 57
principle of pairwise interactions as basis for empirical theory of optical rotatory power **13**, 57
α-**Guaiene**, reduction products, **13**, 308
Guaiol, absolute configuration of C-7 substituent, **L8**, 280
dehydration reactions, **13**, 308
Guatambuine, structure, **15**, 160

Haemoglobin, structural studies, application of rotatory dispersion, **13**, 215
α-**Haloalkarylketones**, reactions with *o*-carbethoxyphenylthiourea, **15**, 53
Halocyclopentadienes, reaction with phosphorous esters, **L9**, 295
Halogenation *see also* Chlorination, Bromination, of dinitroacetonitrile, **17**, 79
Halogenocholestan-3-ones, stereochemistry, **12**, 95
α-**Haloketones**, reactions with *o*-carbethoxyphenylethiourea, **15**, 53
Hector's base, structure and synthesis, **L19**, 663
Heller's dihydroquinoline dimers, structure, **L21**, 781
Heteroaromatic compounds, new, **15**, 26, 35
tautomerism of 3-, 4- and 5-amino- and acetamido-isoxazoles, **12**, 51
of 5-hydroxyisoxazoles–isoxazol-5-ones, **12**, 41
Heterocyclic compounds, boron, aromaticity, **15**, 26, 35
cyclization of N-substituted *o*-nitroanilines, **16**, 80
pentacovalent arsenic, synthesis, **L14**, 477

Heterocyclic compounds (*continued*)
prep. and structure of spiro-oxazines, **L22**, 785
Heterolysis, alkyl-oxygen, in 4-aryl- and 4-heteroaryl-4-piperidinols and esters, **16**, 85
Hetisine, chemistry, **14**, 98
Hexachloroacetone, reduction by 1-benzyl-1,4-dihydronicotinamide, **L22**, 827
Hexachlorocyclopentadiene, reaction with alkyl phosphites, **L9**, 295
Hexachloroisopropanol by reduction of hexachloroacetone, **L22**, 827
Hexahelicene, resonance absorption spectrum, **13**, 51
rotatory dispersion, **13**, 50, 52
Hexahydroindanones, and related ketones, application of Octant rule, **13**, 34
Hexahydrophthalic anhydride, reactions with 1,2-epoxypropane and 2-methyl-2,3-epoxypentane, **15**, 187
Hexoses, degradation to hexosyl-, *o*-methyl- and deoxy-pentoses, **14**, 201
keto-, transformations with secondary amines and amino acids, **13**, 247
D-Hexosides, methyl 4,6-O-benzylidene-, hydrolysis rates of benzylidene residue, **16**, 106
Himachalenes, structure, **L6**, 216
Histochemistry, substrates for glycosidase localization, **12**, 236
Holarrhena alkaloids, **14**, 132
D-Homo-androstan-3β-ol-17-on-3-acetate, prep. by reduction of rac. D-homo-18-nor-13-β cyan-androstan-3β-ol-17-on-3-acetate-17-ethyleneketal, **13**, 287
rac. **D-Homo-18-norandrostan** derivatives, action of calcium cyanide in presence of ammonium chloride, **13**, 278
rac. **D-Homo-18-norandrostan-3β-ol-17-on**, 13β- and 13α-carbonic acids, degradative, prep. **13**, 268
D-Homo-18-nor-13-(17a)-androstan-3β-ol-17-on, 13α- and 13β-nitrile derivatives, prep., **13**, 278
DL-Homo-18-nor-13(17a)-androsten-3β-ol-17-on-, C_{13}-nitrilation, **13**, 281
rac. **D-Homo-18-nor-13β-cyan-androstan-3β-ol-17-on-3-acetate-17-ethyleneketal**, reduction and prep. of rac. D-homo-androstan-3β-ol-17-on-3-acetate, **13**, 287
rac. **D-Homo-18-oxo-androstan-3β-ol-17-on**, prep. **13**, 287
Hormones, follicular, stereospecific synthesis of 13-propyl nor-estradiol, **L3**, 127
Hybridization, and bond angles, **17**, 134
in maleic anhydride–cyclopentadiene reaction, **L19**, 687
relation to bond lengths, **17**, 129, 191, 235, 248, 254
role of nonbonded interactions, **17**, 177
Hydantoin ring, substitution in, **15**, 93
Hydrazine, diimide reductions, **L11**, 353
hydrogenation of multiple bonds, role of diimide, **L11**, 347
Hydrazines and hydrazyls, comparison of UV and visible spectra, **13**, 258
Hydrazyls, free radicals, factors affecting stability and equilibria, **13**, 258
Hydroboration, in organic syntheses, **12**, 117
of nitriles with trimethylamine t-butylborane, **17**, 117
Hydrocarbon cations, stable, prep., **L15**, 530
Hydrocarbons, action of $AlCl_3$ on methyltrimethylenenorbornanes, **L9**, 305
acetylenic, *trans*-ethylene produced in catalytic partial reduction, **16**, 16
aromatic, Friedel-Crafts reaction with azlactones yielding 2,5-diaryloxazoles, **16**, 59
HMO treatment of reduction with alkali metals, **16**, 153
X-ray results for bond lengths, **17**, 155
configurationally related, optical rotations, **13**, 102
cyclic polyenes $C_{2n}H_{2n}$, bond lengths, prediction by valence-bond resonance, **17**, 215
cyclopropane, synthesis, **L4**, 156
detn. of physical properties by application of universal interaction curve of nonbonded C and H atoms, **14**, 230
octalins, analysis of mixtures, **12**, 163
decomposition products of decalone methanesulphonylhydrazones, **12**, 168
polymeric, radiolysis of propylene, **14**, 164
o-quinoid, formation from ω,ω'-*o*-xylylenedibromide, Diels–Alder addition reactions, **14**, 190
π-Hydrocarbonmetal carbonyl, synthesis of mixed derivatives, **L13**, 444
Hydrogen and carbon, interaction curve of nonbonded atoms and its application, **14**, 230
intramolecular abstraction from alkoxy radicals, **17**, 35
Hydrogen bonding, internal, of cyclopentane acetates, **L8**, 263
intramolecular, in acyclic alcohols, **16**, 177
Hydrogen exchange, of ferrocene and derivatives, **L2**, 41
Hydrogenation, diimide reductions, **L11**, 353
of CC unsaturation by hydrazine, role of diimide, **L11**, 347
of multiple bonds, new systems, **L11**, 347
selective catalytic, of acetylenes, **16**, 16
Hydrogenolysis, of substituted benzyl alcohols, orientation effects, **16**, 169
Hydrolysis, acid, of methyl 4,6-O-benzylidene-D-hexosides, **16**, 106
alkaline, of ester bond, neighbouring OH group assistance, **L8**, 263
pyridine catalysed, of carboxylic anhydrides, **L14**, 458
Hydrophenanthrene series, effect of double bonds on stability of stereoisomers, **12**, 196
***trans*-10-Hydroxy-2-enoic acid**, and related compds., synthesis, **15**, 18
Hydroxyl group, neighbouring, assistance in alkaline hydrolysis of ester bond, **L8**, 263

Hydroxytotarol, constituent of *Podocarpus totara*, chemical constitution, **L11**, 358
Hyperconjugation, concept of term, **17**, 249
dative, theoretical understanding, **17**, 251
in electron donor properties of alkyl substituents, **17**, 199
role of nonbonded interactions, **17**, 177
Hypognavine, chemistry, **14**, 103, 107

Iboga alkaloids, relationship of catharanthine, **L6**, 199
Iboxygaine and tosylate, structure, **L2**, 68
Ignavine, chemistry, **14**, 103
Imidazolone-4(5), 2-phenyl, red pigments from, **15**, 1
Imines, mutarotation and isomerization, **L21**, 737
Indole alkaloids, and cycopentanoid monoterpenes, possible biosynthetic relationship, **L16**, 537
presence of N_a-CH_3 group in voachalotine, **L8**, 270
12H-Indolo[2,3-a]pyridocolinium bromide, 6,7-dihydro-, one step synthesis, **16**, 5
12H-Indolo[2,3-a]pyridocolinium salts, synthesis, **16**, 5
Interaction curve of non-bonded C and H atoms and its applications, **14**, 230
Intramolecular hydrogen abstraction from alkoxy radicals, **17**, 35
Intramolecular reactions, of non-bonded atoms, **17**, 260
effect on conjugation, hybridization and group electronegativity, **17**, 177
pairwise interaction of groups, contribution to optical rotatory power, **13**, 57
Ion pair return, new method for detection, **L18**, 644
Ionic character, role of nonbonded interactions, **17**, 177
Ionization of *p*-chlorobenzhydryl chloride in acetone, **L10**, 341
Iris nepalensis, chemical examination, **16**, 201
Irisolone, structure, **16**, 201
Iron, colloidal, catalysis of addition, substitution and telomerization reactions of olefins, **17**, 61
Isobutane, CC bond length, **17**, 253
Isoflavones, irisolone structure, **16**, 201
orientation, **L18**, 628
Isoflavonoids, pterocarpin, revised structure, **L9**, 285
Isolignans and lignans, system of notation, **15**, 115
Isomerization reactions, acid-catalysed, of dioximes of γ-pyrone photodimers, **L19**, 669
equilibrium, of methylenecyclobutane and 1-methylcyclobutene, **L1**, 27
heterolytic, of acyl-sulphonyl peroxides, **L15**, 527
in ethylbenzene under influence of $AlBr_3$ and HBr, **L19**, 691
of cycloheptadiene and -triene, **12**, 186
of methyltrimethylenenorbornanes to methyladamantanes, **L9**, 305
of organoboranes, **12**, 132
N-(1-phenylalkyl)-1-phenyl-, alkylidenimines, **L21**, 737
photochemical and thermal, in vitamin D field, mechanistic aspects, **16**, 146
photochemical, of 1,4-diphenyl cyclohepta-1,3-diene, **L3**, 95
of lumicolchicines and colchiceines, **L1**, 12
thermal, of 4,5,6,7-tetrachloro-3a,4,7,7a-tetrahydro-4,7-methanoiden-8-one, **12**, 13
rearrangement of polyhaloalkyl radicals in solution with 1,2-chlorine atom migration, **16**, 94
Isopimaric acid, revised structure, **L14**, 493
DL-**9-Isopimaridienes**, synthesis, **L14**, 493
α-Isopropylacetoacetic acid, ethyl ester, *cis*-enolic form, **12**, 85
8-Isopropyl-decalone-1, 10-hydroxy-2,5-dimethyl-, α-configuration of isopropyl group, **L8**, 280
Isopyrocalciferol, photochemical transformation, **16**, 149
Isoquinoline, 1,2'-aminobenzoyl-6,7-methylenedioxy-, Pschorr cyclization, **14**, 42
Isoquinoline alkaloids, structure and synthesis of liriodenine, **14**, 42
Isotope effects, inverse, in common Diels–Alder reaction, **L19**, 687
Isoxazoles and derivatives, basicities, **12**, 41
3-, 4- and 5-amino- and acetamido-, tautomerism, **12**, 51
5-hydroxy-, tautomerism, **12**, 41
Δ²-Isoxazolines, prep. from olefines and nitrile oxides, **L3**, 89
Isoxazol-5-ones, tautomerism, **12**, 41
Isoxazolones, acid strengths in aqueous soln., **12**, 41

Jacobine bromodilactone, structure, **L17**, 590
Jatamansone, absolute configuration, **L6**, 226
structure and stereochemistry, **12**, 105
Jervine, synthesis of N-free derivative, C-nor-D-homo- ring system, **L21**, 777
Juniperus communis, structure and stereochemistry of communic acid, **16**, 255

Ketenes, *cis*-addition of diphenylnitrilimine forming 1,3-diphenyl-Δ²-pyrazolines, **17**, 3
Keto acids, unsaturated aliphatic, synthesis, **12**, 63
α-Ketoesters, formation of 1,3,4-dioxazoles by 1,3-addition of aromatic nitrile oxides, **L17**, 583
β-Ketolactones, cyclic, *trans*-enolization, effect of solvent, **12**, 91
α-Ketols, base catalysed rearrangements, **L22**, 817
Ketomanoyl oxides, prep. and rotatory dispersions, **12**, 215
Ketone–borohydride reactions, polar and solvent effects, **L12**, 404
Ketones, bridged ring, application of Octant rule, **13**, 40

Ketones (*continued*)
cyclic, application of conformational Dissymmetry Rule, **13,** 118
cycloaliphatic C_7–C_{14}, reaction with diazoethane, synthesis of α-methyl homologues, **L4,** 136
dioximes of α-pyrone photodimers, acid-catalysed isomerization and cleavage, **L19,** 669
enolization, transition states, effect of structural changes in reactants, **L6,** 213
force constants, effect of environment, **17,** 245
natural, from *Acradenia franklinii*, **16,** 206
permaleic acid oxidation to esters, **17,** 31
reaction with carbethoxymethylenetriphenylphosphorane, **L16,** 579
saturated, Octant rule, calculations for quantitative treatment, **13,** 52
steroidal, Cotton effect, lack of influence of remote substituents, **13,** 29
α,α′-dihydroxy, reactions with lead tetra-acetate in alcoholic media, **16,** 271
synthesis of a trimetallocene derivative, **L13,** 440
triterpenoid, conformation of ring A, study of dipole moments, **L19,** 682
α,β-unsaturated, alkylation of derived enamines, **L10,** 313
mechanism of formation from β-dicarbonyl compds., **L10,** 337
Δ⁴-3-Ketosteroid, conversion to 3β-dialkylamino-Δ⁵-unsaturated derivative, **L2,** 72
3-Ketosteroids, 4,4-dimethyl-, conformation of ring A, **L19,** 676
Ketovinylation, of β-dicarbonyl compds., **12,** 63
Kinetics, acid-catalysed interconversion of 3-hydroxycyclohexanone and 2-cyclohexanone, **L10,** 337
acid hydrolysis of methyl 4,6-O-benzylidene-D-hexosides, effect of configuration on hydrolysis, **16,** 106
Claisen rearrangement of allyl ethers, **14,** 208
of aromatic compd. nitration, role of acidity, **12,** 23
racemization and radio-chloride exchange of *p*-chlorobenzhydryl chloride in acetone, **L10,** 341
Kobusine, chemistry, **14,** 103, 111
Kronig–Kramers theorem, application to optical activity, **13,** 48

Labelled compounds, aromatic, NMR study of orientation effects in catalytic deuteration and tritiation, **L15,** 516
Lactone group of jacobine, conformation, **L17,** 590
Lead tetra-acetate, reactions with steroidal α,α′-dihydroxy ketones in alcoholic media, **16,** 271
Leucothoe grayana, structure of grayanotoxin-I and -III, **L2,** 59
α- and β-Levantenolide, isolation and characterization, **14,** 246
Lichens, Indian, chemical components of *Alectoria virens*, **12,** 173
Light, explanation for the rotation of polarization plane, **12,** 146
Lignans, and isolignans, system of notation, **15,** 115
schizandrin, new type of unusual structure, **L20,** 730
Limonin, correlation with obacunone, **L10,** 325
Liquid crystals, definition, **13,** 219
Liriodenine, structure and synthesis, **14,** 42
Loganin, structure, **L12,** 394
Lumicolchicines, photoisomerizations, **L1,** 12
Lumisterol, photochemical transformation, **16,** 149
Lunarine, diphenyl derivatives, isolation, **L10,** 321
Lupanone, conformation of ring A, study of dipole moments, **L19,** 682
Lupine alkaloids, absolute configuration, prediction by Conformation Dissymmetry Rule, **13,** 108
Lycopodane, prep. from clavolonine, **15,** 173
Lycopodine, Wolff–Kishner reduction, **15,** 173
Lycopodium alkaloids, 15, 173
α-, β-, γ- and δ-Lycorane, configurations, **12,** 248
(−)β-Lycorane, synthesis, **12,** 240
γ- and δ-Lycorane, synthesis, **12,** 248
Lycorine, conversion to β-dihydrocaranine, **12,** 240

Macrolides, polyene, filipin structure, **L12,** 383
Maculosidine, linear ring system, **14,** 223
Magnetic shieldings, of aromatic molecules, **L8,** 274
Maleic anhydride, conversion to permaleic acid, **17,** 3
reaction with cyclopentadiene, secondary deuterium effect, **L19,** 687
Malonic acid, cyclic acetals, *trans*-enolization, **12,** 91
ethyl ester, ketovinylation, **12,** 63
Malvidin 3-galactoside, isolation from *Bladhia sieboldii*, **12,** 181
Manganese dioxide, action on carbohydrates, **14,** 201
Mannich bases, reactions, elimination studies using polarographic method, **L21,** 744
Mannich reaction, derivatives of dinitroacetonitrile, **17,** 89
D-Mannose, 2-desoxy-2-N-L-prolino-, by transformation of D-fructose with L-proline, **13,** 247
Mass spectrometry, evidence for iboxygaine structure, **L2,** 68
investigation of *Aspiderma quebracho*-Blanco alkaloids, **L9,** 303; **L14,** 485
Mayumbine, stereochemistry, **L22,** 822
Mechanisms, alkaline hydrolysis of ester bond, **L8,** 263
"Carbenoid decomposition" of diazodecalins, **12,** 168

Mechanisms (*continued*)
conversion of β-dicarbonyl compds. to α,β-unsaturated aldehydes or ketones, **L10**, 337
degradative prep. of rac. D-homo-18-norandrostan-3β-ol-17-on-13β and 13α-carbonic acids, **13**, 268
dehydrobromination of α,α,α′,α³-tetrabromo-*o*-xylene, **L4**, 140
1,3-dipolar addition, **17**, 3
trans-glycosylation reactions, **14**, 181
hydrazine hydrogenation of C=C unsaturation, **L11**, 347
internal cyclization of N-substituted *o*-nitroanilines, **16**, 80
ion-molecule condensation during propylene radiolysis, **14**, 164
ketovinylation of ethyl acetoacetate, **12**, 63
photochemical and thermal isomerizations in vitamin D field, **16**, 146
thiopegan 9:10 and 10:11 derivatives, formation, **15**, 53
Melanin, in *Sepia officinalis*, structure, **15**, 66
Melanogenesis, **15**, 66
Meldrum's acid, **12**, 77
Mercuration, by organoboranes, **12**, 131
Mesomeric interaction, in nitronaphthylamines, **12**, 32
Metabolites, mould, chemistry—IV, **12**, 139
Metalloporphyrin compounds, biologically active, rotatory dispersion studies, **13**, 208
Methacrylic acid, methyl ester, cyclopentadiene additions, effect of solvent, **L4**, 131
Methane, electronic wave function and C—H bond orbital, **17**, 171
Methionine, origin of branched CH_3 groups in cladinose and mycarose, **L7**, 234
N-Methylacidinium ions, reaction with diazomethane, **L17**, 593
10-Methylacridone, 2,3-dimethoxy-1-hydroxy-, structure of arborinine, **16**, 251
Methyladamantane product, from isomerization of methyltrimethylenenorbornanes, **L9**, 307
Methyladamantanes, isomerization of methyltrimethylenenorbornanes, **L9**, 305
O-Methylalloevodionol, isolation and biogenesis, **16**, 206
6-(3-methylbut-2-enyl)-coumestrol, structure of psoralidin, **14**, 275
Methyl chloride, migration from P to C in halogenmethylphosphonium salts, **L20**, 724
1-Methylcyclobutene, equilibrium isomerization, **L1**, 27
Methylcyclopentanone, 2-piperidino-, elimination reaction with Mannich bases, **L21**, 744
3- or 5-Methylcyclopent-2-en-2-ol-1-one, formation from acetone, **14**, 161
Methyl(±)-desisopropyldehydroabietate, synthesis, **14**, 310
Methylenbutenolides, prep. of patulin derivatives from acetylenes, **16**, 185
Methylene-bis-acrylamide, addition of dinitroacetonitrile, **17**, 89
Methylenecyclobutane, equilibrium isomerization, **L1**, 27
1-Methylenepyrrolizidine, synthesis, **L3**, 92
O-Methylevodionol, isolation and biogenesis, **16**, 206
N-Methylformamides, N-alkyl- formation from olefins, **L7**, 238
Methylketones, condensation with aryl tellurium trihalides, **12**, 219
N-Methylmorphinan, (+)-3-methoxy-, prep. from sinomenine, **15**, 144
(−)-3-methoxy-, synthesis, **15**, 154
N-Methylolamides, reaction with dinitroacetonitriles, **17**, 89
rac. **N-Methylrhynchophylline**, stereospecific syntheses of 4 stereoisomers, **L22**, 791
N-Methyltriazenes, methylating agent, substitute for diazomethane, **L21**, 761
Methyltrimethylenenorbornanes, isomerization, composition of methyladamantane product, **L9**, 307
2-Methyltryptophan, oxidative conversion to 4-acetylquinoline, **L12**, 390
Methylxanthoxylin, isolation and biogenesis, **16**, 206
Mevalonic acid, mode of incorporation into ergot alkaloids, **L17**, 596
Meyer's rule, limitations in *trans*-enolization of keto-enols, **12**, 76
Michael reaction, addition of dinitroacetonitrile to carbonyl conjugated unsaturated systems, **17**, 89
Migration, methyl chloride, from P to C in halogenmethylphosphonium salts, **L20**, 724
Migration aptitude, phenyl/methyl in neophyl carbene rearrangement, **L15**, 523
Molecular orbital calculations, on heteroatom and heterocyclic conjugated compds., **14**, 237
Molecular orbital method, applied to optical rotatory power theory, **12**, 146
for bond length detn., comparison with Pauling method, **17**, 159
Molecular orbital theory, application to metal-ammonia reduction of aromatic hydrocarbons, **16**, 153
to orientation in metal ammonia reductions, **16**, 169
excitation energies of polysubstituted aromatic systems, **L21**, 771
Molecules, conformational data and strain energy, **14**, 230
predicted and experimental bond lengths, **14**, 237
Monosaccharides, partly acetylated, prep., **14**, 175
Monoterpenes, cyclopentanoid and indole alkaloids, possible biosynthetic relationship, **L16**, 537
Morphine, related alkaloids, elimination of 4-hydroxyl group, **15**, 144, 154

VOL. 12 1961

Morpholine action, isomerization of D-glucose and D-fructose to D-psicose, **13,** 247
Morpholine, enamine of $\Delta^{1(9)}$octalone-2, alkylation, **L10,** 313
Mould metabolites, chemistry—IV, **12,** 139
Mutarotation, N-(1-phenylalkyl)-1-phenylalkylidenimines, **L21,** 737
Mycarose, origin of branched methyl groups, **L7,** 234
Mycobacterium avium, isolation of a new pteridine, **L2,** 55

Napelline, structure, **14,** 94
Napellonine, *see* Songorine,
Naphthalene, 2,6-dimethyl-, reaction with ethyl diazoacetate, **15,** 7
1-Naphthylamine, N-allyl-, rearrangement to 2-allyl-1-naphthylamine, **14,** 208
2-Naphthylamine, N-acetyl-, nitration kinetics, **12,** 23
Neophyl carbene, rearrangement, **L15,** 523
Neo quassin, structure, **15,** 100
Nickel compounds, cyclopentadiene reaction with $Ni(CO)_4$: structure of $NiC_{10}H_{10}$, **L1,** 17
Nicotinamide, 1-benzyl-1,4-dihydro-, reduction of hexachloroacetone, **L22,** 827
Nitration, N-acetyl-2-naphthylamine, kinetics, **12,** 23
aromatic compds., mechanism of protolytic equilibria, **12,** 23
Nitrene intermediate, formation, in reaction of certain aromatic nitro compds. with ferrous oxalate, **L21,** 752
Nitrile group, *trans*-directing effect in olefin addition reactions, **L12,** 398
Nitrile oxides, 1,3-addition to nitriles, formation of 1,2,4-oxadiazoles, **L17,** 587
aromatic, 1,3-addition to carbonyl compds., formation of 1,3,4-dioxazoles, **L17,** 583
reagent for identification of cycloethylenic double bonds, **L3,** 89
Nitriles, aliphatic and aromatic, hydroboration with trimethylamine-t-butylborane, **17,** 117
condensation with t-alcohol, prep. and structure of a spiro-oxazine, **L22,** 785
synthesis from, of 1,2,4-oxadiazoles, **L17,** 587
unsaturated, reaction with perlauric acid, *cis*: *trans* ratio of epoxy-nitriles formed, **L12,** 398
Nitrilimine, diphenyl-, prep. and *cis*-addition to alkenes and alkynes forming 1,3-diphenyl-Δ^2-pyrazolines and 1,3-diphenylpyrazoles, **17,** 3
Nitrites, isoprenoid, nitroso-dim formation, **17,** 47
of fatty alcohols, nitroso-dimer formation, **17,** 47
organic, preparative photolysis, recent developments, **17,** 35
Nitro compounds, aromatic, reaction with ferrous oxalate, formation of nitrene intermediate, **L21,** 752
natural, structure of aureothin, **14,** 252
spectrum of S-trinitrobenzene in presence of ammonia and aliphatic amines, **16,** 119
o-**Nitroanilines,** N-substituted, internal cyclization, **16,** 80
Nitromethane, 1-cyclohexenyl- and 1-cycloheptenyl-, starting materials for tetrahydro-1,3-oxazine derivatives, **16,** 30
Nitronaphthylamines, UV absorption spectra, **12,** 32
Nitrosites, from addition of dinitrogen trioxide to 1-arylcyclohexenes, structures, **15,** 60
Nitroso benzene, Diels–Alder reaction with cyclic dienes or cycloheptatrienes, **12,** 7
Nitroso dimers, formation by intramolecular hydrogen abstraction from alkoxy radicals, **17,** 46
Nitroso groups, addition reactions, **12,** 7
Nitroso monomers, formation from alkoxy radicals, **17,** 35
Nitrous acid, oxidation of phenoxazines to phenoxazin-3-ones, **12,** 139
Nitrosyl chloride, reaction with aliphatic primary amines, triazene intermediates, **L21,** 758
Norbornadiene, transition metal-catalysed dimerization, **L11,** 368
Norbornane acetates, alkaline hydrolysis, internal hydrogen bonding, hydrolytic constants and activation parameters, **L8,** 263
(±)-**Norcoralydine,** synthesis, **14,** 46
Norestradiol, 13-propyl-, stereospecific synthesis, **L3,** 127
19-**Norsteroids,** possible metabolites, synthesis of 3,17-oxygenated estrane derivatives, **15,** 202
Nuclear magnetic resonance, C^{13} and H^1 shifts in azulene, detn. from, of π-electron densities **L14,** 468
orientation effects in catalytic deuteration and tritiation of aromatic compds., **L15,** 516
Nucleic acids, optical rotatory properties, **13,** 185
secondary structure by optical rotation, **13,** 198
Nucleophilic displacements, free energy relationship between S_N2 and S_Ei reactions with alkyltrimethylsilanes **13,** 421
S_N2, absence of steric effects on leaving group, **L14,** 473
Nucleophilic reactions, of *p*-alkyl compounds, **17,** 202
Nucleophilic reagents, addition to carbonyl bonds, effect of linear dipolar substituent on direction of addition, **L12,** 404
Nucleophilic transitions, chemical and electronic, polar effects of alkyl substituents, **17,** 199

Obacunone, stereochemical structure by correlation with limonin, **L10,** 325
structural investigations, **12,** 262, 269
Octachlorobicyclopentadienylidene *see* Perchlorofulvalene.
Octahydronaphthalenes *see* Octalins.

VOL. 12 1961

1,2,3,4,9,10,11,12-Octahydrophenanthrene, *trans*- and *cis*-1-oxo-7-methoxy-, reduction to *trans-anti*- and *cis-syn*-Δ^{9}-dodecahydrophenanthrenes, **12**, 196
Octalins, analysis of mixtures, **12**, 163
decomposition products of sulphonylhydrazone salts, **12**, 168
$\Delta^{1(9)}$-Octalone-2, morpholine enamine, alkylation, **L10**, 313
Octant rule, **13**, 52
use of, for configurational allotments, **13**, 31
Octa-2,4,6-trien-1,8-dial, formation from *trans*-7,8-diacetoxybicyclo[4.2.0]octa-2,4-diene, **L20**, 720
Olean-12-ene-23-oic acid, 2β,3β-dihydroxy-, structure of commic acid C, **15**, 212
Olefins, addition, substitution and telomerization reactions in presence of metal carbonyls or colloidal iron, **17**, 61
cis-addition of diphenylnitrimine forming 1,3-diphenyl-Δ^{2}-pyrazolines, **17**, 3
amidation and aminoalkylation, **L7**, 238
C-acylation of triphenylphosphin-alkylenes, **L14**, 455
conversion to organoboranes, **12**, 117
cyclic, addition reactions, general directing effects of polar substituents, **L12**, 398
dichlorocarbene ($:CCl_2$) adducts, prep. of allenes from, **L5**, 173
hydrazine hydrogenation, role of diimide, **L11**, 347
permaleic acid oxidation to epoxides, **17**, 31
polychloro-, HBr addition in presence of UV light or benzoyl peroxide, **16**, 96
radiolysis, **14**, 164
Olivacine, structure, **15**, 160
α-Onocerin, key intermediate in total synthesis, **L9**, 310
total synthesis, **L1**, 34
Optical absorption and rotatory dispersion of D-α-azidopropionic-dimethylamide, **13**, 2
bands, Cotton-effect, contribution to rotatory dispersion, **13**, 4
of D-α-azidopropionic-dimethylamide, **13**, 2
Optical activity, application of Kronig–Kramers theorem, **13**, 48
of compounds, 3,3′-bithienyls, **L17**, 604
detn. of configuration by method of partial resolution, **L15**, 506
formation of tertiary phosphines from quaternary phosphonium salts, **L5**, 161
rotatory dispersion and vibrating momentum of optically active absorption bands, **13**, 1
sulphoxides, prep., **L17**, 607
Optical stability, of a nine-membered ring bridged biphenyl, **L12**, 410
Orbitals, CH bond, and electronic wave function of methane, **17**, 171
delocalized, effect on C—C bond lengths when atoms with lone pairs involved, **17**, 125
unshaired-pair in N=N and C=C, **17**, 229
Organoboranes, synthesis, **12**, 117
Organometallic compounds, synthesis of mixed π-hydrocarbonmetal carbonyl derivatives, **L13**, 444
synthesis of trimetallocene derivative, **L13**, 440
Organophosphorus compounds, prep. and prop. of α-substituted phosphine oxides, **L1**, 9
Organosilanes, electrophilic aliphatic substitution, structural effects, **L13**, 421
Orientation effects, NMR study in catalytic deuteration and tritiation of aromatic compds., **L15**, 516
Ouabain, synthesis from, of 11,19-oxygenated pregnanes, **L13**, 425
Oxabicyclononane, *cis*- and *trans*- prep., **16**, 25
1,2,4-Oxadiazoles, synthesis from nitrile oxides and nitriles, **L17**, 587
1,3-Oxazine, 2,4,4-trimethyl-6,6-tetramethylene-5,6-dihydro, prep., **L22**, 785
1,2-Oxazines, bicyclic, prep. and reduction to *cis*-1,4-aminocyclenols, **12**, 7
Oxazoles, 2-phenyl-5-aryl-, synthesis, **16**, 59
5-Oxazolone, 2-phenyl-, condensation with aromatic hydrocarbons to benzoylaminoketones, **16**, 59
Oxidation, alkaline, of 3-keto steroids, **L16**, 554
nitrous acid, of phenoxazines to phenoxazin-3-ones, **12**, 139
of organoboranes, **12**, 129
reactivity of permaleic acid, **17**, 31
rearrangement of 2-methyltryptophan to 4-acetylquinoline, **L12**, 387
Oximes, formation by intramolecular hydrogen abstraction from alkoxy radicals, **17**, 41
trans-**9-Oxodec-2-enoic acid**, synthesis, **14**, 320
Oxyavicine, synthesis, **14**, 322

Palladium compounds, structure of $PdC_{11}H_{14}$, **L1**, 17
Parthenin, structure revision, **L2**, 82
Patulin, carbonyl derivatives, prep. from acetylenic compds., **16**, 185
Pauling method for bond length detn., comparison with MO method, **17**, 159
Pentachlorocyclopentadienes, 5-alkyl, formation from halocyclopentadienes, **L9**, 295
Pentatetraene, 1,5-di-*p*-chlorophenyl-1,5-di-t-butyl-, synthesis and resolution, **L22**, 802
Pentatetraenes, optically active, resolution, **L22**, 802
Pentoses, hexosyl, by degradation of hexose disaccharides, **14**, 201
Peptides, configuration of asymmetric centres by sign of Cotton effect, **13**, 27
Perakine, isolation and structure, **L11**, 363
Perchlorofulvalene, structure and prep., **L10**, 333
Perhydroazulenes, conversion to decalins, **L22**, 817
Perinaphthenylium salts, prep., **L15**, 530
Perlauric acid, direction of attack on olefinic bonds in cyclic compds,. effect of polar substituents, **L12**, 398
reaction with unsaturated nitriles, *cis*:*trans* ratio of epoxynitriles formed, **L12**, 398

Permaleic acid, prep. and reactivity, **17**, 31
Peroxides, acyl-sulphonyl-, heterolytic isomerizations, **L15**, 527
Petasites albus, substances from, **L20**, 697
officinalis, substances from, **L20**, 697
Petroleum, occurrence of phytane, **L21**, 768
Phenanthridines, synthesis, application of Bruckner method, **15**, 60
Phenethyl alcohol, high resolution proton magnetic resonance spectra of tertiary alcohols related to, **16**, 139
Phenoxazin-3-ones, substituted, reductive acetylation and reoxidation, **12**, 139
Phenoxazines, conversion to phenoxazin-3-ones, **12**, 139
Phenylacenes, asymmetric annelation effects in passing from acenes → phenylacenes → diphenylacenes, **16**, 113
1-Phenylcyclohexene, reaction with dinitrogen trioxide, **15**, 60
3-Phenylsydnones, steric hindrance of coplanarity, polarographic and spectrophotometric study, **16**, 130
Phenylthioureas, reactions with α-haloalkarylketones, **15**, 53
Phosphate esters, sugar, oxide formation during synthesis and hydrolysis, **12**, 226
Phosphazine compounds, reaction of triphenylphosphinmethylenes with aliphatic diazo compounds, **L22**, 811
Phosphine oxides, α-substituted, prep. and prop., **L1**, 9
Phosphines, optically active tertiary, formation from optically active quaternary phosphonium salts, **L5**, 161
Phosphinines, phosphorus containing dyes, **L6**, 199
Phosphochloridates, alkyl, prep., **L9**, 295
Phosphocyanines, dyes, synthesis, **L6**, 199
Phosphonium salts, halogenmethyl, 1,2-rearrangement from P to C, **L20**, 724
optically active quaternary, conversion to optically active tertiary phosphines, **L5**, 161
Phosphoranes, synthesis from, of complex dye systems, **L6**, 199
Phosphorous esters, dechlorination of decachlorobi-2,4-cyclopentadien-1-yl, **L10**, 333
reaction with halocyclopentadienes, **L9**, 295
Phosphorus compounds, prep. of triphenylphosphin-arylazo-methylenes, **L22**, 807
Photochemical reactions, isomerization of $\Delta^{2,5}$ bicyclo[2.2.1]heptadiene, **15**, 197
of cyclohepta-diene and -triene, **12**, 186
of 2,3,3a,7a-tetrachloro-3a,4,7,7a-tetrahydro-4,7-methanoiden-1-one, **12**, 13
norbornadiene dimerization, **L11**, 368
of 1,4-diphenyl-cyclohepta-1,3-diene, **L3**, 95
preparative photolysis of organic nitriles, **17**, 35
specificity of transformations in vitamin D field, **16**, 146
suprasterol II structure, **L16**, 565
Photodimers, of dimethyl 3-oxo-1,4-pentadiene-1,5-dicarboxylate, structure confirmation, **L1**, 1
of α-pyridones, **L18**, 648
Phyllocladene, total synthesis, **L7**, 231
Phytane, occurrence in petroleum, **L21**, 768
2- and 4-Picoline-1-oxide, condensation with *p*-dimethylamino benzaldehyde, **14**, 151
Pigments, chemical components of *Alectoria vireus*, **12**, 173
from *Bladhia sieboldii*, **12**, 181
red, formed via 2-phenyl-imidazolone-4(5), **15**, 1
Pimaric acids, synthesis of DL-9-isopimaradienes, **L14**, 493
Piperidin, action, isomerization of D-fructose or D-glucose to D-psicose, **13**, 247
4-Piperidinol hydrochlorides, 1-phenethyl-4-(2'-furyl)- acetoxy and propionoxy esters, conversion to 4-alkoxy ethers, **16**, 85
Pittisporum undulatum, isolation of 7β-hydroxy-A_1-barrigenol, **L3**, 100
Podocarpus totara, constitution of hydroxy totarol constituent, **L11**, 358
Polarography, effect of *o*-alkyl substitution in 3-phenylsydnones, **16**, 130
elimination studies, reaction of Mannich bases, **L21**, 744
of non-benzenoid aromatic and related substances, **16**, 130
studies in 3-tropinone series, **L21**, 746
Poly-γ-benzyl-L-glutamate, liquid crystalline phase, **13**, 220
optical rotatory dispersion in several solvents, **13**, 145
Poly-α-L-glutamic acid, optical rotatory dispersion at different pH values, **13**, 146
Poly-L-glutamic acid, spectral data on binding of basic dyes, **13**, 132
Polycyclic bases, prep. and structure of a spiro-oxazine, **L22**, 785
Polycyclic systems, asymmetric annellation effect in passing from acene → phenylacene → diphenylacene, **16**, 113
Polyenes, cyclic $C_{22}H_{22}$, bond lengths, application of valence-bond resonance method, **17**, 215
Polyhaloalkyl radicals, rearrangement in solution with 1,2-chlorine atom migration, **16**, 94
DL-**Polymers**, structure and optical rotation, **13**, 135
Polynucleotides, optical rotatory properties, **13**, 185
Polypeptides, helical sense, **13**, 123, 134
helix-coil transition in solutions, **13**, 156
liquid-crystalline structures in solutions, **13**, 219
optical rotatory dispersion, **13**, 143
structure and optical rotation, **13**, 134
Precalciferol, photochemical ring closure, **16**, 147
Prednisolone, 17α-monoesters, prep., **L13**, 448
Prednisone, 17α-monoesters, prep., **L13**, 448
Prednisone reduction with lithium and ammonia, **L17**, 601

$\Delta^{5,17(20)}$-5,17-Pregnadiene, 3β,16α-dihydroxy-, formation by modified Kischner–Wolff reduction of 16α,17α-epoxy-pregnenolone, **L19,** 666
1,4-Pregnadiene-3-one, 11α-acetoxy-17α,20:20,21-bismethylenedioxy-, lithium ammonia reduction, **L17,** 601
Pregnanes, 11,19-oxygenated, synthesis from ouabain, **L13,** 425
5α-Pregnan-20-one, 3β-hydroxy-, one step partial synthesis, **15,** 193
5α-Pregnan-3,11,20-trione, 19-hydroxy-, synthesis of hemi-ketal form from ovabain, **L13,** 425
rac. **Δ^{16}-5α-Pregnen-3β-ol-20-on-acetate,** total synthesis, **13,** 295
Δ^{4}-Pregnen-20-one-, 3β-hydroxy-, one step partial synthesis, **15,** 193
Propane-1,3-diols, 2-nitro-2-(1′-cyclohexenyl) and 2-nitro-2-(1′-cycloheptenyl)- prep. and condensation with formaldehyde and benzyl- or cyclohexylamine to tetrahydro-1,3-oxazines, **16,** 30
Propiophenone, ω-piperidino-, elimination reaction with Mannich bases, **L21,** 744
Propylene, liquid, radiolysis, **14,** 164
n-Propyl ethers, reaction with t-butyl-peracetate and -perbenzoate, **13,** 241
Proteins, estimation of helical content, **13,** 151
globular, optical rotatory dispersion, **13,** 166
rotatory dispersion and specific rotation, **13,** 168
helical content in water, **13,** 154
helical sense, **13,** 123
optical rotatory dispersion, **13,** 143
Protonation, preferred sites in amides, **L7,** 249
Protonolysis, of organoboranes, **12,** 130
Pschorr cyclization, of 1,2′-aminobenzoyl-6,7-methylenedioxyisoquinoline, **14,** 42
D-Psicose, by isomerization of D-glucose or D-fructose with secondary amines, **13,** 247
Psoralea corylifolia, psoralidin structure, **14,** 275
Psoralidin, structure, **14,** 275
Pteridines, new, isolation from *Mycobacterium avium,* **L2,** 55
Pterocarpin, revised structure, **L9,** 285
Pyranose sugars and derivatives, molecular rotational differences, **13,** 78
Δ'-Pyrazoline 1-oxide, 3-benzoyloxy-3,5,5- trimethyl-, hydrolytic cleavage, **L21,** 749
Δ'-Pyrazoline 2-oxide, 3-benzoyloxy-3,5,5-trimethyl-, hydrolytic cleavage, **L21,** 749
Pyridine-N-oxide, bromination, **L1,** 32
Pyridone, 4-methyl-N-methyl-, irradiation, dimer formation by 1:4 addition, **L18,** 648
α-Pyridones, photodimers, **L18,** 648
Pyrifolidine, isolation and constitution, **16,** 212
Pyrocalciferol, photochemical transformation, **16,** 149
Pyrolysis, of decalol methyl carbonates, **12,** 166
of diazodecalins, **12,** 168
α-Pyrones, synthesis, **12,** 63
γ-Pyrones, dioximes of photodimers, acid-catalysed isomerization and cleavage, **L19,** 669
Pyrrole compounds, synthesis of 3H-pyrrolo(2,3-c) quinolines, **16,** 1
Pyrrole-2,3,4,5-tetracarboxylic acid, isolation from sepiomelanin products, **L20,** 718
Pyrrole-2,3,4-tricarboxylic acid, isolation from sepiomelanin products, **L20,** 718

Quadricyclene, prep. by UV irradiation of $\Delta^{2,5}$ bicyclo[2.2.1]heptadiene, **15,** 197
reactions with hydrogen, acetic acid and bromine, **15,** 197
Quadricyclo[2.2.1.0.^{2,6}0^{3,5}]heptane *see* Quadricyclene.
Quassin structure, **15,** 100
comments, **L10,** 317
Quetrachamine, structure, **L9,** 299
Quinazole-4-one, 2-benzyl-1-methyl-, arborine structure, **16,** 224
Quinoline, 4-acetyl-, by direct oxidative conversion of 2-methyltryptophan, **L12,** 387
2- and 4-Quinolines, IR Spectra, carbonyl band intensities, **14,** 223
Quinone, dehydrogenation, prep. of organic cations, **L15,** 530
Quinones, *cis*-addition of diphenylnitrilimines forming 1,3-diphenyl-Δ^{2}-pyrazolines, **17,** 3

Racemization and radio-chloride exchange of *p*-chlorobenzhydryl chloride in acetone, **L10,** 341
Radicals, polyhaloalkyl, rearrangement in solution with 1,2-chlorine atom migration, **16,** 94
Radio-chloride exchange, and racemization of *p*-chlorobenzhydryl chloride in acetone, **L10,** 341
Radiolysis of liquid propylene, **14,** 164
Rauwolfia alkaloids, biogenesis, **14,** 35
methyl neoreserpate, IR spectra and configuration at C-3, **L14,** 481
Rauwolfia vomitoria, isolation and structure of perakine, **L11,** 363
Rearrangements, adamantane, examples, **L9,** 305
alkyl radical during nitrite photolysis, **17,** 48
carbene, thermal decomposition of 1-diazo-2-methyl-2-phenylpropane, **L15,** 523
from P to C in halogenmethyl-phosphonium salts, **L20,** 724
Wagner–Meerwein, **L17,** 593
Reductions, 1-benzyl-1,4-dihydronicotinamide, of hexachloroacetone, **L22,** 827
borohydride, of steroid α-bromoketone, catalysed by metal salts, **L15,** 513
of substituted cyclohexanones, ratio of *cis*-*trans*-alcohols formed, **L12,** 404
diimid, **L11,** 353
modified Kischner–Wolff, conversion of 16α, 17α-epoxypregnenolone to 3β,16α-dihydroxy-$\Delta^{5,17(20)}$-5,17-pregnadiene, **L19,** 666
of aromatic hydrocarbons with alkali metals, an HMO treatment, **16,** 153
of dinitrocyanoacetate esters, prep. of nitrocyanoacetate esters, **17,** 109

VOL. 12 1961

Reductions (*continued*)
of steroidal carbonyls, altered selectivity, **15,** 193
orientation in metal ammonia, **16,** 169
steroidal 3-keto-1,4-dienes, **L17,** 601
Reductive acetylation, of substituted phenoxazin-3-ones, **12,** 139
Reserpine, incorporation of tryptophan, **14,** 35
Resonance, stabilization of 10-ethoxycarbonyl-10,9-borazarophenanthrenes, **15,** 35
valence-bond, for prediction of bond lengths in cyclic polyenes $C_{2n}H_{2n}$, **17,** 215
Resorcinol, condensation with aryl tellurium trihalides, **12,** 219
Rhynchophylline, stereochemistry, **L22,** 791
Ribonucleic acid, secondary structure, studies by means of optical rotation, **13,** 198
structure, **13,** 186
Rimuene, revised structure, **L14,** 493
Rings, bridged, synthetic approaches to clovene, **16,** 74
cleavage, formation of octa-2,4,6-trien-1,8-dial from *trans*-7,8-diacetoxybicyclo[4.2.0]octa-2,4-diene, **L20,** 720
condensed, introduction of C-substituents in angular position, **13,** 268, 278, 287
five membered, relationships between optical rotations, **13,** 95
fused six membered, expected relationship between optical rotations, **13,** 96
Rotations, molecular, and absolute configuration of keto epimeric steroids, **L14,** 461
differences in pyranose sugars and derivatives, **13,** 78
expression as function of atomic orbitals, **12,** 146
the relationship of sign to absolute configuration, **12,** 146
optical, a many electron model, **13,** 235
and polypeptide structure, **13,** 134
application of additivity principles, **13,** 58
empirical theory based on principle of pairwise interactions, **13,** 57
of D-α-azidopropionic-dimethylamide, **13,** 2
of cholesterol ethers and esters, De Vries, theory, **13,** 223
of configurationally related bicyclo-ketones, diketones and hydrocarbons, **13,** 100, 102
of α-helices, **13,** 143
of hydroxylated open chain compds. and cyclohexane derivatives, **13,** 66
of liquid crystalline structures in polypeptide solutions, **13,** 219
of partially hydroxylated open chain compds., **13,** 67
of polyribonucleotides, **13,** 189
of steroids, **13,** 104
properties of nucleic acids and polynucleotides, **13,** 185
relationships between compds. with 5 or 6 members, **13,** 96
relationships of 3-halo-camphors, **13,** 102
sign and relative configuration of secondary alcohols, **13,** 9
Rotations, optical (*continued*)
specific, and rotatory dispersion of globular proteins, **13,** 168
studies on secondary structure of nucleic acids, **13,** 198
theory, application of M.O. method, **12,** 146
Rotatory dispersion and Cotton effect in nucleic acids and polynucleotides, **13,** 192
and optical absorption of D-α-azidopropionic-dimethylamide, **13,** 2
and vibrating momentum of optically active absorption bands, **13,** 1
anomalous, application to organic chemical problems, **13,** 13
application to structural and stereochemical problems, **13,** 29
comparison of 1-, 2- and 3-ketodihydromanoyl oxides, **12,** 215
contribution to backbone helix of polypeptides, **13,** 176
curves of amino acids, **13,** 176
detn. of helical sense of polypeptides and proteins, **13,** 123
of globular proteins, **13,** 166
of hexahelicene, **13,** 50, 52
of 12-ketocholanic acid, **13,** 53
of polypeptides and proteins, **13,** 143
studies of biologically active metalloporphyrin compds., **13,** 208
Royal jelly, synthesis of 2-stereoisomeric 10-hydroxydec-2-enoic acids, **15,** 18
Rubremetinium cation, structure studies, **L22,** 796
Rubrofusarin, constitution, **L4,** 151

Salicylic acids, 4-alkyl, synthesis, **12,** 63
Satureia douglassii, xanthomicrol, structure and synthesis, **14,** 296
Saussurea lactone, structure, **13,** 319
Schizandrin, a lignan of unusual structure, **L20,** 730
Schomaker–Stevenson rule, relating bond length to electronegativity, **17,** 177
Scintillator solutes, synthesis of 2,5-diaryloxazoles, **16,** 59
Selenocystamine, methods of prep., **12,** 1
Selenohypotaurine, methods of prep., **12,** 1
Selenono-β-aminoethane, methods of prep., **12,** 1
Selenotaurine, methods of prep., **12,** 1
Sempervirine, synthesis, **16,** 11
Sepia officinalis, melanin, structure, **15,** 66
Sepiomelanin oxidation products, isolation of pyrrole-2,3,4-tricarboxylic and -2,3,4-5-tetracarboxylic acids, **L20,** 718
Serpentine, tryptophan direct precursor, **14,** 35
Sesquiterpene alcohol, identity of albicaulol and δ-cadinol, **15,** 217
Sesquiterpenes, constitution and biogenesis of δ-elemene and cogeijerene, **L21,** 763
from *Petasites officinalis* and *P. albus*, **L20,** 697
guaiol dehydration, **13,** 308
himachalenes, structure, **L6,** 216
jatamansone, absolute configuration, **L6,** 226
structure and stereochemistry, **12,** 105
synthetic approaches to clovene, **16,** 74

VOL
12
196

Silanes, alkyltrimethyl-, relative rates of nucleophilic and electrophilic substitution, **L13,** 421
Silanes, formation from olefins and silicon hydrides, **17,** 61
Silicon hydrides, reaction with olefins in presence of iron pentacarbonyl or colloidal iron, **17,** 62
Silver fluoroborate, preparation warning, **L21,** 775
Sinomenine, and derivatives, elimination of 4-hydroxyl group, **15,** 144
conversion to (±)-3-methoxy-N-methylmorphinan, **15,** 144
Solvent effects, in reduction of substituted cyclohexanones, **L12,** 404
on *trans*-enolization of keto-enols, **12,** 90
on keto-*cis*-*trans*-enol equilibrium, **12,** 76
on stereoselectivity of Diels–Alder reactions, **L4,** 131
on UV spectra of nitronaphthylanimes, **12,** 32
percentage enolic forms in α-alkylacetoacetates **12,** 88
Solvolysis, of benzhydryl *p*-nitrobenzoate-carbonyl-^{18}O, detection of ion pair return, **L18,** 644
of cumyl chlorides, C–Cl cleavage at transition state, effect of structural changes in reactants, **L6,** 211
Songorine, identity with napellonine, **14,** 94
L-**Sorbose,** transformation with L-proline to 1-amino-1-N-L-prolino-L-sorbose, **13,** 247
Spectra, absorption bands, optically active, rotatory dispersion and vibrating momentum, **13,** 1
absorption, of D-α-azidopropionic-dimethylamide, **13,** 3
of 2,3-dihydro-1,2-dimethylquinazol-4-one, **16,** 238
of hexahelicene, **13,** 51
of 2H-isoxazol-5-ones and 4H-isoxazol-5-ones, **12,** 46
of S-trinitrobenzene in presence of ammonia and aliphatic amines, **16,** 119
charge-transfer, of donor-acceptor complexes, **17,** 251
electronic absorption, of pseudoaromatic sulphur compds., **L18,** 632
of thiapyrylium, 1,2-dithiylium and 1,3-dithiylium compds., **L18,** 632
infra-red, of 16-acetyl-Δ^{16}-androsten-3β-ol-acetate, synthetic and natural, **13,** 295
of α-alkyltetronic acids, **12,** 80
of amino- and acetamido-isoxazoles, **12,** 51
of α- and β-levantenolide, **14,** 246
of 2- and 4-quinolones, carbonyl band intensities, **14,** 223
of *cis*- and *trans*-oxa(0.3.4)bicyclononane, **16,** 27
of annofoline, clavolonine and acetyl clavolonine, comparison, **15,** 177
of arborine structure, **61,** 224
of arborinine, **16,** 253
Spectra, IR (*continued*)
of aureothin and related compds,. **14,** 255
of bicycloheptadiene dimers, **L11,** 373
of 1:1 borane-nitrile adducts, **17,** 117
of butadiene, structure investigation, **17,** 163
carbethoxycarbene adducts of 2,6-dimethylnaphthalene, **15,** 7
of compounds isolated from *Petasites* species, **L20,** 697
of daniellic acid, **12,** 208
of β,β-dihydroxy-*o*-di-t-butylbenzene, **L7,** 245
of 2,3-dihydro-2-ethyl-1-methylquinazol-4-one, **16,** 239
of dimethylcyclobutenedione, **L19,** 655
of 1,2-dimethylquinazol-4-one, **16,** 235
of 2,4-dinitrophenylhydrazones of *trans*-and *cis*-phenyl(3-ketobutenyl)-sulphones, **12,** 73
of erythro- and threo-C_{20}-dihydrosphingosines, **12,** 59
of ethyl-α-alkyl acetoacetates, **12,** 86
of 2-ethyl-1-methyl-quinazol-4-one, **16,** 236
of flavensomycinic acid, **L16,** 537
of furan tetracarboxylic acid, tri- and tetra-esters, **15,** 47
of hydroxytotarol, **L11,** 358
of 4 isomeric lycoranes, **12,** 257
of isopropylidene ethylmalonate, **12,** 84
of lactone of γ-hydroxy-α-α-dimethylaceto-acetic acid, **12,** 80
of methoxydihydrocostunolide, **12,** 179
of methyl neoreserpate, **L14,** 481
of norbornadiene dimer, **L11,** 368
of octa-2,4,6-trien-1,8-dial, **L20,** 720
of a pentacovalent arsenic heterocycle, **L14,** 477
of perakine, **L11,** 363
of Δ^{16}-5α-pregnen-3β-ol-2-on-acetate, synthetic and natural, **13,** 295
of saussurea lactone and tetrahydrosaussurea lactone, **13,** 321
of schizandrin, **L20,** 730
of 1,2,4,5-tetra-t-butylbenzene, **L18,** 637
of tetra-t-butylbenzene, **L19,** 658
of tetrahydro-1,3-oxazines, **16,** 34
tropophenylene and tropovinylene spiroborates, **16,** 68
of vincamine, **L20,** 702
of voachalotine, **L8,** 270
mass, of *Aspiderma quebracho*-Blanco alkaloids, **L14,** 485
of quebrachamine, **L9,** 303
nuclear magnetic resonance, of ambrosin, **L2,** 82
of aminoisoxazoles, **12,** 51
of arborine structure, **16,** 224
of atisine and ajaconine derivatives, **14,** 54
of 1:1 borane-nitrile adducts, **17,** 117
of cucurbitacins, **L18,** 615
of C-curarine, **14,** 138
of cyclohexenyl-palladium-cyclopentadienyl **L1,** 17

Spectra, NMR (*continued*)
of cyclopentadienyl-nickel-cyclopentenyl, **L1** 17
of daniellic acid, **12,** 210
of β,β′-dihydroxy-*o*-di-t-butylbenzene, **L7,** 247
of dimethylcyclobutenedione, **L19,** 655
of filipin, **L12,** 387
of flavan-3,4-diols, **L13,** 429
of flavensomycinic acid, **L16,** 537
of gentiopicroside, **16,** 192
of Heller's dihydroquinoline dimers, **L21,** 781
of DL-9-isopimaradienes, **L14,** 493
of loganin, **L12,** 395
of mayumbine and related oxindole alkaloids, **L22,** 822
of octa-2,4,6-trien-1,8-dial, **L20,** 720
of orientation effects in catalytic deuteration and tritiation of aromatic compds., **L15,** 516
of parthenin, **L2,** 82
of a pentacovalent arsenic heterocycle, **L14,** 477
of photodimers of α-pyridones, **L18,** 648
of position of aromatic MeO in powelliane related alkaloids, **L3,** 105
of pterocarpin, **L9,** 286
of quadricyclene, **15,** 199
of quassin and derivatives, **15,** 109
of quassin and related compds,. **L10,** 317
of schizandrin, **L20,** 730
of 1,2,4,5-tetra-t-butylbenzene, **L18,** 637
of tetra-t-butylbenzene, **L19,** 658
of tuberostemonine, **L20,** 707
of voachalotine and derivatives, **L8,** 270
spin-coupled, simplification by massive deuteration, **L15,** 516
proton magnetic resonance, of bicycloheptadiene dimers, **L11,** 373
of norbornadiene dimer, **L11,** 368
of perakine, **L11,** 363
of tertiary alcohols related to 3-buten-1-ol and phenethyl alcohol, **16,** 139
of totarol and hydroxytotarol, **L11,** 358
proton resonance, of quassin, **L10,** 319
Raman, frequency shifts of butadiene and 1,3-butadiene-d_6, **17,** 166
ultra-violet, of 16-acetyl-Δ^{16}-androstan-3β-ol-acetate, synthetic and natural, **13,** 295
of amir >isoxazoles, **12,** 51
of arborine structure, **16,** 224
of arylnorbornyl cations, **L12,** 414
of *Aspiderma quebracho*-Blanco alkaloids, **L14,** 485
of aureothin and related compds., **14,** 255
of 2,3′-bifluoranthyl, **16,** 163
of C-bisnorrubremetinium bromide, **L22,** 799
of borazarenes, **15,** 26
of 10,9-borazarophenanthrene, **15,** 36
of carbethoxycarbene adducts of 2,6-dimethylnaphthalene, **15,** 7

Spectra, UV (*continued*)
of compounds isolated from *Petasites* species, **L20,** 697
of curacin and curamycin, **15,** 76
of cyclo-diazomethane, **L17,** 612
of dehydrochlorination of 2β-bromo-4β,5α-dechlorocholestan-3-one, **12,** 97
of β,β′-dihydroxy-*o*-di-t-butylbenzene, **L7,** 247
of 2-(*p*-dimethylamino)-styryl pyridine, **14,** 153
of dimethylcyclobutenedione, **L19,** 655
of fluoranthene, **16,** 163
of furan tetracarboxylic acid, tri- and tetra-esters, **15,** 48
of hydantoin compds., **15,** 93
of hydrazines and hydrazyls, **13,** 258
of hydroxytotarol, **L11,** 358
of isolated double bond systems, **L16,** 560
of isoxazoles and isoxazol-5-ones, **12,** 41
of isopropylidene ethylmalonate, **12,** 84
of lactone of γ-hydroxy-α,α-dimethylacetoacetic acid, **12,** 82
of native and denatured DNA, **13,** 197
of nine-membered bridged biphenyl, **L12,** 410
of norbornadiene dimer, **L11,** 368
of N-(1-phenylalkyl)-1-phenylalkylidenimines, **L21,** 742
of nitronaphthylamines, **12,** 32
of perakine, **L11,** 363
of 2-phenyl-5-aryloxazoles, **16,** 62
of 3 phenylsydnones, effect of *o*-alkyl substituents, **16,** 130
of Δ^{16}-5α-pregnen-3β-ol-2-on-acetate, synthetic and natural, **13,** 295
of α-propyltetronic acid, effect of solvent and pH, **12,** 81
of psoralidin, **14,** 275
of pyrroloquinolines, **16,** 3
of rubremetinium bromide, **L22,** 799
of schizandrin, **L20,** 730
of 1,2,4,5-tetra-t-butylbenzene, **L18,** 637
of tetra-t-butylbenzene, **L19,** 658
of tropophenylene and tropovinylene spiroborates, **16,** 68
of vincamine, **L20,** 702
of voachalotine and derivatives, **L8,** 273
of xanthomicrol and derivatives, **14,** 296
visible, comparison of hydrazines and hydrazyls, **13,** 258
Spectroscopy, bond length values, **17,** 254
CC bond lengths, comparison with values from diffraction method, **17,** 148
data on binding basic dyes to poly-L-glutamic acid, **13,** 132
microwave, application to bond lengths and angles, **17,** 191
molecular, comparison of spectroscopic and diffraction structural parameters, **17,** 138
method of detn., **17,** 136
of simple polyatomic molecules, detn. of variations of CC bond lengths, **17,** 135

Sphingolipids, studies—XVII, **12,** 56
Stereochemical specificities of photochemical and thermal isomerizations in vitamin D field, **16,** 146
Stereochemistry, absolute configuration and molecular rotation of epimeric keto steroids, **L14,** 461
absolute configurations, application of principle of pairwise interactions, **13,** 57
lupine alkaloids, prediction by Conformation Dissymmetry Rule, **13,** 108
relationship to sign of molecular rotatory power, **12,** 146
correlation of obacunone and limonin, **L10,** 325
decomposition of sulphonylhydrazone salts, **12,** 168
of annotinine, **L5,** 187
of communic acid, **16,** 255
of danniellic acid, correlation with agathic acid, **12,** 206
of C_{20}-dihydrosphingosines, **12,** 56
of dimeric hydroboration products of aliphatic and aromatic nitriles, **17,** 117
of fawcettiine, clavolonine and related alkaloids, **15,** 173
of flavan-3,4-diols, **L13,** 429
of garrya alkaloids, atisine and ajaconine, **14,** 54, 87
of grindelic acid, **L11,** 376
of halogenocholestan-3-ones, **12,** 95
of hydroboration, **12,** 125
of hydroxytotarol, **L11,** 358
of jatamansone, **12,** 105; **L6,** 226
of lycorane, **12,** 240, 248
of mavumbine and related oxindole alkaloids, **L22,** 822
of methyl neoreserpate, configuration at C-3, **L14,** 481
of nine-membered ring bridged biphenyl, **L12,** 410
of obacunone and limonin, **L10,** 325
of rhynchophylline, **L22,** 791
of suprasterol II structure, **L16,** 565
of steroids, application of anomalous rotatory dispersion, **13,** 16
of 2,3,3a,7a-tetrachloro-3a,4,7,7a-tetrahydro-4,7-methanoiden-1-one, **12,** 13
of vincamine, **L20,** 702
problems, application of rotatory dispersion, **13,** 29
stereospecific routes to *trans- anti-* and *cis-syn*-Δ^8-dodecahydrophenanthrenes, **12,** 196
Stereoisomers, prep. of 1,4-di-*o*-methanesulphonyl-butan-1,2,3,4-tetrole isomers, **L20,** 716
Stereomutation, in prep. of carbonyl derivatives from patulin, **16,** 185
of *cis-* to *trans*-ethylene, in partial catalytic reduction of acetylenes, **16,** 16
Stereospecific synthesis, of 13-propyl nor-estradiol, **L3,** 127
Steric effects, absence, on leaving group in S_N2 reactions, **L14,** 473
secondary, effect of aryl substituents on conjugation in systems with a tetrahedral atom, **17,** 239
Steric factors, importance in stability of hydrazyl free radicals, **13,** 258
Steric hindrance, of coplanarity in 3-phenylsydnones, polarographic and spectrophotometric, study, **16,** 130
relation to bond lengths, **17,** 191
Steroids, amino, natural, of Apocynacees, **14,** 126
corticosteroid 17α-monoesters from 17α,21-cyclic orthoesters, **L13,** 448
C-nor-D-homo ring system in jervine alkaloid, **L21,** 777
decalin-perhydroazulene-ketol rearrangement-**L22l,** 817
α,α′-dihydroxy ketones, reactions with lead tetra-acetate in alcoholic media, **16,** 271
epimeric keto, molecular rotation and absolute configuration, **L14,** 461
keto-, Cotton effect, lack of influence of remote substituents, **13,** 29
3-keto-, 4,4-dimethyl-, conformation of ring A, **L19,** 676
oxidation in alkaline medium, **L16,** 554
Δ^4-3-keto-, conversion to 3β-dialkylamino-Δ^5-unsaturated derivative, **L2,** 72
3-keto-1,4-dienes, reduction, **L17,** 601
Δ^4-Steroids, 4-hydroxy-3-keto-, prep., **L16,** 554
Steroids, application of Barton reaction, **17,** 35
borohydride reduction of α-bromoketone catalysed by metal salts, **L15,** 513
carbonyl, reduction, altered selectivity, **15,** 193
configurational allotments use of Octant rule, **13,** 32
investigations in total syntheses—VII, VIII, IX, X, **13,** 268, 278, 287, 295
location of carbonyl group by anomalous rotatory dispersion, **13,** 15
optical rotations, **13,** 104
synthesis of 11,19-oxygenated pregnanes from ouabain, **L13,** 425
total synthesis, benzhydrindane approach, **L2,** 76
Streptomyces cura-coi, cultures, isolation and characterization of curamycin hydrolysis products, **15,** 76
thioluteus, structure of aureothin, **14,** 252
Strychnos nux-vomica, structure of loganin, **L12,** 394
Styryl pyridine, 2-(*p*-dimethylamino)- prep. and peracid oxidation, **14,** 151
Substituents, alkyl, electron donor and acceptor properties, **17,** 199
effect of second aromatic group on conjugation in systems with tetrahedral atom, diarylphosphinic acids, **17,** 239
effect on ring carbon shieldings, **L8,** 274
polar, directing effect in olefin addition reactions, **L12,** 398

Substituents, polar (*continued*)
effects in reduction of substituted cyclohexanones, **L12,** 404
Substitution, *o*-alkyl, effect on UV spectra of 3-phenylsydnones, **16,** 130
in thiophenate displacement reaction of cyclohexyl tosylates, **L14,** 473
nucleophilic and electrophilic, relative rates in alkyltrimethylsilanes, **L13,** 421
Substitution reactions, electrophilic aliphatic, structural effects in organosilanes, **L13,** 421
of olefins in presence of metal carbonyls or colloidal iron, **17,** 61
Substrates, for histochemical localization of glycosidases, **12,** 236
Sugars, effect of configuration on hydrolysis of benzylidene acetals of various glycosides, **16,** 106
oxide formation in synthesis and hydrolysis of fluoride and phosphate esters, **12,** 226
simple, reaction with N-arylglycosylamine acetate, **14,** 176
Sulphonylhydrazone salts, decomposition, mechanism and stereochemistry, **12,** 168
Sulphoxides, asymmetric synthesis and absolute configuration, **L17,** 607
Sulphur compounds, pseudoaromatic, reactivity and electronic spectra, **L18,** 632
Suprasterol II, crystal structure, **L16,** 573
total structure, **L16,** 565
Swertia japonica, swertiamarin structure, **L5,** 176
Swertiamarin conversion to gentianin, **L14,** 453
structure, **L5,** 176
Sydnones, UV spectra, effect of substituents, **16,** 130

Tachysterol, photochemical ring closure, **16,** 147
Tautomerism, *trans-* enolization of keto-enols, **12,** 76
isomerization of $\Delta^{2,5}$-bicyclo[2.2.1]heptadiene to quadricyclene, **15,** 197
of 3-, 4- and 5-amino and acetamido-isoxazoles **12,** 51
of ethyl α-alkyl acetoacetates, **12,** 87
of 5-hydroxyisoxazoles–isoxazol-5-ones, **12,** 41
Tellurides, prep., **12,** 219
Telomers, reaction of olefins with dimethyl formamide, **L7,** 238
Telomerization reactions, of olefins in presence of metal carbonyls or colloidal iron, **17,** 61
Temperature, effect on optical rotation of open chain compds., **13,** 67
Terpenoids, 12-methoxydihydrocostunolide from costus root oil, **12,** 178
structure of saussurea lactone, **13,** 319
Tetra-t-butylbenzene, formation, **L19,** 658
α,α,α,ω-Tetrachloroalkanes, rearrangement with 1,2-chlorine atom migration, **16,** 94
2,3,3a,7a-Tetrachloro-3a,4,7,7a-tetrahydro-4-7-methanoiden-1-one, formation and stereochemistry, **12,** 13
4,5,6,7—Tetrachloro-3a,4,7-7a-tetrahydro-4-7 methanoiden-8-one, prep. and thermal isomerization, **12,** 13,
Tetrahydrocyclopentadiene, *see* Trimethylenenorbornane.
Tetrahydrodicyclopentadiene, *see* Trimethylenenorbornane.
Tetrahydrofuran, reaction with t-butyl-peracetate and -perbenzoate, **13,** 241
Tetrahydro-1,3-oxazines, degradation to hydrochlorides of aminoalcohols, **16,** 31
prep. of 5-nitro-5(1′-cyclohexenyl)- and 5-nitro-5(1′-cycloheptenyl)-3-benzyl- and 3-cyclohexyl derivatives, **16,** 30
Tetrahydropyran, reaction with t-butyl-peracetate and -perbenzoate, **13,** 241
Tetralin derivatives, formation from ω,ω′-*o*-xylylenedibromide, **14,** 190
Tetrazole, 2,5-diphenyl-, elimination of N_2 forming diphenylnitrilimine, **17,** 3
Thebaine derivatives, elimination of 4-hydroxyl group, **15,** 154
Thermal decomposition, of α-diazoacetophenone, **L13,** 435
Thermal transformations, in vitamin D field, mechanistic aspects, **16,** 146
1,2,4-Thiadiazolidine, 3-phenylimino-4-phenyl-5-imino-, structure for Hector's base, **L19,** 663
Thialens, *see* Cyclopentathiopyrans.
Thiapyrylium, compounds, reactivity and electronic spectra, **L18,** 632
Thiaxanthylium ions, reaction with diazomethane, **L17,** 593
Thiazoles, 2-anilino-4-aryl-, synthesis, **15,** 58
9,10-Thiopega-2,10-diene-4 ones, formation mechanism, **15,** 53
10,11-Thiopega-2,9-diene-4-one, 2-bromomethyl-7-methyl-, condensation with piperidine and diethylamine, **14,** 304
Thiopegan derivatives, synthesis, **14,** 304
Thiopegan formation, mechanism, **15,** 53
10,11-Thiopegene-9,4-one, 2-methyl-6-chloro- and 2,7-dimethyl-, synthesis, **14,** 304
Thiourea, substituted, reactions with α-haloketones, **15,** 53
Tobacco, Turkish, isolation and characterization of α- and β-levantenolide, **14,** 246
Torulosol, correlation with communic acid, **16,** 255
Toxic constituent, of "white snakeroot," **L12,** 417
Transalkylation, of ethylbenzene under influence of $AlBr_3$ and HBr, **L19,** 691
Transition states, of addition reactions, methods for examining the dipolar nature, **L12,** 398
structures, effect of structural changes in reactants, **L6,** 211
Transitions, electrophilic and nucleophilic, chemical and electronic, polar effects of alkyl substituents, **17,** 199
"Tremetol," toxin isolated from "white snakeroot", **L12,** 417
Triarylhydrazyl free radicals, stability, importance of steric effects, **13,** 258

Triazene, intermediates in primary aliphatic amine deamination, **L21**, 758
s-Triazine, N,N′,N″-triacrylylperhydro-, addition of dinitroacetonitrile, **17**, 89
Tri-n-butyltin hydride, vinylation, **L4**, 143
Tri-n-butylvinyltin, by vinylation of tri-n-butyltin hydride, **L4**, 143
1,1,1-Trichloropropene, addition of different reagents, **16**, 98
Tricyclo (6,2,0,0^{2,6})-decane, structure confirmation, **L1**, 1
Trimetallocene derivative, synthesis, **L13**, 440
Trimethylamine t-butylborane, hydroboration of aliphatic and aromatic nitriles, **17**, 117
***trans*-3,3,5-Trimethylcyclohexyl** system, S_N2 reactions, absence of steric effects on leaving group, **L14**, 473
Trimethylenenorbornanes, methyl substituted, action of $AlCl_3$, **L9**, 305
s-Trinitrobenzene, interaction with aliphatic amines, spectrophotometric study, **16**, 119
Triphenylarsine, reaction with dimethylacetylenedicarboxylate, **L14**, 477
Triphenylphosphin-arylazomethylenes, prep., **L22**, 807
Triphenylphosphin methylenes, reaction with diazonium salts, **L22**, 807
reaction with aliphatic diazo compounds, **L22**, 811
Triterpenes, 7β-hydroxy-A,-barrigenol, **L3**, 100
ketonic, conformation of ring A in lupanone, study of dipole moments, **L19**, 682
location of carbonyl group by anomalous rotatory dispersion, **13**, 15
of *Commiphora pyracanthoides*, **15**, 212
of *Commiphora*, structure of commic acid E, **16**, 264
α-onocerin, total synthesis, **L1**, 34
pentacyclic ketone, bromination of friedelin, **15**, 223
phyllocladene, total synthesis, **L7**, 231
ring contraction, ceanothic acid constitution, **L7**, 259
synthesis of key intermediate for α-onocerin, **L9**, 310
Tritiation, catalytic, of aromatic compds., NMR study of orientation effects, **L15**, 516
3-Tropinone and 8-thia-bicyclo(3.2.1)-octan-3-one reactions yielding cycloheptadienones, **L21**, 746
3-Tropinone series, synthetic and polarographic studies, **L21**, 746
Tropolones, reaction with dioxaboroles, **16**, 68
Tropophenylene spiroborates, reaction of dioxaboroles with tropolones, **16**, 68
Tropovinylene spiroborates, reaction of dioxaboroles with tropolones, **16**, 68
Tropylium salts, prep., **L15**, 530
Tropylium, sulphur compds., reactivity and electronic spectra, **L18**, 632
Tryptophan, incorporation into serpentine and reserpine, **14**, 35
Tuberostemonine, structure, **L20**, 707
Tylophora asmatica, chemical examination, **14**, 284, 288
Tylophorine, structure and total synthesis, **14**, 284
Tylophorinine, structure, **14**, 288

Undeca-1,7-diyne, products of stepwise catalytic hydrogenation, **16**, 16
Unsaturation, CC, role of diimide in hydrazine hydrogenation, **L11**, 347
Urine, human pregnancy, structure of estriol glucuronide, **L5**, 183
Urs-12-ene-23-oic acid, 1β,2β,3β-trihydroxy-, structure of commic acid E, **16**, 264
2β,3β-dihydroxy-, structure of commic acid D, **15**, 212

Valence-bond resonance, bond lengths in cyclic polyenes $C_{2n}H_{2n}$, **17**, 215
Valeranone, *see* Jatamansone.
van der Waals' interaction and conjugation, combined effect on carbon Sp^2-Sp^3 bonds, **17**, 235
Veatchine alkaloids, absolute configuration, **L3**, 119
Vinca rosea, catharanthine structure, **L6**, 199
Vincamine, structure, **L20**, 702
Vinylation of tri-n-butyltin hydride, **L4**, 143
Virensic acid, constitution, **12**, 173
Vitamin B_{12}, structure and rotatory dispersion curves, **13**, 212
Vitamin D field, specificities of photochemical and thermal transformations, **16**, 146
Vitamin D_2, irradiation, suprasterol II structure, **L16**, 565
Voachalotine, presence of N_a–CH_3 group, **L8**, 270
Vulpinic acid, component of *Alectoria virens*, **12**, 173

Wedelia calendulaceae, chemical examination, **15**, 129
Wedelolactone, synthetic analogues, **15**, 129
"White snakeroot", isolation of toxic constituents, **L12**, 417
Xanthomicrol, structure and synthesis, **14**, 296
Xanthylium ions, reaction with diazomethane, **L17**, 593
X-ray crystallography, alkaloid field, **14**, 3
bond length detn., comparison with MO and Pauling methods, **17**, 159
suprasterol II, molecular structure, **L16**, 573
values in aromatic hydrocarbons, **17**, 155
***o*-Xylene**, α,α,α′-α²-tetrabromo, mechanism of dehydrobromination, **L4**, 140
ω,ω′-*o*-Xylylenedibromide, prep. of *o*-quinoid hydrocarbons, Diels–Alder addition reactions, **14**, 190

Yohimbine, *see* Quebrachine.

VOL. 12 1961

AUTHOR AND TITLE INDEX

Abramovitch R. A., **Ahmad** Y. and **Newman** D. The formation of a nitrene intermediate in the reaction of nitro compounds with ferrous oxalate. **L21,** 752

Achenbach H. see **Grisebach** H. **L7,** 234

Aghoramurthy K., **Sarma** K. G. and **Seshadri** T. R. Chemical investigation of Indian lichens —XXIV. The chemical components of *Alectoria virens* Tayl. Constitution of a new depsidone, virensic acid. **12,** 173

Agurell S. and **Ramstad** E. Biogenetic interrelationships of ergot alkaloids. **L15,** 501

Ahmad Y. see **Abramovitch** R. A. **L21,** 752

Alder K. und **Fremery** M. Zur Darstellung *o*-Chinoider Kohlenwasserstoffe und deren Verhalten gegenüber Philodienen. **14,** 190

Alderweireldt F. see **Pecher** J. **L8,** 270

Allen C. F. see **Banerjee** D. K. **L2,** 76

Allen D. S. see **Tamelen** E. E. van. **14,** 8

Allinger N. L. and **DaRooge** M. A. The conformation of ring A in 4,4-dimethyl-3-ketosteroids. **L19,** 676

Ammers M. van. see **Plas** H. C. van der. **L1,** 32

Anderson A. B. see **Dauben** W. G. **15,** 217

Anderson F. B. and **Leaback** D. H. Substrates for the histochemical localization of some glycosidases. **12,** 236

Anet R. An unusual ring cleavage: formation of octa-2,4,6-trien-1,8-dial from *trans*-7,8-diacetoxy-bicyclo[4,2,0]octa-2,4-diene. **L20,** 720

Anneser E. see **Huisgen** R. **L17,** 587

Antonaccio L. D. see **Djerassi** C. **16,** 212

Antonescu R. see **Balaban** A. T. **16,** 68

Applewhite T. H. and **Mecheli** R. A. Ultraviolet spectral measurements on isolated double bond systems. **L16,** 560

Archer A. P. G. see **Djerassi** C. **16,** 212

Armstrong N. A. see **Casey** A. F. **16,** 85

Arnason B. see **Bestmann** H. J. **L14,** 455; **L20,** 735

Arnett E. M., **Strem** M. E. and **Friedel** R. A. A tetra-t-butylbenzene. **L19,** 658

Arnold W. see **Nagyvàry** J. **14,** 138

Arya V. P., **Erdtman** H. and **Kubota** T. Chemistry of the natural order Cupressales—41. The structure and stereochemistry of communic acid. **16,** 255

Atwal M. S. see **Sachdev** H. S. **14,** 304

Avram M., **Mateescu** G., **Dinulescu** I. G., **Marica** E. and **Nenitzescu** C. D. **L1,** 21

Ayer W. A., **Hayatsu** R., **Mayo** P. de, **Reid** S. T. and **Stothers** J. B. The photodimers of α-pyridones. **L18,** 648

Bader J. see **Hellman** H. **L20,** 724

Balaban A. T., **Frangopol** P. T., **Mărculescu** M. and **Bally** J. Factors affecting stability and equilibria of free radicals, Steric factors in hydrazyls. **13,** 258

Balaban A. T., **Mihai** G., **Antonescu** R. and **Frangopol** P. T. Tropophenylene and tropovinylene spiroborates. **16,** 68

Balaban A. T. see **Frangopol** P. T. **16,** 59

Balasubramanian S. K. Studies in stereochemistry—I. Stereospecific routes to *trans*-, *anti*- and *cis-syn*-Δ^4-dodecahydrophenanthrenes. **12,** 196

Baldwin M. E., **Bick** I. R. C., **Komzak** A. A. and **Price** J. R. Some ketones from *Acradenia frankliniì*. **16,** 206

Bally J. see **Balaban** A. T. **13,** 258

Ban Y. and **Oishi** T. Stereospecific syntheses of rac.-N-methyl-rhynchophyllane for stereochemistry of rhynchophylline. **L22,** 791

Ban Y. and **Seo** M. The synthesis of β-carboline derivatives—I. A synthesis of some 12H-indolo-[2,3-a]pyridocolinium salts, including flavopereirine. **16,** 5

Ban Y. and **Seo** M. The synthesis of β-carboline derivatives—II. A synthesis of some benzindolo-[2,3-a]pyridocolinium salts, including sempervirine. **16,** 11

Ban Y. and **Terashima** M. Studies on the structure of rubremetinium cation: a new synthesis of C-bisnorrubremetinium salt and its model compound. **L22,** 796

Bandel A. see **D'Angeli** F. **L1,** 5

Banerjee D. K., **Khastigir** H. N., **Dutta** J., **Jacob** E. J., **Johnson** W. S., **Allen** C. F., **Bhattacharyya** B. K., **Collins** J. C., **McCloskey** A. L. **Tsatsos** W. T., **Vredenburgh** W. A. and **Williamson** K. L. Steroid total synthesis—benzhydrindane approach. Preliminary survey. **L2,** 76

Banerjee S. K., **Chakravarti** D., **Chakravarti** R. N., **Fales** H. M. and **Klayman** D. L. Alkaloids of *Glycosmis arborea*—III. Structure of arborinine. **16,** 251

Baran J. S. The synthesis of 11,19-oxygenated pregnanes from ouabain. **L13,** 425

Barbulescu N., **Grünanger** P., **Langella** M. R. and **Quilico** A. Addition reaction of nitrile oxides on cyclo-olefins. **L3,** 89

Barclay L. R. C., **Hall** N. H. and **MacLean** J. W. The tertiarybutylbenzenes. Intermediates in the preparation of *ortho*-di-tertiary-butylbenzene. **L7,** 243

Bărlădeanu L. see **Frangopol** P. T. **16,** 59

Barltrop J. A. and **Day** A. C. Synthesis of diterpenes—IV. Methyl (±) deisopropyl-dehydroabietate. **14,** 310

Bartell L. S. On influences of bond character from bond length: the important role of non-bonded interactions. **17**, 180
Bartlett M. F. see **Ulshafer** P. R. **L11**, 363
Bastiansen O. and **Traettenberg** M. The nature of bonds between carbon atoms; how they vary with environment. **17**, 147
Battersby A. R. Introduction. Research on alkaloids in retrospect and in prospect. **14**, 1
Battersby A. R., **Count** D. J. Le, **Garratt** S. and **Thrift** R. I. Synthetic applications of 1,2-dihydro-isoquinolines. Synthesis of (±)-coreximine. **14**, 46
Bauer M. see **Müller** E. **L4**, 136
Bauer V. J. see **Johnson** W. S. **L2**, 72
Baumann P. see **Dauben** W. G. **L16**, 565
Baxter R. M., **Kandel** S. I. and **Okany** A. Studies on the mode of incorporation of mevalonic acid into ergot alkaloids. **L17**, 595
Beak P. see **Wenkert** E. **L11**, 358
Beck P. see **Horner** L. **L5**, 161
Beckett A. H. see **Casey** A. F. **16**, 85
Belardini M. see **Panizzi** L. **L11**, 376
Belyavsky A. B. see **Nesmeyanov** A. N. **17**, 61
Berson J. A. and **Mueller** W. A. Solvent effects on the stereo-selectivity of Diels–Alder reactions. **L4**, 131
Bestmann H. J. und **Arnason** B. C-Acylierung von Triphenylphosphin-Alkylen mit aktivierten Estern. **L14**, 455; **L20**, 735
Bhattacharyya B. K. see **Banerjee** D. K. **L2**, 76
Bhattacharyya S. see **Rao** A. S. **13**, 319
Bhattacharyya S. C. see **Kulkarni** G. H. **12**, 178
Bhattacharyya S. C. see **Rao** A. S. **13**, 319
Bick I. R. C. see **Baldwin** M. E. **16**, 206
Biemann K. and **Friedmann-Spiteller** M. Mass spectrometric evidence for the structure of iboxygaine and its tosylate. **L2**, 68
Biemann K. and **Spiteller** G. The structure of quebrachamine. **L9**, 299
Biemann K., **Friedmann-Spiteller** M. and **Spiteller** G. An investigation by mass spectrometry of the alkaloids of *Aspidosperma quebracho-Blanco*. **L14**, 485
Biener H. see **Wieland** T. **15**, 1
Binger P. und **Koster** R. Cyclopropankohlenwasserstoffe aus Allylhalogeniden. **L4**, 156
Binst G. van, see **Pecher** J. **L8**, 270
Bird C. W., **Colinese** D. L., **Cookson** R. C., **Hudec** J. and **Williams** R. O. Dimerization of bicycloheptadiene by metal carbonyls. **L11**, 373
Birnbaum G. see **Stork** G. **L10**, 313
Bladon P., **Chaigneau** M., **Janot** M.-M., **Men** J. le **Potier** P. et **Melera** A. Isolement de dérivés diphényliques par fusion alcaline de la lunarine **L10**, 325
Blomquist A. T. and **Vierling** R. A. Dimethylcyclobutenedione. **L19**, 655
Blout E. R. Helical sense of polypeptides and proteins. **13**, 123
Bognár R. and **Nánási** P. New types of the *trans*-glycosylation reaction. **14**, 175
Bögri T. see **Götz** M. **L20**, 707
Bonner W. A., **DeGraw** J. I., **Bowen** D. M. and **Shah** V. R. Toxic constituents of "white snakeroots". **L12**, 417
Bose A. K. Molecular rotation and absolute configuration—III. Epimeric ketones. **L14**, 461
Bose J. L., **Foster** A. B., **Sulim** N., **Stacey** M. and **Webber** J. M. Action of manganese dioxide on carbohydrates—I. Some disaccharides. **14**, 201
Boulton A. J. and **Katritzky** A. R. The tautomerism of heteroaromatic compounds with five-membered rings—I. 5-Hydroxyisoxazoles-isoxazol-5-ones. **12**, 41
Boulton A. J. and **Katritzky** A. R. The tautomerism of heteroaromatic compounds with five-membered rings—II. 3-, 4- and 5-amino- and acetamido-isoxazoles. **12**, 51
Bowen D. M. see **Bonner** W. A. **L12**, 417
Bredenberg J. B.-S. and **Shoolery** J. N. A revised structure for pterocarpin. **L9**, 285
Brewster J. H. Some applications of the conformational dissymmetry rule. **13**, 106
Brown H. C. Hydroboration—A powerful synthetic tool. **12**, 117
Bruice T. C. and **Fife** T. H. The nature of neighboring hydroxyl group assistance in the alkaline hydrolysis of the ester bond. **L8**, 263
Büchi G., **Mayo** D. W. and **Hochstein** F. A. Minor alkaloids of *Aspidosperma subincanum* Mart.: Isolation, structure proof and synthesis of 1,2-dihydro-ellipticine, 1,2-dihydro-ellipticine methonitrate and ellipticine methonitrate. **15**, 167
Bucourt R. see **Velluz** L. **L3**, 127
Budzikiewicz H. see **Djerassi** C. **L12**, 383
Bunton C. A., **Fuller** N. A., **Perry** S. G. and **Shiner** V. J. The pyridine catalysed hydrolysis of carboxylic anhydrides. **L14**, 458
Burnell R. H. and **Taylor** D. R. Lycopodium alkaloids—V. The structure and stereochemistry of fawcettiine, clavolonine and related alkaloids. **15**, 173

Cais M. and **Feldkimel** M. Synthesis of a trimetallocene derivative. **L13**, 440
Cais M. and **Feldkimel** M. Mixed π-hydrocarbonmetal carbonyl derivatives. **L13**, 444
Camerino B., **Patelli** B. and **Sciaky** R. Oxidation of 3-keto steroids in alkaline medium. **L16**, 554
Canonica L., **Jommi** G. and **Pelizzoni** F. Structure of flavensomycinic acid. **L16**, 537
Canonica L., **Pelizzoni** F., **Manitto** P. and **Jommi** G. Structure of gentiopicroside. **16**, 192
Cantlon I. J., **Cocker** W. and **McMurry** T. B. H. Reactions of some dicarbonyl compounds. **15**, 46
Capon B., **Overend** W. G. and **Sobell** M. The kinetics of the acid-catalysed hydrolysis of some methyl 4,6,0-benzylidene-hexosides. **16**, 106

VOL. 12 1961

Cargill R. L. see **Dauben** W. G. **12**, 186; **15**, 197
Carman R. M. and **Ward** A. D. **L10**, 317
Casey A. F., **Beckett** A. H. and **Armstrong** N. A. Alkyl-oxygen heterolysis in 4-aryl and 4-heteroaryl-4-piperidinols and esters. **16**, 85
Caspi E., **Schmid** W. and **Wittstruck** T. A. Reaction of lead tetraacetate with steroidal α,α′-dihydroxy ketones in alcoholic media. **16**, 271
Cava M. P. and **Muth** K. On the mechanism of the dehydro-bromination of α,α,α′,α′-tetrabromo-*o*-xylene. **L4**, 140
Cavill G. W. K., **Clezy** P. S. and **Whitfield** F. B. The chemistry of mould metabolites—IV. Reductive acetylation and reoxidation of some phenoxazin-3-ones. **12**, 139
Čekan Z. see **Trojánek** J. **L20**, 702
Černý J. V. see **Procházka** M. **16**, 25
Chaigneau M. see **Bladon** P. **L10**, 321
Chakravarti D., **Chakravarti** R. N., **Cohen** L. A., **Dasgupta** B., **Datta** S. and **Miller** H. K. Alkaloids of *Glycosmis arborea*—II. Structure of arborine. **16**, 224
Chakravarti D. see **Banerjee** S. K. **16**, 251
Chakravarti R. N. see **Banerjee** S. K. **16**, 251
Chakravarti R. N. see **Chakravarti** D. **16**, 224
Chamberlin J. W. see **Tanabe** M. **L17**, 601
Chizov O. S. see **Kochetkov** N. K. **L20**, 730
Chukovskaya E. C. see **Nesmeyanov** A. N. **17**, 61
Chung-tungshun. see **Huang-minlon.** **L19**, 666
Church R. F. and **Ireland** R. E. The synthesis of the *dl*-9-isopimaradienes and the revision of the structures of isopimaric acid and rimuene. **L14**, 493
Church R. F., **Ireland** R. E. and **Marshall** J. A. A novel approach to a key intermediate in the total synthesis of *a*-onocerin. **L1**, 34
Ciorănescu E. see **Frangopol** P. T. **16**, 59
Clar E. Asymmetric annellations—V. Phenylacenes. **16**, 113
Clark T. J. see **Yates** P. **L13**, 435
Clezy P. S. see **Cavill** G. W. K. **12**, 139
Clough F. B. see **Kauzmann** W. **13**, 57
Cocker W. see **Cantlon** I. J. **15**, 46
Cohen L. A. see **Chakravarti** D. **16**, 224
Colclough T., **Cunneen** J. I. and **Moore** C. G. The aminolysis and esterification of unsymmetrical epoxides. **15**, 187
Colinese D. L. see **Bird** C. W. **L11**, 373
Collins J. C. see **Banerjee** D. K. **L2**, 76
Combe M. G. and **Henbest** H. B. Polar and solvent effects in the reduction of substituted cyclohexanones. **L12**, 404
Conia J-M. et **Rouessac** F. Cycloalcoylation—I. Nouveau mode de synthèse des décalones—I. **16**, 45
Cookson R. C. see **Bird** C. W. **L11**, 373
Corey E. J., **Mock** W. L. and **Pasto** D. J. Chemistry of diimide. Some new systems for the hydrogenation of multiple bonds. **L11**, 347
Corey E. J., **Philbin** E. M. and **Wheeler** T. S. Stereochemistry of flavan-3,4-diols. **L13**, 429
Corral R. A. see **Orazi** O. O. **15**, 93
Corse J., **Finkle** B. J. and **Lundin** R. E. Confirmation of the tricyclo[6,2,0,$0^{2,6}$]-decane structure for the photodimer of dimethyl 3-oxo-1,4-pentadiene-1,5-dicarboxylate. **L1**, 1
Coulson C. A. Bond lengths in the cyclo-octatetraene dianion C^8H^{8--}. **12**, 193
Coulson C. A. and **Dixon** W. T. Bond lengths in cyclic polyenes $C_{2n}H_{2n}$. A re-examination from the valence-bond point of view. **17**, 215
Counsell R. E. Isomeric estrane derivatives. **15**, 202
Count D. J. Le. see **Battersby** A. R. **14**, 46
Courtot P. see **Rigaudy** J. **L3**, 95
Crossley N. S., **Darby** A. C., **Henbest** H. B., **McCullough** J. J., **Nicholls** B. and **Stewart** M. F. A method for exploring the dipolar character of transition states. A general directing effect of polar substituents in olefin addition reactions. **L12**, 398
Cruikshank D. W. J. X-ray results on aromatic hydrocarbons. **17**, 155
Cunneen J. I. see **Colclough** T. **15**, 187

D'Angeli F. and **Bandel** A. Reactions of ethylene-di-isothiocyanate with amines. **L1**, 5
Danieli N., **Mazur** Y. and **Sondheimer** F. A simplified route to a key intermediate in the total synthesis of α-onocerin. **L9**, 310
Darby A. C. see **Crossley** N. S. **L12**, 398
DaRoogue M. A. see **Allinger** N. L. **L19**, 676
Dasgupta B. see **Chakravarti** D. **16**, 224
Datta S. see **Chakravarti** D. **16**, 224
Dauben W. G. and **Baumann** P. Photochemical transformations—IX. Total structure of suprasterol II. **L16**, 565
Dauben W. G. and **Cargill** R. L. Photochemical transformations—VI. Isomerization of cycloheptadiene and cycloheptatriene. **12**, 186
Dauben W. G. and **Cargill** R. L. Photochemical transformations—VIII. The isomerization $\Delta^{2,5}$-bicyclo[2.2.1]heptadiene to quadricyclo[2.2.1.$0^{2,6}$.$0^{3,5}$]heptane (quadricyclene). **15**, 197
Dauben W. G., **Weinstein** B., **Lim** P. and **Anderson** A. B. The structure of δ-cadinol. **15**, 217
Daudel R. Remarks concerning the effect of environment on the properties of CC and CO bonds. **17**, 243
Day A. C. see **Barltrop** J. A. **14**, 310
Dean R. A. and **Whitehead** E. V. The occurrence of phytane in petroleum. **L21**, 768
Defay N. see **Pecher** J. **L8**, 270
De Graw J. I. see **Bonner** W. A. **L12**, 417
Deno N. C., **Schleyer** P. von R. and **Kleinfelter** D. C. A novel and convenient synthesis of arylnorbornyl cations. **L12**, 414
Depoorter H., **Nys** J. and **Dormael** A. van. New classes of phosphorus containing dyes. **L6**, 199
Deulofeu V. see **Galmarini** O. L. **15**, 76
Deulofeu V. see **Ondetti** M. A. **15**, 160
Dev S. see **Joseph** T. C. **L6**, 216

Dewar M. J. S. Epistologue on the effect of environment on the properties of carbon bonds. **17**, 123
Dewar M. J. S. and **Dietz** R. New heteroaromatic compounds—XII. Further evidence for the aromaticity of the borazarenes. **15**, 26
Dewar M. J. S. and **Maitlis** P. M. New heteroaromatic compounds—XIII. Reactions of 10-substituted 9-ethoxycarbonyl-10: 9-borazarophenanthrenes. **15**, 35
Dhami K. S. see **Sachdev** H. S. **14**, 304
Dietz R. see **Dewar** M. J. S.
Dinulescu I. G. see **Avram** M. **L1**, 21
Dittmer D. C., **Steffa** L. J., **Potoski** J. R. and **Fouty** R. A. Reduction of hexachloroacetone by 1-benzyl-1,4-dihydronicotinamide. **L22**, 827
Dixon W. T. see **Coulson** C. A. **17**, 215
Djerassi C. Application of anomalous optical rotatory dispersion to organic chemical problems. **13**, 13
Djerassi C., **Archer** A. P. G., **George** T., **Gilbert** B. and **Antonaccio** L. D. Alkaloid studies—XXX. Isolation and constitution of three new *Aspidosperma* alkaloids; cylindrocarpine, cylindrocarpidine and pyrifolidine. **16**, 212
Djerassi C., **Govindachari** T. R., **Pai** B. R. and **Purushothaman** K. K. Determination of the absolute configuration of jatamansone (valeranone) by the axial α-haloketone rule. **L6**, 226
Djerassi C., **Ishikawa** M., **Budzikiewicz** H., **Shoolery** J. N. and **Johnson** L. F. The structure of the macrolide antibiotic filipin. **L12**, 383
Djerassi C. see **Vorbruggen** W. **L3**, 119
Dobson N. A., **Eglinton** G., **Krishnamurti** M., **Raphael** R. A. and **Willis** R. G. Selective catalytic hydrogenation of acetylenes. **16**, 16
Dorfman L. see **Ulshafer** P. R. **L11**, 363
Dormael A. van. see **Depoorter** H. **L6**, 199
Dufay P. see **Velluz** L. **L3**, 127
Dunathan H., **Elliott** I. W. and **Yates** P. The structure of Heller's dihydroquinoline dimers. **L21**, 781
Dutta J. see **Banerjee** D. K. **L2**, 76
Duttagupta P. C. see **Khastgir** H. N. **14**, 275
Dvornik D. and **Edwards** O. E. The structure of ajaconine. **14**, 54

Eaton P. see **Yates** P. **12**, 13
Eckstein Z., **Sacha** A. and **Urbański** T. 5-Nitro-5-(1′-cyclohexenyl)- and 5-nitro-5-(1′-cycloheptenyl)-3-benzyl- and 3-cyclohexyl tetrahydro-1,3-oxazines. **16**, 30
Edwards O. E. see **Dvornik** D. **14**, 54
Eglinton G. see **Dobson** N. A. **16**, 16
Eichhorn G. L. Rotatory dispersion studies of biologically active metalloporphyrin compounds. **13**, 208
Eliel E. L. and **Gerber** R. P. Absence of steric effects on the leaving group in S_N2 reactions. **L14**, 473
Elliott I. W. see **Dunathan** H. **L21**, 781
Emmons W. D. see **Parker** C. O. **17**, 79; **17**, 89
Emmons W. D. see **White** R. W. **17**, 31

Ercoli A. see **Gardi** R. **L13**, 448
Erdtman H. see **Arya** V. P. **16**, 255
Ertel H. see **Horner** L. **L1**, 9
Etlis V. S. see **Rasuwajew** G. A. **L15**, 527
Eyring H. see **Jones** L. L. **13**, 235

Fales H. M. see **Banerjee** S. K. **16**, 251
Fales H. M. see **Lloyd** H. A. **L3**, 105
Farkas L. und **Várady** J. Synthese des Caviunins. **L6**, 197; **L13**, 452
Fattorusso E. see **Piattelli** M. **L20**, 718
Feit P. W. Stereoisomere 1,4-Di-0-methansulfonyl-butan-1,2,3,4-tetrole. **L20**, 716
Feldkimel M. see **Cais** M. **L13**, 440; **L13**, 444
Fife T. H. see **Bruice** T. C. **L8**, 263
Findlay J. A. see **Wiesner** K. **L5**, 187
Finkle B. J. see **Corse** J. **L1**, 1
Fischer E. O. und **Werner** H. Zur Struktur von $NiC_{10}H_{12}$ und $PdC_{11}H_{14}$ **L1**, 17
Fischer-Hjalmars I. On the nature of bonds between carbon atoms. **17**, 235
Fodor G. and **Tömösközi** I. The reaction of carbethoxymethylenetriphenylphosphorane with ketones. **L16**, 579
Foster A. B., **Haines** A. H. and **Stacey** M. Intramolecular hydrogen bonding in some acyclic alcohols. **16**, 177
Foster A. B. see **Bose** J. L. **14**, 201
Foster R. and **Mackie** R. K. The interaction of electron acceptors with bases—II. The spectrum of S-trinitrobenzene in the presence of ammonia and aliphatic amines. **16**, 119
Fouty R. A. see **Dittmer** D. C. **L22**, 827
Fox I. R., **Levins** P. L. and **Taft** R. W. Regarding protonated carbonyl derivatives and their conjugative acceptor capacities. **L7**, 249
Francis J. E. see **Wiesner** K. **L5**, 187
Franck R. W. see **Johnson** W. S. **L2**, 72
Frangopol P. T., **Balaban** A. T., **Bârlădeanu** L. and **Ciorănescu** E. Synthesis of 2,5-diaryloxazoles through Friedel-Crafts reaction of azlactones with aromatic hydrocarbons. **16**, 59
Frangopol P. T. see **Balaban** A. T. **13**, 258; **16**, 68
Franke J. see **Mayer** R. **L9**, 289
Fraser M. see **Reid** D. H. **L15**, 530
Fray G. I. The formation of 3(or 5)-methylcyclopent-2-en-2-ol-1-one from acetone. **14**, 161
Fray G. I., **Jaegar** R. H., **Morgan** E. D., **Robinson** R. and **Sloan** A. D. B. Synthesis of *trans*-10-hydroxydec-2-enoic acid and related compounds. **15**, 18
Freeman J. P. The hydrolytic cleavage of α-acyloxy azoxy compounds. **L21**, 749
Freidlina R. K. see **Nesmeyanov** A. N. **16**, 94; **17**, 61; **17**, 69
Fremery M. see **Alder** K. **14**, 190
Fresco J. R. Optical rotatory properties of polynucleotides and nucleic acids. **13**, 185
Freudenberg K. und **Weinges** K. Systematik und Nomenklatur der Lignane. **15**, 115

Freudenberg K. und **Weinges** K. Pro-anthocyanidine aus den Früchten des wessidorns (*Gratacgus oxyacantha*) **L8,** 267
Friedel R. A. see **Arnett** E. M. **L19,** 658
Friedman L. and **Shechters** H. Amidation and aminoalkylation of olefins; blocking techniques in the radical chain reactions. **L7,** 238
Friedmann-Spiteller M. see **Biemann** K. **L2,** 68; **L14,** 485
Frostling H. see **Gronowitz** S. **L17,** 604
Fry A. J. see **Lemal** D. M. **L21,** 775
Fuller N. A. see **Bunton** C. A. **L14,** 458

Galmarini O. L. and **Deulofeu** V. Curamycin—I. Isolation and characterization of some hydrolysis products. **15,** 76
Gandhi K. see **Sharma** G. M. **15,** 53
Gänshirt K. H. see **Turner** R. B. **L7,** 231
Gardi R., **Vitali** R. and **Ercoli** A. Corticosteroid 17 α-monoesters from 17α, 21-cyclic orthoesters. **L13,** 448
Garnett J. L., **Henderson** L. J., **Sollich** W. A. and **Tiers** G. van D. An NMR study of orientation effects in the catalytic deuteration and tritiation of aromatic compounds. Simplification of spin-coupled NMR spectra by the method of massive deuteration. **L15,** 516
Garratt S. see **Battersby** A. R. **14,** 46
George T. see **Djerassi** C. **16,** 212
Gerber R. P. see **Eliel** E. L. **L14,** 473
Gil-Av E. and **Herling** J. Equilibrium isomerization of methylenecyclobutane and 1-methylcyclobutane. **L1,** 27
Gilbert B. see **Djerassi** C. **16,** 212
Giles J. A. and **Schumacher** J. N. Turkish tobacco—I. Isolation and characterization of α- and β-levantenolide. **14,** 246
Gillen M. A. see **Ulshafer** P. R. **L11,** 363
Glockler G. Carbon-carbon and carbon-hydrogen bond energies and bond distances. **15,** 87
Glotter E. see **Lavie** D. **L18,** 615
Godfrey M. see **Grinter** R. **L21,** 771
Goering H. L. and **Levy** J. F. The solvolysis of benzhydryl *p*-nitro-benzoate-carbonyl-^{18}O. A new method for detecting ion pair return. **L18,** 644
Gopinath K. W., **Govindachari** T. R. and **Viswanathan** N. Synthesis of oxyavicine. **14,** 322
Gopinath K. W., **Kidwai** A. R. and **Prakash** L. The chemical examination of *Iris nepalensis*—I. Structure of irisolone. **16,** 201
Gorman M. see **Neuss** N. **L6,** 206
Goto M. see **Korte** F. **L2,** 55
Goto T. and **Kishi** Y. The catalytic action of metal salts on the borohydride reduction of α-bromoketone. **L15,** 513
Gottich B. P. see **Kochetkov** N. K. **12,** 63
Gottlieb O. R. see **Lavie** D. **L18,** 615
Götz M., **Bögri** T. and **Gray** A. H. The structure of tuberostemonine. **L20,** 707
Gough J., **Powell** V. and **Sutherland** M. D. Constitution and biogenesis of two new sesquiterpenes. **L21,** 763
Goutarel R. Stéroïdes aminés naturels des Apocynacées. **14,** 126
Govindachari T. R. and **Rajappa** S. Echitamine. **15,** 132
Govindachari T. R., **Lakshmikantham** M. V. and **Rajadurai** S. Chemical examination of *Tylophora asthmatica*—IV. Synthesis of tylophorine. **14,** 284
Govindachari T. R., **Nagarajan** K. and **Parthasarathy** P. C. Chemical examination of *Wedelia calendulaceae*—IV. Synthetic analogues of wedelolactone. **15,** 129
Govindachari T. R., **Nagarajan** K. and **Sundarajan** V. N. Application of the Bruckner method to the synthesis of phenanthridines—IV. Structure of the so-called nitrosites from the addition of dinitrogen trioxide to 1-arylcyclohexanes. **15,** 60
Govindachari T. R., **Pai** B. R., **Purushothaman** K. K. and **Rajadurai** S. Structure and stereochemistry of jetamansone. **12,** 105
Govindachari T. R., **Pai** B. R., **Ragade** I. S., **Rajappa** S. and **Viswanathan** N. Chemical examination of *Tylophora asthmatica*—V. Structure of tylophorinine. **14,** 288
Govindachari T. R., **Rajappa** S. and **Sudarsanam** V. Condensed pyrrole compounds—I. 3H-pyrrolo(2,3-c)quinolines. **16,** 1
Govindachari T. R. see **Djerassi** C. **L6,** 226
Govindachari T. R. see **Gopinath** K. W. **14,** 322
Gray A. H. see **Götz** M. **L20,** 707
Green J. see **Marcinkiewicz** S. **14,** 208
Grimme W., **Reinert** K. und **Köster** R. Über die Verbindungen aus Boraindanen und Alkalimetallen. **L18,** 624
Grinter R., **Heilbronner** E., **Godfrey** M. and **Murrell** J. N. The description of the excited states of aromatic molecules containing mesomeric substituents. **L21,** 771
Grisebach H., **Achenbach** H. and **Hofheinz** W. Biogenesis of macrolides. Origin of the branched methyl groups in cladinose and mycarose. **L7,** 234
Gronowitz S. and **Frostling** H. Optically active 3,3′-bithienyls. **L17,** 604
Grovenstein E. and **Rao** D. V. Photochemical reaction of benzene with dimethyl acetylenedicarboxylate. **L4,** 148
Grünanger P. see **Barbulescu** N. **L3,** 89

Haarstad V. B. see **Tamelen** E. E. van. **L12,** 390
Haase B. see **Plas** H. C. van der. **L1,** 32
Haegele W., **Kaplan** F. und **Schmid** H. Die Struktur des Aucubins. **L3,** 110
Haeuser J. et **Lombard** R. Isolement et structure d'un nouveau diterpène: l'acide daniellique. **12,** 205
Haines A. H. see **Foster** A. B. **16,** 177
Hall N. H. see **Barclay** L. R. C. **L7,** 243
Hand E. S. see **Yates** P. **L19,** 669
Hanker I. see **Mayer** R. **L9,** 289
Hashimoto Y. see **Neeman** M. **L5,** 183

Havinga E. and **Schlatmann** J. L. M. A. Remarks on the specificities of the photochemical and thermal transformations in the vitamin D field. **16**, 146
Hawthorne M. F. Amine boranes—X. Alkylideneamino t-butylboranes. The hydroboration of nitriles with trimethylamine t-butylborane. **17**, 117
Hayatsu R. see **Ayer** W. A. **L18**, 648
Heilbronner E. see **Grinter** R. **L21**, 771
Hellmann H. und **Bader** J. 1,2-Umlagerung von Phosphor zu Kohlenstoff. **L20**, 724
Helmkamp G. see **Ts'o** P. O. P. **13**, 198
Henbest H. B. see **Combe** M. G. **L12**, 404
Henbest H. B. see **Crossley** N. S. **L12**, 398
Henderson L. J. see **Garnett** J. L. **L15**, 516
Hendrickson J. B., **Spenger** R. E. and **Sims** J. J. Synthesis of a pentacovalent arsenic heterocycle. **L14**, 477
Herbert M. see **Pichat** L. **12**, 1
Herling J. see **Gil-Av** E. **L1**, 27
Herout V. see **Novotný** L. **L20**, 697
Hertog H. J. den. see **Plas** H. C. van der. **L1**, 32
Herz W., **Miyazaki** M. and **Kishida** Y. Structures of parthenin and ambrosin. **L2**, 82
Heusler K. see **Thomas** A. F. **16**, 264
Heyns K., **Paulsen** H. und **Schraeder** H. Die Umsetzung von Ketohexosen mit sekundären Aminosäuren und sekundären Aminen. **13**, 247
Highet R. J. see **Lloyd** H. A. **L3**, 105
Hirai S. see **Nagata** W. **13**, 295
Hirata Y., **Nakata** H., **Yamada** K., **Okuhara** K. and **Naito** T. The structure of aureothin, a nitro compound obtained from *Streptomyces thioluteus*. **14**, 252
Hirata Y. see **Kakisawa** H. **L2**, 59
Hochstein F. A. see **Büchi** G. **15**, 167
Hodges R. Some ketomanoyl oxides. **12**, 215
Hodgkin D. C. see **Saunderson** C. P. **L16**, 573
Hoffman H. see **Horner** L. **L1**, 9; **L5**, 161
Hofheinz W. see **Grisebach** H. **L7**, 234
Hojo M. see **Winstein** S. **L10**, 341
Holubek J. see **Trojánek** J. **L20**, 702
Hoogzand C. and **Hübel** W. On *ortho*-tertiarybutylbenzenes. 1,2,4,5-Tetratertiarybutylbenzenes. **L18**, 637
Horák V. and **Zuman** P. Synthetic and polarographic studies in the 3-tropinone series. **L21**, 746
Horák V., **Michl** J. and **Zuman** P. A contribution to the studies of elimination reactions of Mannich bases, using polarographic method. **L21**, 744
Horak V. see **Mayer** R. **L9**, 289
Horeau A. Principé et applications d'une nouvelle méthode de détermination des configurations dite par "dédoublement partiel". **L15**, 506; **L18**, 654
Horner L., **Hoffman** H., **Ertel** H. und **Klahre** G. Phosphororganische Verbindungen. Darstellung und Eigenschaften *a*-substituierter Phosphinoxyde. **L1**, 9
Horner L., **Winkler** H., **Rapp** A., **Mentrup** A., **Hoffman** H. und **Beck** P. Phosphororganische Verbindungen. Optisch aktive tertiäre Phosphine aus optisch aktiven quartären Phosphoniumsalzen. **L5**, 161
Huang P.-K. see **Yeh** P.-Y. **12**, 181
Huang-minlon und **Chung-tungshun**. Die Überführung von 16α:17α-Epoxy-pregnenolon in das 3β:16α-Dihydroxy-$\Delta^{5,17(20)}$-pregnadien durch die modifizierte Kishner-Wolff-Reduktion. **L19**, 666
Hübel W. see **Hoogzand** C. **L18**, 637
Hudec J. see **Bird** C. W. **L11**, 373
Huisgen R. und **Juppe** G. Der Reaktion von 2,6-Dimethylnaphthalin mit Diazoessigester. **15**, 7
Huisgen R. und **Mack** W. 1,3 Dipolare Additionen der Nitriloxyde an Carbonylverbindungen. **L17**, 583
Huisgen R., **Mack** W. und **Anneser** E. Die Synthese von 1,2,4-Nitriloxyden und Nitrilen. **L17**, 587
Huisgen R., **Seidel** M., **Wallbillich** G. und **Knupfer** H. Diphenyl-nitrilimin und seine 1,3-Dipolaren Additionen an Alkene und Alkine. **17**, 3
Hünig S., **Müller** H.-R. und **Thier** W. Reduktionen mit Diimid. **L11**, 353
Hyden S. see **Mislow** K. **L12**, 410

Igarashi K. see **Takeda** K. **15**, 183
Ioffe S. T. see **Kabachnik** M. I. **12**, 76
Ireland R. E. see **Church** R. F. **L1**, 34; **L14**, 493
Ishikawa M. see **Djerassi** C. **L12**, 383
Iwamura H. see **Ōki** M. **16**, 139

Jacob E. J. see **Banerjee** D. K. **L2**, 76
Jaeger R. H. and **Robinson** R. A simple synthesis of "Queen substance". **14**, 320; **15**, 231
Jaeger R. H. see **Fray** G. I. **15**, 18
Janot M.-M. Sur la géissospermine. **14**, 113
Janot M.-M. see **Bladon** P. **L10**, 321
Jirgensons B. Optical rotatory dispersion of globular proteins. **13**, 166
Johnson L. F. see **Djerassi** C. **L12**, 383
Johnson W. S., **Bauer** V. J. and **Franck** R. W. The synthesis of conessine from the corresponding 3-keto-Δ^4-unsaturated system. **L2**, 72
Johnson W. S. see **Banerjee** D. K. **L2**, 76
Jommi G. see **Canonica** L. **16**, 192; **L16**, 537
Jones D., **Parshall** G. W., **Pratt** L. and **Wilkinson** G. Structures of cyclo-olefin complexes of transition metals. **L2**, 48
Jones L. L. and **Eyring** H. A many electron model for optical rotation. **13**, 235
Joseph T. C. and **Dev** S. Structure of himachalenes. **L6**, 216
Joshua C. P., **Verma** V. K. and **Suresh** K. S. On Hector's base. **L19**, 663
Julg A. Théorie du pouvoir rotatoire naturel. Dans la méthode des orbitales moléculaires. **12**, 146
Juppe G. see **Huisgen** R. **15**, 7

VOL. 12 1961

Kabachnik M. I., **Ioffe** S. T., **Popov** E. M. and **Vatsuro** K. V. *Trans*-enolization. **12**, 76
Kabachnik M. I., **Mastryukova** T. A. and **Melent'yeva** T. A. Conjugation in systems with a tetrahedral atom. Diarylphosphinic acids. **17**, 239
Kaisin M. see **Pecher** J. **L8**, 270
Kakisawa H., **Kurono** M., **Takahashi** S. and **Hirata** Y. Structure of grayanotoxin-I and III. **L2**, 59
Kamikawa T. and **Kubota** T. Natural furan derivatives—VII. The presence of a seven-membered α-β-unsaturated lactone in obacunone. **12**, 262
Kamikawa T. see **Kubota** T. **L10**, 325
Kamikawa T. see **Matsuura** T. **12**, 269
Kandel S. I. see **Baxter** R. M. **L17**, 595
Kane V. V. and **Stevenson** R. Friedelin and related compounds—V. The action of N-bromosuccinimide on friedelin and derivatives. **15**, 223
Kaplan F. see **Haegele** W. **L3**, 110
Karrer P. see **Nagyvary** J. **14**, 138
Katritzky A. R. see **Boulton** A. J. **12**, 41; **12**, 51
Kauzmann W., **Clough** F. B. and **Tobias** I. The principle of pairwise interactions as a basis for an empirical theory of optical rotatory power. **13**, 57
Keating J. see **Philip** H. **L15**, 523
Kecki Z. The role of acidity in the kinetics of aromatic compound nitration. **12**, 23
Kelkar G. R. see **Kulkarni** G. H. **12**, 178
Khastigir H. N., **Duttagupta** P. C. and **Sengupta** P. The structure of psoralidin. **14**, 275
Khastigir H. N. see **Banerjee** D. K. **L2**, 76
Khorlin A. see **Kochetkov** N. K. **L20**, 730
Khorlina M. Y. see **Nesmeyanov** A. N. **16**, 94
Kidwai A. R. see **Gopinath** K. W. **16**, 201
Kielar E. A. see **Lloyd** H. A. **L3**, 105
Kirk D. N. and **Petrow** V. The stereochemistry of some halogenocholestan-3-ones. **12**, 95
Kishi Y. see **Goto** T. **L15**, 513
Kishida Y. see **Herz** W. **L2**, 82
Kislyakova N. V. see **Nesmeyanov** A. N. **L2**, 41
Kitaygorodsky A. I. The interaction curve of non-bonded carbon and hydrogen atoms and its application. **14**, 230
Klahre G. see **Horner** L. **L1**, 9
Klayman D. L. see **Banerjee** S. K. **16**, 251
Kleinfelter D. C. see **Deno** N. C. **L12**, 414
Klyne W. Optical rotatory dispersion. Some applications to structural and stereochemical problems in organic chemistry. **13**, 29
Knight J. O. and **White** D. E. Triterpenoid compounds. 7β-Hydroxy-A_1-barrigenol. **L3**, 100
Knupfer H. see **Huisgen** R. **17**, 3
Kochetkov N. K., **Khorlin** A., **Chizov** O. S. and **Sheichenko** V. I. Schizandrin—lignan of unusual structure. **L20**, 730
Kochetkov N. K., **Kudryashov** L. J. and **Gottich** B. P. Ketovinylation of β-dicarbonyl compound. **12**, 63
Kochetkov N. K., **Likhosherstov** A. M. and **Kritzyn** A. M. Synthesis of 1-methylene-pyrrolizidine. **L3**, 92
Kochetkova N. S. see **Nesmeyanov** A. N. **L2**, 41
Komzak A. A. see **Baldwin** M. E. **16**, 206
Kopylova B. V. see **Nesmeyanov** A. N. **17**, 69
Korte F. and **Goto** M. Isolierung eines Pteridins aus *Mycobacterium avium*. **L2**, 55
Kost V. N. see **Nesmeyanov** A. N. **16**, 94; **17**, 69
Köster R. see **Binger** P. **L4**, 156
Köster R. see **Grimme** W. **L18**, 624
Kotera K. The stereochemistry of lycorane—II. (−)β-Lycorane. **12**, 240
Kotera K. The stereochemistry of lycorane—III. γ- and δ-Lycorane. **12**, 248
Koutecky J. see **Zahradnik** R. **L18**, 632
Kresze G. und **Schulz** G. Additionsreaktionen der Nitrosogruppe—II. Diels–Alder-Reaktion mit cyclischen Dienen; Synthese einiger *cis*-4-Phenyl-aminocyclanole. **12**, 7
Krishna-Prasad Y. S. R. see **Strem** J. **13**, 176
Krishnamurti M. see **Dobson** N. A. **16**, 16
Kritzyn A. M. see **Kochetkov** N. K. **L3**, 92
Kubota T. and **Tomita** Y. The structure of swertiamarin. **L5**, 176
Kubota T. and **Tomita** Y. Derivation of gentianin from swertiamarin. **L14**, 453
Kubota T., **Matsuura** T., **Tokoroyama** T., **Kamikawa** T. and **Matsumoto** T. Establishment of the correlation of obacunone and limonin. **L10**, 325
Kubota T., **Tomita** Y. and **Suzuki** K. Synthesis of erythrocentaurin semicarbazone. **L6**, 223
Kubota T. see **Arya** V. P. **16**, 255
Kubota T. see **Kamikawa** T. **12**, 262
Kubota T. see **Matsuura** T. **12**, 269
Kudryashov L. J. see **Kochetkov** N. K. **12**, 63
Kuhn H. J. see **Schenck** G. O. **L1**, 12
Kuhn W. Rotatory dispersion and the vibrating momentum of optically active absorption bands. **13**, 1
Kulkarni G. H., **Paul** A., **Rao** A. S., **Kelkar** G. R. and **Bhattacharyya** S. C. Terpenoids—XXIV. Isolation of 12-methoxydihidrocostunolide from costus root oil. **12**, 178
Kupfer D. Altered selectivity of reduction of steroidal carbonyls. **15**, 193
Kurono M. see **Kakisawa** H. **L2**, 59
Kursanov D. N. see **Nesmeyanov** A. N. **L2**, 41

Lakshmikantham, M. V. see **Govindachari** T. R. **14**, 284
Langella M. R. see **Barbulescu** N. **L3**, 89
Lauterbur P. C. Magnetic shieldings and the electronic structures of aromatic molecules. **L8**, 274
Lavie D., **Shvo** Y., **Gottlieb** O. R. and **Glotter** E. Constitution of the cucurbitacins. **L18**, 615
Leaback D. H. see **Anderson** F. B. **12**, 236
Lederer F. et **Ourisson** G. Stéréochimie de l'acide daniellique. **12**, 205
Ledwith A. see **Winstein** S. **L10**, 341
Lee J. B. and **Sawi** M. M. el. Sugar esters—1. Oxide formation in the synthesis and hydrolysis of some fluorides and phosphate esters. **12**, 226

Leete E. Biogenesis of the Rauwolfia alkaloids—II. The incorporation of tryptophan into serpentine and reserpine. **14**, 35
Lehn J.-M., Levisalles J. et **Ourisson G.** Conformation du cycle A de cétones triterpéniques. Etude de moments dipôlaires. **L19**, 682
Leicht C. see **Wenkert E. L22**, 822
Lemal D. M. and **Fry A. J.** The preparation of silver fluoroborate: a warning. **L21**, 775
Lemal D. M. and **Shim K. S.** A transition metal-catalysed dimerization of norbornadiene. **L11**, 368
Levins P. L. see **Fox I. R. L7**, 249
Levisalles J. see **Lehn J.-M. L19**, 682
Levy J. F. see **Goering H. L. L18**, 644
Lide D. R. A survey of carbon-carbon bond lengths. **17**, 125
Likhosherstov A. M. see **Kochetkov N. K. L3**, 92
Likhterow V. R. see **Rasuwajew G. A. L15**, 527
Lim P. see **Dauben W. G. 15**, 217
Lloyd H. A., Kielar E. A., Highet R. J., Uyeo S., Fales H. M. and **Wildman W. C.** Position of the aromatic methoxyl in amaryllidaceae alkaloids related to powellane. **L3**, 105
Logan T. J. Conversion of 1,1-dichloro-2-alkylcyclopropanes to allenes and cyclopropanes. **L5**, 173
Lombard R. see **Haeusser J. 12**, 205
Longroy A. see **Stiles M. L10**, 337
Lucas S. see **Shen T. Y. L2**, 43
Lundin R. E. see **Corse J. L1**, 1

Maccioni A., Montanari F., Secci M. and **Tramontini M.** Asymmetric synthesis and absolute configuration of some sulphoxides. **L17**, 607
Mack W. see **Huisgen R. L17**, 583; **L17**, 587
Mackie R. K. see **Foster R. 16**, 119
MacLean J. W. see **Barclay L. R. C. L7**, 243
Maeda S. see **Sawa Y. K. 15**, 144; **15**, 154
Magno S. see **Piattelli M. L20**, 718
Maittis P. M. see **Dewar M. J. S. 15**, 35
Majhofer-Oreščanin B. and **Prostenik M.** Studies in the sphingolipids series—XVII. Synthesis and resolution of erythro and threo-C_{20} dihydro sphingosines. **12**, 56
Mamalis P. see **Marcinkiewicz S. 14**, 208
Mangoni L. see **Panizzi L. L11**, 376
Manitto P. see **Canonica L. 16**, 192
Manohar H. and **Ramaseshan S.** The absolute configuration of echitamine iodide. **L22**, 814
Marais D. J., Sheppard N. and **Stoicheff B. P.** An investigation of the structure of butadiene by high resolution infra-red and Raman spectroscopy. **17**, 163
Marcinkiewicz S., Green J. and **Mamalis P.** The relation between the Claisen rearrangement of allyl ethers and their electronic structure. **14**, 208
Mărculescu M. see **Balaban A. T. 13**, 258
Marica E. see **Avram M. L1**, 21
Mark V. A novel alkylation reaction: the reaction of halocyclopentadienes with phosphorous esters. **L9**, 295
Mark V. Perchlorofulvalene. **L10**, 333
Märkl G. Die Reaktion von Triphenylphosphinmethylenen mit Diazoniumsalzen. Darstellung von Triphenylphosphin-arylazo-methylenen. **L22**, 807
Märkl G. Die Reaktion von Triphenylphosphinmethylenen mit aliphatischen Diazoverbindungen. **L22**, 811
Marshall J. A. see **Church R. F. L1**, 34
Martin R. H. see **Pecher J. L8**, 270
Mastryukova T. A. see **Kabachnik M. I. 17**, 239
Mateescu G. see **Avram M. L1**, 21
Mathieson A. McL. and **Taylor J. C.** The structure of the bromodilactone from jacobine and the conformation of the lactone group. **L17** 590
Matsumoto T. see **Kubota T. L10**, 325
Matsuura T., Kamikawa T. and **Kubota T.** Natural furan derivatives—VIII. Relationship between the furan ring and six- and seven-membered lactone rings in obacunone. **12**, 269
Matsuura T. see **Kubota T. L10**, 325
Mayer R., Franke J., Horák V., Hanker I. und **Zahradník R.** Synthese und Eigenschaften des Thialens (Cyclopenta-thiapyran). **L9**, 289
Mayo D. W. see **Büchi G. 15**, 167
Mayo P. de. and **Starratt A. N.** The constitution of ceanothic acid, a ring-contracted triterpenoid. **L7**, 259
Mayo P. de. see **Ayer W. A. L18**, 648
Mazur Y. and **Nussim M.** Base catalysed rearrangements of α-ketols. **L22**, 817
Mazur Y. see **Danieli N. L9**, 310
McCallum K. S. see **Parker C. O. 17**, 79; **17**, 89
McCloskey A. L. see **Banerjee D. K. L2**, 76
McCorkindale N. J. The intensities of the carbonyl bands in the infra-red spectra of 2- and 4-quinolones. **14**, 223
McCullough J. J. see **Crossley N. S. L12**, 398
McMurry T. B. H. see **Cantlon I. J. 15**, 46
Meinwald J. and **Miller E. G.** The synthesis and reactions of some 1′-substituted 9,10-dihydro-9,10-methanoanthracenes. **L7**, 253
Melent'yeva T. A. see **Kabachnik M. I. 17**, 239
Melera A. see **Bladon P. L10**, 321
Men J. le. see **Bladon P. L10**, 321
Mentrup A. see **Horner L. L5**, 161
Meyers A. I. see **Trefonas L. M. L22**, 785
Micheli R. A. see **Applewhite T. H. L16**, 560
Michl J. see **Horák V. L21**, 744
Mihai G. see **Balaban A. T. 16**, 68
Miller E. G. see **Meinwald J. L7**, 253
Miller H. K. see **Chakravarti D. 16**, 224
Minato H. Absolute configuration of the substituent at C-7 in guaiol. **L8**, 280
Minato H. see **Takeda K. 13**, 308
Mislow K., Hyden S. and **Schaefer H.** Optical stability of a nine-membered ring bridged biphenyl. **L12**, 410
Mitsuhashi H. and **Shimizu Y.** Synthesis of a nitrogen-free derivative of jervine. **L2**, 777

VOL. 12 1961

Miyazaki M. see **Herz** W. **L2,** 82
Mock W. L. see **Corey** E. J. **L11,** 347
Molloy B. B. see **Reid** D. H. **L15,** 530
Montanari F. see **Maccioni** A. **L17,** 607
Moore C. G. see **Colclough** T. **15,** 187
Morgan E. D. see **Fray** G. I. **15,** 18
Moscowitz A. Some applications of the Kronig-Kramers theorem to optical activity. **13,** 48
Mueller W. A. see **Berson** J. A. **L4,** 131
Müller E., **Bauer** M. und **Rundel** W. Katalysierte Homologisierung cycloaliphatischer Ketone mit Diazoäthan. **L4,** 136
Müller H.-R. see **Hünig** S. **L11,** 353
Müller J. M. see **Thomas** A. F. **16,** 264
Mulliken R. S. Discussion, Symposium in Organic Chemistry. **17,** 247
Murphy R. B. see **Schubert** W. M. **17,** 199
Murray R. D. H., **Parker** W. and **Raphael** R. A. Bridged ring systems—I. Synthetic approaches to clovene. **16,** 74
Murrell J. N. see **Grinter** R. **L21,** 771
Muth K. see **Cava** M. P. **L4,** 140

Naemura K. see **Nakagawa** M. **L22,** 802
Nagarajan K. see **Govindachari** T. R. **15,** 60; **15,** 129
Nagata W. Totalsynthetische Untersuchungen an Steroiden—VII. Einführung der C-Substituenten in die angulare Stellung der kondensierten Ringsysteme (Teil 2). Degradative Darstellung der rac. D-Homo-18-nor-androstan-3β-ol-17-on-13β-sowie 13α-Carbonsäure. **13,** 268
Nagata W. Totalsynthetische Untersuchungen an Steroiden—VIII. Einführung der C-Substituenten in die angulare Stellung der kondensierten Ring-systeme (Teil 3). Einwirkung von Kaliumcyanid unter Zusatz von Ammoniumchlorid auf rac. D-Homo-18-nor-androstanderivativ. **13,** 278
Nagata W. Totalsynthetische Untersuchungen an Steroiden—IX. Einführung der C-Substituenten in die angulare Stellung der kondensierten Ringsysteme (Teil 4) Darstellung von rac. D-Homo-18-oxo-androstan-3β-ol-17-on. **13,** 287
Nagata W., **Terasawa** T., **Hirai** S. und **Takeda** K. Totalsynthetische Untersuchungen an Steroiden—X. Totalsynthese von rac. 5α-Pregn-16-en-20-on-3β-ol-3-acetat und rac. 16-Acetyl-androst-16-en-3β-ol-3-acetat. **13,** 295
Napgal K. L. see **Russell** G. A. **L13,** 421
Nagyváry J., **Arnold** W., **Philipsborn** W. von, **Schmid** H. und **Karrer** P. Über die Konstitution des C-Curarins. **14,** 138
Nair P. M., **Srinivasan** R. and **Venkataraman** K. Condensation of 2,4-dinitrochlorobenzene with *o*-hydroxyarylamides. **12,** 113
Naito T. see **Hirata** Y. **14,** 252
Nakagawa M. and **Toda** F. Transannular phenomena in cyclic diacetylenes. **L2,** 51
Nakagawa M., **Shingu** K. and **Naemura** K. Optically active cumulene. Synthesis and resolution of 1,5-di-*p*-chlorophenyl-1,5-di-t-butyl-penta-tetraene. **L22,** 802
Nakata H. see **Hirata** Y. **14,** 252
Nánási P. see **Bognár** R. **14,** 175
Narang K. S. see **Sharma** G. M. **15,** 53
Nasim K. T. see **Rahman** W. **L18,** 628
Neeman M. and **Hashimoto** Y. Structure of estriol glucuronide from human pregnancy urine. **L5,** 183
Nenitzescu C. D. see **Avram** M. **L1,** 21
Nesmeyanov A. N., **Freidlina** R. K., **Chukovskaya** E. C., **Petrova** R. G. and **Belyavsky** A. B. Addition, substitution and telomerization reactions of olefins in the presence of metal carbonyls or colloidal iron. **17,** 61
Nesmeyanov A. N., **Freidlina** R. K., **Kost** V. N. and **Khorlina** M. Y. The rearrangement of polyhaloalkyl radicals in solution with 1,2-chlorine atom migration. **16,** 94
Nesmeyanov A. N., **Freidlina** R. K., **Kost** V. N., **Vassilyeva** T. T. and **Kopylova** B. V. Synthesis of α-chlorocarboxylic acids by chlorinating compounds containing the CCl_3—CH group in acid medium. **17,** 69
Nesmeyanov A. N., **Kursanov** D. N., **Setkina** V. N., **Kislyakova** N. V. and **Kochetkova** N. S. Hydrogen exchange of ferrocene and its derivatives. **L2,** 41
Neumüller O.-A. see **Schenck** G. O. **L1,** 12
Neuss N. and **Gorman** M. The structure of catharanthine, a novel variant of the iboga alkaloids. **L6,** 206
Newman D. see **Abramovitch** R. A. **L21,** 752
Nicholas R. D. see **Schleyer** P. von R. **L9,** 305; **L14,** 499
Nicholls B. see **Crossley** N. S. **L12,** 398
Nicolaus R. A. see **Piattelli** M. **15,** 66
Nishiura P. Y. see **Tanabe** M. **L17,** 601
Nominé G. see **Velluz** L. **L3,** 127
Nosaka S. see **Takeda** K. **13,** 308
Novotný L., **Herout** V. and **Šorm** F. Substances from *Petasites officinalis* Moench. and *Petasites albus* (L.) Gaertn. **L20,** 697
Nozoe T. and **Takeshita** H. **L1,** 39
Nussbaum A. L. and **Robinson** C. H. Some recent developments in the preparative photolysis of organic nitrites. **17,** 35
Nussim M. see **Mazur** Y. **L22,** 817
Nys J. see **Depoorter** H. **L6,** 199

Ohme R. see **Schmitz** E. **L17,** 612
Oishi T. see **Ban** Y. **L22,** 791
Okanishi T. see **Takeda** K. **15,** 183
Okany A. see **Baxter** R. M. **L17,** 595
Ōki M. and **Iwamura** H. High resolution proton magnetic resonance spectra of tertiary alcohols related to 3-buten-1-ol and phenethyl alcohol. **16,** 139
Okuhara K. see **Hirata** Y. **14,** 252
Olcari L. Electronic wave function of methane and C–H bond orbital. **17,** 171
Olmo V. S. del. see **Ossorio** R. P. **L21,** 737

Ondetti M. A. and **Deulofeu** V. Alkaloids from *Aspidosperma australe* Mull. Argov.: The structure of olivacine and α-alkaloid C (guatambuine). **15**, 160
Orazi O. O. and **Corral** R. A. Substitution in the hydantoin ring—I. Aminomethylation. **15**, 93
Orvis R. L. see **Tamelen** E. E. van. **14**, 8
Ossorio R. P. and **Olmo** V. S. del. Mutarotation and isomerization of imines. **L21**, 737
Ourisson G. see **Lederer** F. **12**, 205
Ourisson G. see **Lehn** J.-M. **L19**, 682
Overend W. G. see **Capon** B. **16**, 106
Owen A. J. The electronic structure of some heteroatom conjugated compounds. **14**, 237

Pagano A. S. see **Parker** C. O. **17**, 89
Pai B. R. see **Djerassi** C. **L6**, 226
Pai B. R. see **Govindachari** T. R. **12**, 105; **14**, 288
Panizzi L., **Mangoni** L. and **Belardini** M. The structure of grindelic acid, a new diterpene acid. **L11**, 376
Papadopoulos S. see **Valenta** Z. **15**, 100
Parker C. O. Chemistry of dinitroacetonitrile—III. Dinitroacetamide and its derivatives. **17**, 105
Parker C. O. Chemistry of dinitroacetonitrile—IV. Preparation and properties of esters of dinitrocyanoacetic acid. **17**, 109
Parker C. O., **Emmons** W. D., **Pagano** A. S., **Rolewicz** H. A. and **McCallum** K. S. Chemistry of dinitroacetonitrile—II. Derivatives of dinitroacetonitrile from Michael, mannich and alkylation reactions. 2,2-Dinitro-2-cyanoethanol and its derivatives. **17**, 89
Parker C. O., **Emmons** W. D., **Rolewicz** H. A. and **McCallum** K. S. Chemistry of dinitroacetonitrile—I. Preparation and properties of dinitroacetonitrile and its salts. **17**, 79
Parker W. see **Murray** R. D. H. **16**, 74
Parshall G. W. see **Jones** D. **L2**, 48
Parthasarathy P. C. see **Govindachari** T. R. **15**, 129
Pasto D. J. see **Corey** E. J. **L11**, 347
Patelli B. see **Camerino** B. **L15**, 554
Paudler W. W. see **Taylor** E. C. **L2**, 87
Paul A. see **Kulkarni** G. H. **12**, 178
Paul A. see **Rao** A. S. **13**, 319
Pauling L. The carbon-carbon triple bond and the nitrogen-nitrogen triple bond. **17**, 229
Paulsen H. see **Heyns** K. **13**, 247
Payne H. A. S. see **Reid** D. H. **L15**, 530
Pearson B. D. The electronic spectra of the nitronaphthylamines. **12**, 32
Pecher J., **Martin** R. H., **Defay** N., **Kaisin** M., **Peeters** J., **Binst** G. van, **Verzele** N. and **Alderweireldt** F. Indole alkaloids. Presence of a N_aC–H_2 group in voachalotine. **L8**, 270
Peeters J. see **Pecher** J. **L8**, 270
Pelizzoni F. see **Canonica** L. **16**, 192; **L16**, 537
Pelletier S. W. Recent developments in the chemistry of the atisine-type diterpene alkaloids. **14**, 76
Pentimalli L. Preparation and peracid oxidation of 2-(*p*-dimethylamino)-styryl-pyridine. **14**, 151
Perry S. G. see **Bunton** C. A. **L14**, 458
Petragnani N. Aryl tellurium trihalides—II. Condensation reaction with methylketones and aromatic compounds containing electron-repelling groups. **12**, 219
Petrova R. G. see **Nesmeyanov** A. N. **17**, 61
Petrow V. see **Kirk** D. N. **12**, 95
Philbin E. M. see **Corey** E. J. **L13**, 429
Philip H. and **Keating** J. The neophyl carbene rearrangement. **L15**, 523
Philipsborn W. von. see **Nagyvary** . **14**, 128
Piattelli M. and **Nicolaus** R. A. The structure of melanins and melanogenesis—I. The structure of melanin in *Sepia*. **15**, 66
Piattelli M., **Fattorusso** E. and **Magno** S. Isolation of pyrrole-2,3,4-tricarboxylic acid and pyrrole-2,3,4,5-tetracarboxylic acid from sepiomelanin oxidation products. **L20**, 718
Pichat L., **Herbert** M. et **Thiers** M. Etudes sur les méthodes de préparation de la sélénocystamine, sélénohypotaurine et sélénotaurine. **12**, 1
Pierdet A. see **Velluz** L. **L3**, 127
Plas H. C. van der, **Hertog** H. J. den, **Ammers** M. van and **Haase** B. Bromination of pyridine-N-oxide. **L1**, 32
Podešva C. see **Valenta** Z. **15**, 100
Popov E. M. see **Kabachnik** M. I. **12**, 76
Porai-Koshits B. A. The structure of aromatic diazo-compounds. **12**, 113
Potier P. see **Bladon** P. **L10**, 321
Potoski J. R. see **Dittmer** D. C. **L22**, 827
Powell J. W. and **Whiting** M. C. The analysis of mixtures of octalins. **12**, 163
Powell J. W. and **Whiting** M. C. The decomposition of sulphonylhydrazone salts: mechanism and stereochemistry—II. The pyrolysis of the diazodecalins. **12**, 168
Powell J. W. and **Whiting** M. C. The decomposition of sulphonylhydrazone salts: mechanism and stereochemistry—II. The pyrolysis of the diazo-decalins. **12**, 278
Powell V. see **Gough** J. **L21**, 763
Prakash L. see **Gopinath** K. W. **16**, 201
Pratt L. see **Jones** D. **L2**, 48
Price J. R. see **Baldwin** M. E. **16**, 206
Procházka M. and **Černý** J. V. Stereoisomers of cyclopentano-tetrahydropyran. **16**, 25
Prošťenik M. see **Majhofer-Oreščanin** B. **12**, 56
Purushothamaan K. K. see **Djerassi** C. **L6**, 226
Purushothamaan K. K. see **Govindachari** T. R. **12**, 105

Quilico A. see **Barbulescu** N. **L3**, 89

Ragade I. S. see **Govindachari** T. R. **14**, 288
Rahman W. and **Nasim** K. T. Orientation in isoflavones. **L18**, 628
Rajadurai S. see **Govindachari** T. R. **12**, 105; **14**, 284

Rajappa S. see **Govindachari T. R.** **14**, 288; **15**, 132; **16**, 1
Ralhan N. K. see **Sharma G. M.** **15**, 53
Ramaseshan S. see **Manohar H.** **L22**, 814
Ramstad E. see **Agurell S.** **L15**, 501
Ramstad E. see **Sheth K.** **L12**, 394
Rao A. S., **Paul A.**, **Bhattacharyya S.** and **Bhattacharyya S. C.** Terpenoids—XXV. Structure of saussurea lacto **13**, 319
Rao A. S. see **Kulkarni G. H.** **12**, 178
Rao D. V. see **Grovenstein E.** **L4**, 148
Raphael R. A. see **Dobson N. A.** **16**, 16
Raphael R. A. see **Murray R. D. H.** **16**, 74
Rapp A. see **Horner L.** **L5**, 161
Rasuwajew G. A., **Likhterow V. R.** and **Etlis V. S.** Heterolytic isomerization of some acyl-sulphonyl peroxides. **L15**, 527
Reid D. H., **Fraser M.**, **Molloy B. B.**, **Payne H. A. S.** and **Sutherland R. G.** Quinone dehydrogenation—a general method of preparation of organic cations. **L15**, 530
Reid S. T. see **Ayer W. A.** **L18**, 648
Reinert K. see **Grimme W.** **L18**, 624
Rigaudy J. et **Courtot P.** Réactions photochimiques du diphényl-1,4 cycloheptadiène-1,3 **L3**, 95
Robins J. see **Schubert W. M.** **17**, 199
Robinson C. Liquid-crystalline structures in polypeptide solutions. **13**, 219
Robinson C. H. see **Nussbaum A. L.** **17**, 35
Robinson R. see **Fray G. I.** **15**, 18
Robinson R. see **Jaeger R. H.** **14**, 320; **15**, 231
Rolewicz H. A. see **Parker C. O.** **17**, 79; **17**, 89
Rosen W. E. Rauwolfia alkaloids—XLII. Methyl *neo*reserpate, an isomar of methyl reserpate. Part 4. Infrared spectra and configuration at C-3. **L14**, 481
Rouessac F. see **Conia J.-M.** **16**, 45
Row L. R. see **Sastry G. P.** **15**, 111
Rundel W. see **Müller E.** **L4**, 136
Russell G. A. and **Nagpal K. L.** Structural effects in electrophilic aliphatic substitution reactions of organosilanes. **L13**, 421

Sacha A. see **Eckstein Z.** **16**, 30
Sachdev H. S., **Dhami K. S.** and **Atwal M. S.** Thiopegan derivatives—XVI. Synthesis of 10:11-thiopegan derivatives containing a saturated thiazole moiety and of their related compounds. **14**, 304
Sachdev H. S. see **Sharma G. M.** **15**, 53
Salim N. see **Bose J. L.** **14**, 201
Sandhu G. S. see **Sharma G. M.** **15**, 53
Sarett L. H. see **Shen T. Y.** **L2**, 43
Sarma K. G. see **Aghoramurthy K.** **12**, 173
Sastry G. P. and **Row L. R.** Chemical investigation of *Citrus mitis* Blanco.—III. Isolation of two new flavanones. **15**, 111
Sauers R. R. A novel synthesis of bicyclo (3.2.1)-3-octen-2-ol. **L4**, 146
Saunderson C. P. and **Hodgkin D. C.** The crystal structure of suprasterol II. **L16**, 573
Sawa Y. K., **Tsuji N.** and **Maeda S.** Elimination of the 4-hydroxyl group of the alkaloids related to morphine—I. **15**, 144
Sawa Y. K., **Tsuji N.** and **Maeda S.** Elimination of the 4-hydroxyl group of the alkaloids related to morphine—II. **15**, 154
Sawi M. M. el. see **Lee J. B.** **12**, 226
Schaefer H. see **Mislow K.** **L12**, 410
Shechters H. see **Friedman L.** **L7**, 238
Schellman J. A. see **Strem J.** **13**, 176
Schenck G. O., **Kuhn H. J.** und **Neumüller O.-A.** Photoisomerisierungen der Lumicolchine und des Colchicеins. **L1**, 12
Scherrer H. see **White E. H.** **L21**, 758
Schlatmann J. L. M. A. see **Havinga E.** **16**, 146
Schleyer P. von R. and **Nicholas R. D.** Further examples of the adamantane rearrangement. **L9**, 305; **L14**, 499
Schleyer P. von R. see **Deno N. C.** **L12**, 414
Schlittler E. see **Ulshafer P. R.** **L11**, 363
Schmid H. see **Haegele W.** **L3**, 110
Schmid H. see **Nagyvary J.** **14**, 138
Schmid W. see **Caspi E.** **16**, 271
Schmitz E. und **Ohme R.** Cyclo-Diazomethan. **L17**, 612
Schneider W. G. see **Spiesecke H.** **L14**, 468
Schneller J. see **Trefonas L. M.** **L22**, 785
Schroeder H. see **Heyns K.** **13**, 247
Schubert W. M., **Murphy R. B.** and **Robins J.** Electron donor and acceptor properties of alkyl substituents. **17**, 199
Schulz G. see **Kresze G.** **12**, 7
Schumacher J. N. see **Giles J. A.** **14**, 246
Sciaky R. see **Camerino B.** **L15**, 554
Secci M. see **Maccioni A.** **L17**, 607
Seidel M. see **Huisgen R.** **17**, 3
Sengupta P. see **Khastgir H. N.** **14**, 275
Seo M. see **Ban Y.** **16**, 5; **16**, 11
Serratosa F. An acetylenic approach to patulin derivatives. **16**, 185
Seshadri T. R. see **Aghoramurthy K.** **12**, 173
Setkina V. N. see **Nesmeyanov A. N.** **L2**, 41
Shah V. R. see **Bonner W. A.** **L12**, 417
Sharma G. M., **Sachdev H. S.**, **Ralhan N. K.**, **Singh H.**, **Sandhu G. S.**, **Gandhi K.** and **Narang K. S.** Thiopegan derivatives—XXI. A mechanism for the formation of 9:10 and 10:11 thiopegan derivatives. **15**, 53
Sheichenko V. I. see **Kochetkov N. K.** **L20**, 730
Shen T. Y., **Lucas S.** and **Sarett L. H.** Chlorodifluoromethane as a difluoromethylating agent. **L2**, 43
Sheppard N. see **Marais D. J.** **17**, 163
Sheth K., **Ramstad E.** and **Wolinsky J.** The structure of loganin. **L12**, 394
Shim K. S. see **Lemal D. M.** **L11**, 368
Shimaoka A. see **Takeda K.** **15**, 183
Shimizu Y. see **Mitsuhashi H.** **L2**, 777
Shiner V. J. see **Bunton C. A.** **L14**, 458
Shingu K. see **Nakagawa M.** **L22**, 802
Shoolery J. N. see **Bredenberg J. B.-S.** **L9**, 285
Shoolery J. N. see **Djerassi C.** **L12**, 383
Shvo Y. see **Lavie D.** **L18**, 615
Sims J. J. see **Hendrickson J. B.** **L14**, 477

Singh H. see **Sharma** G. M. **15**, 53
Skattebøl L. Allenes from *gem*-dihalocyclopropane derivatives and alkyllithium. **L5**, 167
Sloan A. D. B. see **Fray** G. I. **15**, 18
Smith R. H. and **Suschitzky** H. Syntheses of heterocyclic compounds—I. Cyclization of N-substituted *o*-nitroanilines. **16**, 80
Smolin E. M. Vinylation of tri-n-butyltin hydride **L4**, 143
Sobell M. see **Capon** B. **16**, 106
Sollich W. A. see **Garnett** J. L. **L15**, 516
Sondheimer F. see **Danieli** N. **L9**, 310
Šorm F. see **Novotný** L. **L20**, 697
Sosnovsky G. Reactions of t-butyl peresters—III. Cuprous bromide-catalyzed reaction of peresters with ethers. **13**, 241
Spencer T. A. see **Tamelen** E. E. van. **14**, 8
Spenger R. E. see **Hendrickson** J. B. **L14**, 477
Spiesecke H. and **Schneider** W. G. The determination of π-electron densities in azulene from C^{13} and H^1 nuclear resonance shifts. **L14**, 468
Spiteller G. see **Biemann** K. **L9**, 299; **L14**, 485
Srinivasan R. see **Nair** P. M. **12**, 113
Stacey M. see **Bose** J. L. **14**, 201
Stacey M. see **Foster** A. B. **16**, 177
Starratt A. N. see **Mayo** P. de. **L7**, 259
Steffa L. J. see **Dittmer** D. C. **L22**, 827
Stevenson R. see **Kane** V. V. **15**, 223
Stewart M. F. see **Crossley** N. S. **L12**, 398
Stiles M. and **Longroy** A. Kinetics of the acid-catalyzed interconversion of 3-hydroxycyclohexanone and 2-cyclohexenone: reinterpretation of the decomposition of 3-alkoxyallylic alcohols. **L10**, 337
Stoicheff B. P. The variation of carbon-carbon bond lengths with environment as determined by spectroscopic studies of simple polyatomic molecules. **17**, 135
Stoicheff B. P. see **Marais** D. J. **17**, 163
Stork G. and **Birnbaum** G. The alkylation of enamines from α,β-unsaturated ketones. **L10**, 313
Stothers J. B. see **Ayer** W. A. **L18**, 648
Stout G. H. and **Stout** V. F. The structure and synthesis of xanthomicrol. **14**, 296
Stout V. F. see **Stout** G. H. **14**, 296
Streitwieser A. and **Suzuki** S. An HMO treatment of the reduction of aromatic hydrocarbon with alkali metals; reduction of fluoranthene. **16**, 153
Strem J., **Krishna-Prasad** Y. S. R. and **Schellman** J. A. The rotatory dispersion of amino acids. **13**, 176
Strem M. E. see **Arnett** E. M. **L19**, 658
Štrouf O. see **Trojánek** J. **L20**, 702
Sudarsanam V. see **Govindachari** T. R. **16**, 1
Sundarajan V. N. see **Govindachari** T. R. **15**, 60
Suresh K. S. see **Joshua** C. P. **L19**, 663
Suschitzky H. see **Smith** R. H. **16**, 80
Sutherland M. D. see **Gough** J. **L21**, 763
Sutherland R. G. see **Reid** D. H. **L15**, 530
Suzuki K. see **Kubota** T. **L6**, 223
Suzuki S. see **Streitwieser** A. **16**, 153
Swain C. G. and **Thornton** E. R. **L6**, 211

Taft R. W. see **Fox** I. R. **L7**, 249
Takahashi S. see **Kakisawa** H. **L2**, 59
Takeda K., **Minato** H. and **Nosaka** S. Studies on sesquiterpenoids—III. Some derivatives of guaiol. **13**, 308
Takeda K., **Okanishi** T., **Igarashi** K. and **Shimaoka** A. Studies on the steroidal components of domestic plants—XXXIV. The structure of luvigenin, a new sapogenin from *Metanarthecium luteo-viride* Maxim. **15**, 183
Takeda K. see **Nagata** W. **13**, 295
Takeshita H. see **Nozoe** T. **L1**, 39
Tamelen E. E. van, and **Haarstad** V. B. The direct oxidative conversion of 2-methyltryptophan to 4-acetylquinoline. **L12**, 390
Tamelen E. E. van, **Spencer** T. A., **Allen** D. S. and **Orvis** R. L. The synthesis of colchicine. **14**, 8
Tamura T. see **Tanaka** H. **L4**, 151
Tanabe M., **Chamberlin** J. W. and **Nishiura** P. Y. The reduction of steroidal 3-keto-1,4-dienes. **L17**, 601
Tanaka H. and **Tamura** T. The chemical constitution of rubrofusarin. **L4**, 151
Taylor D. R. see **Burnell** R. H. **15**, 173
Taylor E. C. and **Paudler** W. W. **L2**, 87
Taylor J. C. see **Mathieson** A. McL. **L17**, 590
Taylor W. I. The structure and synthesis of liriodenine, a new type of isoquinoline alkaloid. **14**, 42
Terasawa T. see **Nagata** W. **13**, 295
Terashima M. see **Ban** Y. **L22**, 796
Thier W. see **Hünig** S. **L11**, 353
Thiers M. see **Pichat** L. **12**, 1
Thomas A. F. The triterpenes of *Commiphora*—II. The structures of commic acid C and commic acid D. **15**, 212
Thomas A. F., **Heusler** K. and **Müller** J. M. The triterpenes of *Commiphora*—III. The structure of commic acid E. **16**, 264
Thomas R. A possible biosynthetic relationship between the cyclopentanoid monoterpenes and the indole alkaloids. **L16**, 544
Thornton E. R. **L6**, 211
Thrift R. I. see **Battersby** A. R. **14**, 46
Tiers G. van D. see **Garnett** J. L. **L15**, 516
Tinoco I., **Woody** R. W. and **Yamaoka** K. Optical rotation and polypeptide structure. **13**, 134
Tobias I. see **Kauzmann** W. **13**, 57
Toda F. see **Nakagawa** M. **L2**, 51
Tokoroyama T. see **Kubota** T. **L10**, 325
Tomita Y. see **Kubota** T. **L5**, 176; **L6**, 223; **L14**, 453
Tömösközi I. see **Fodor** G. **L16**, 579
Traettenberg M. see **Bastiansen** O. **17**, 147
Tramontini M. see **Maccioni** A. **L17**, 607
Trefonas L. M., **Schneller** J. and **Meyers** A. I. Polycyclic bases—III. The preparation and structure of a novel spirooxazine. **L22**, 785

Trojánek J., Štrouf O., Holubek J. and **Čekan Z.** Structure of vincamine. **L20,** 702
Tsatsos W. T. see **Banerjee D. K. L2,** 76
Ts'o, P. O. P. and **Helmkamp G.** Studies on the secondary structure of nucleic acids by means of optical rotation. **13,** 198
Tsuji N. see **Sawa Y. K. 15,** 144; **15,** 154
Turner R. B. and **Gänshirt K. H.** The total synthesis of phyllocladene. **L7,** 231

Ulshafer P. R., Bartlett M. F., Dorfman L., Gillen M. A., Schlittler E. and **Wenkert E.** Isolation and structure of perakine. **L11,** 363
Ünseren E. and **Wolf A. P.** The disproportionation of ethylbenzene-1-C^{14} under the influence of aluminium bromide and hydrogen bromide. **L19,** 691
Urbanski T. see **Eckstein Z. 16,** 30
Uyeo S. see **Lloyd H. A. L3,** 105

Valenta Z., Papadopoulos S. and **Podešva C.** Quassin and *neo*quassin. **15,** 100
Valenta Z. see **Wiesner K. L5,** 187
Van Sickle D. E. Secondary deuterium isotope effect on the maleic anhydride-cyclopentadiene reaction. **L19,** 687
Varady J. see **Farkas L. L6,** 197; **L13,** 452
Vassilyeva T. T. see **Nesmeyanov A. N. 17,** 69
Vatsuro K. V. see **Kabachnik M. I. 12,** 76
Velluz L., Nominé G., Bucourt R., Pierdet A. et **Dufay P.** Synthèse stéréospécifique totale d'un homologue angulaire de l'hormone folliculinique naturelle. Le 13-propyl nor-estradiol. **L3,** 127
Venkataramani S. see **Nair P. M. 12,** 113
Verma V. K. see **Joshua C. P. L19,** 663
Verzele N. see **Pecher J. L8,** 270
Vierling R. A. see **Blomquist A. T. L19,** 655
Viswanathan N. see **Gopinath K. W. 14,** 322
Viswanathan N. see **Govindachari T. R. 14,** 288
Vitali R. see **Gardi R. L13,** 448
Voaden D. J. see **Zuman P. 16,** 130
Vorbrüggen H. and **Djerassi C.** On the absolute configuration of the diterpene alkaloids related to veatchine and atisine. **L3,** 119
Vredenburgh W. A. see **Banerjee D. K. L2,** 76

Wagner C. D. Radiolysis of liquid propylene: ion-molecule condensation. **14,** 164
Wallbillich G. see **Huisgen R. 17,** 3
Ward A. D. see **Carman R. M. L10,** 317
Webber J. M. see **Bose J. L. 14,** 201
Weinges K. see **Freudenberg K. L8,** 267; **15,** 115
Weinstein B. see **Dauben W. G. 15,** 217
Wenkert E. and **Beak P.** Hydroxytotarol. **L11,** 358
Wenkert E., Wickberg B. and **Leicht C.** The stereochemistry of mayumbine and structurally related oxindole alkaloids. **L22,** 822
Wenkert E. see **Ulshafer P. R. L11,** 363
Werner H. see **Fischer E. O. L1,** 17
Wheeler T. S. see **Corey E. J. L13,** 429
White D. E. see **Knight J. O. L3,** 100
White E. H. and **Scherrer H.** The triazine method for the deamination of aliphatic amines. **L21,** 758
White R. W. and **Emmons W. D.** The chemistry of permaleic acid. **17,** 31
Whitehead E. V. see **Dean R. A. L21,** 768
Whitfield F. B. see **Cavill G. W. K. 12,** 139
Whiting M. C. see **Powell J. W. 12,** 163; **12,** 168; **12,** 278
Whitlock H. W. On the homologation of stable carbonium ions. **L17,** 593
Wickberg B. see **Wenkert E. L22,** 822
Wieland T. und **Biener H.** Über rote Farbstoffe, die sich vom 2-Phenyl-imidazolon-4(5) ableiten. **15,** 1
Wiesner K., Francis J. E., Findlay J. A. and **Valenta Z.** The configuration of annotinine and some re-arrangements. **L5,** 187
Wildman W. C. see **Lloyd H. A. L3,** 105
Wilkinson G. see **Jones D. L2,** 48
Williams R. O. see **Bird C. W. L11,** 373
Williamson K. L. see **Banerjee D. K. L2,** 76
Willis R. G. see **Dobson N. A. 16,** 16
Wilson E. B. Conjugation, hybridization and steric hindrance in relation to bond lengths. **17,** 191
Winkler H. see **Horner L. L5,** 161
Winstein S., Ledwith A. and **Hojo M.** Racemization and radio-chloride exchange of *p*-chlorobenzhydryl chloride in acetone. **L10,** 341
Wittstruck T. A. see **Caspi E. 16,** 271
Wolf A. P. see **Ünseren E. L19,** 691
Wolinsky J. see **Sheth K. L12,** 394
Woody R. W. see **Tinoco I. 13,** 134

Yamada K. see **Hirata Y. 14,** 252
Yamaoka K. see **Tinoco I. 13,** 134
Yang Jen Tsi. Optical rotatory dispersion of polypeptides and proteins. **13,** 143
Yates P. and **Clark T. J.** The thermal decomposition of α-diazoacetophenone. **L13,** 435
Yates P. and **Eaton P.** The rearrangement of 4,5,6,7-tetrachloro-3a,4,7,7a-tetrahydro-4,7-methanoiden-8-one. **12,** 13
Yates P. and **Hand E. S.** Acid-catalysed isomerization and cleavage of dioximes of the photodimers of γ-pyrones. **L19,** 669
Yates P. see **Dunathan H. L21,** 781
Yeh P.-Y. and **Huang P.-K.** Malvidin 3-galactoside and delphinidin 7-galactoside from *Baidhia sieboldhi*. **12,** 181

Zahradnik R. and **Koutecky J.** The reactivity and electronic spectra of pseudoaromatic sulphur compounds. **L18,** 632
Zahradnik R. see **Mayer R. L9,** 289
Zimmerman H. E. Orientation in metal ammonia reductions. **16,** 169
Zuman P. and **Voaden D. J.** Polarography of non-benzenoid aromatic and related substances —VI. Polarographic and spectrophotometric study of steric hindrance of coplanarity in 3-phenylsydnones. **16,** 130
Zuman P. see **Horák V. L21,** 744; **L21,** 746

VOL.
12
1961